

Date _____

Customer code C- _____

Invoice address _____

Contact person _____

Reference _____

Other delivery address _____

Invoice address = delivery address

Quote



NETTI DYNAMIC COMPLETE SYSTEM

Netti Dynamic complete system is equipped with a seat unit with dynamic seat plate, armrests with hand protection, frame extension, longer antitippers, Bodypoint EVOFLEX pelvic stabilizer and an individually chosen gas spring for the back unit (see page 2).

Price on request

Seat width

D20135HD	<input type="checkbox"/>	35 cm
D20138HD	<input type="checkbox"/>	38 cm
D20140HD	<input type="checkbox"/>	40 cm
D20143HD	<input type="checkbox"/>	43 cm
D20145HD	<input type="checkbox"/>	45 cm
D20150HD	<input type="checkbox"/>	50 cm

Seat depth

<input type="checkbox"/>	50,0 cm
<input type="checkbox"/>	47,5 cm
<input type="checkbox"/>	45,0 cm
<input type="checkbox"/>	42,5 cm
<input type="checkbox"/>	40,0 cm

For seat depth above 50 cm, see page 2

Capacity Max. 160 kg

Seat height See page 13

Before using Netti Dynamic System or any of its components, a seating assessment should be carried out by a trained professional. For more information please visit our website www.my-netti.com



DYNAMIC SEAT- AND BACKSOLUTION

Please contact us for recommendation on the choice of gas spring.

15° Dynamic gas spring for the back angle - cannot be blocked - incl. dynamic seat unit
Not allowed for car transportation, as the back angle cannot be blocked.

Back unit with Dynamic gas spring allows 15° trunk extension movements backwards. The standard recline is maintained and can be adjusted in any position. The Dynamic gas spring cannot be blocked. Recommended for stiffness patterns which tend to persist, spasticity, and also for comfort and prevention.

- Dynamic gas spring 80 N
- Dynamic gas spring 120 N
- Dynamic gas spring 160 N



EVOFLEX pelvic stabiliser: Please choose the size from the table on page 13.

Size XS M L

40° Dynamic FREE gas spring for the back angle - lockable - incl. dynamic seat unit

Back unit with Dynamic Free gas spring allows up to 40° trunk extension movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. The back recline and blocking/unblocking of the dynamic back movement is done with a special dynamic release handle. The Dynamic Free gas spring is recommended for severe extension patterns, also for violent and sudden movements.

- Dynamic FREE gas spring 200 N (SW 35 - 40 cm)
- Dynamic FREE gas spring 300 N (SW 35 - 40 cm)
- Dynamic FREE gas spring 400 N (SW 35 - 40 cm)
- Dynamic FREE gas spring 500 N (SW 35 - 40 cm)
- Dynamic FREE gas spring 600 N (SW 35 - 43 cm)
- Dynamic FREE gas spring 700 N (SW 35 - 43 cm)
- Dynamic FREE gas spring 800 N (SW 35 - 43 cm)
- Dynamic FREE gas spring 900 N (SW 45 - 50 cm)
- Dynamic FREE gas spring 1000 N (SW 45 - 50 cm)
- Dynamic FREE gas spring 1100 N (SW 45 - 40 cm)
- Dynamic FREE gas spring 1200 N (SW 45 - 50 cm)
- Dynamic FREE gas spring 1300 N (SW 45 - 50 cm)



EVOFLEX pelvic stabiliser: Please choose the size from the table on page 13.

Size XS M L

D45040	<input type="checkbox"/>	Security cover for 2-point pelvic stabilizer (XS, M, L)	58,-
D87903	<input type="checkbox"/>	Recline limiter (possible to limit in different positions from 116° - 134°) for the Netti Dynamic Free back spring (to be mounted by the dealer)	30,-




Alternative to the 2-point pelvic stabilizer

Price on request

- D86889 – Bodypoint 4-point padded hip belt – Size XS
- D86893 – Bodypoint 4-point padded hip belt – Size M
- D86894 – Bodypoint 4-point padded hip belt – Size L

Please choose the size from the table on page 13.

DYNAMIC HEAD SUPPORT SOLUTION



- D82746 Netti Dynamic head support C incl. head support adapter in aluminium

Price on request

DYNAMIC FOOT SUPPORT SOLUTION

The DUAL foot support solution is for users with an asymmetric movement pattern. It is specially developed to allow for uneven forces from the legs. Furthermore the Netti Dynamic DUAL foot supports allows for different leg length.



- D82296 **Dual leg support** angle adjustable with calf supports and footboard, 100 N
Std. 300 mm adjustment piece (Lower leg length 45-60 cm)
- D82298 With 214 mm adjustment piece (Lower leg length 30-45 cm)
- D82318 **Dual leg support** angle adjustable with calf supports and footboard, 100 N
Including extension bracket to be used by uneven leg length or leg position adjusting the foot board depth.
Std. 300 mm adjustment piece (Lower leg length 45-60 cm)
- D82319 With 214 mm adjustment piece (Lower leg length 30-45 cm)

Accessories for Netti Dynamic leg rests (for other leg support solutions please see page 5)

D88211	<input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment	80,-
D45245	<input type="checkbox"/>	Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket)	Price on request
		Bodypoint ankle huggers incl. mounting material	
	<input type="checkbox"/>	D44863 S (L: 17-20 cm)	213,-
	<input type="checkbox"/>	D44864 M (L: 19-23 cm)	213,-
	<input type="checkbox"/>	D44865 L (L: 22-29 cm)	223,-
	<input type="checkbox"/>	D44904 XL (L: 28-33 cm)	244,-
D21081	<input type="checkbox"/>	Extra abduction for legrests (+5 cm, not for SW 43 cm)	380,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	49,-


D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	190,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	162,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	162,-

= Standard equipment

Please send us a request for combinations with NDS options, as some combinations are only possible as special adaptations.

FRAME + ACCESSORIES

Item nr.	Description	Price in €
Standard	<input checked="" type="checkbox"/> Push handles 30 cm, height adjustable and swingable	0,-
Standard	<input checked="" type="checkbox"/> Anti tip w/ pedal	0,-
Standard	<input checked="" type="checkbox"/> Frame extension incl. brakes on lower frame tube	0,-
D21808	<input type="checkbox"/> Push handles 50 cm, height adjustable and swingable	189,-
D81740	<input type="checkbox"/> Push bow – height and angle adjustable	338,-
D41074	<input type="checkbox"/> Car fastener	158,-
D21032	<input type="checkbox"/> Tilt-restrictor (no neg. tilt frontwards)	54,-
D43032	<input type="checkbox"/> Tilt lock (stepless locking of tilt angle)	319,-
D21075	<input type="checkbox"/> Recommended configuration for car transportation for users taller than 185 cm (incl. back height 60 cm, 50 cm vertical tube and headrest adapter in aluminium)	597,-
D21020	Release lever for tilt - adapted to arm rest <input type="checkbox"/> L <input type="checkbox"/> R Both release handles on one side is offered as special adaptation	259,-
D21040	Release lever for recline - adapted to arm rest <input type="checkbox"/> L <input type="checkbox"/> R Both release handles on one side is offered as special adaptation. Combined with Free back spring only as special adaptation.	259,-
SPECIAL	Special seat depth incl. frame extension, longer dynamic seat plate and longer cushion – add. charge for SW 35-40 cm as the cushion is special adaptation. If combined with other options, please send us a request as some solution are only possible as special adaptations. <input type="checkbox"/> 52,5 cm <input type="checkbox"/> 55 cm <input type="checkbox"/> 57,5 cm	Price on request
D21022	<input type="checkbox"/> Easy Care cover for seat and back, washable (not available for VB Venti or Netti Sit °C, Kyphotic, Contour and Ride cushion)	0,-
D40501	<input type="checkbox"/> SW extension: 1,2 cm per side for standard wheels (only SW 35-45 cm)	599,-
D40502	<input type="checkbox"/> SW extension: 1,2 cm per side for DB-wheels (only SW 35-45 cm)	599,-
SPECIAL	<input type="checkbox"/> Side upholstery (reduces SW with 2 x 2,5 cm); incl. a special adaptation of the seatplate with cuts to allow the Dynamic movements. Seat cushion will for the same reasons also be delivered in a smaller size.	Price on request

D45084	<input type="checkbox"/>	Bodypoint supportive universal elastic strap S (Height 8 cm - 142 cm long, easily cut-to-length)		170,-	
D45085	<input type="checkbox"/>				L (Height 11 cm - 142 cm long, easily cut-to-length)
D45086	<input type="checkbox"/>				XL (Height 15 cm - 142 cm long, easily cut-to-length)

SOLUTIONS FOR RESPIRATION MACHINES AND OTHER MEDICAL DEVICES

D21186	<input type="checkbox"/>	Universal device holder (incl. frame extender D20824) D: 34,8 cm / W: SW minus 3,6 cm / Max. capacity 10kg ! Please note: Only limited/restricted use allowed for car transport. For further information, please see the manual for the universal device basket on our homepage.	1697,-
D21187	<input type="checkbox"/>	Cover plate for universal device – add. level (only with D21186) D: 19,3 cm / W: SW minus 3,7 cm / H (free area): 23,7 cm	449,-
D42900	<input type="checkbox"/>	Extra set of 4 mounting brackets, incl. screws	234,-

BRAKES

Standard	<input checked="" type="checkbox"/>	User brake, brake lever 24 cm	0,-
D21010	<input type="checkbox"/>	Drum brakes	229,-
D27282	<input type="checkbox"/>	One-hand-brake, right (only in combination with drum brake)	338,-
D27283	<input type="checkbox"/>	One-hand-brake, left (only in combination with drum brake)	338,-

BACK UNIT (for belts please see page 9)

Standard	<input checked="" type="checkbox"/>	Back cushion Netti Smart - side support 12 cm - 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Back height 50 cm (incl. adjustable velcro back)	0,-
D21006	<input type="checkbox"/>	Back height 60 cm (incl. back extender + longer cushion)	294,-
D44992	<input type="checkbox"/>	Adjustable velcro with cut for side supports	236,-
D27376	<input type="checkbox"/>	Side support correction left – for Netti Smart	193,-
D27378	<input type="checkbox"/>	Side support correction right – for Netti Smart	193,-
D27542	<input type="checkbox"/>	Bracket upholstery for side support correction	98,-
D21023	<input type="checkbox"/>	Back cushion Netti Stabil - with 17 cm side support with 3D cover	497,-
D21123	<input type="checkbox"/>	Back cushion Netti Super Stabil – with 17 cm reinforced side support, 3D cover	579,-
D20630	<input type="checkbox"/>	Back cushion Netti Kyphotic – 3D/Mars cover – only back height 50 cm and SW 35-50 cm	667,-
D26831	<input type="checkbox"/>	Side support stable left – for Netti Stabil, Super Stabil & Kyphotic	219,-
D26844	<input type="checkbox"/>	Side support stable right – for Netti Stabil, Super Stabil & Kyphotic	219,-
D27541	<input type="checkbox"/>	Upholstery for side support stable, pair	134,-
D27700	<input type="checkbox"/>	Firm back in aluminium, back height 50 cm	332,-
D27701	<input type="checkbox"/>	Firm back in aluminium, back height 60 cm, incl. D21006	696,-
D21042	<input type="checkbox"/>	Lumbar support	164,-
D21084	<input type="checkbox"/>	Back wedge	164,-



NEW:
Advanced seating and positioning management: Ride Designs – solutions (seat and back) for an even more stable posture, even more mobility/ functionality and an immense improved skin protection (decubitus prophylaxis). Please use separate order form.

SEAT UNIT (for belts please see page 2)

Standard	<input checked="" type="checkbox"/>	Seat cushion Netti Uno – 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Dynamic seat plate	0,-
D21048	<input type="checkbox"/>	Incontinence cover for seat cushion	212,-
D21007	<input type="checkbox"/>	Netti Sit - Pressure relief seat cushion with incontinence layer under the 3D cover	356,-
D21017	<input type="checkbox"/>	Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	497,-
D19730	<input type="checkbox"/>	Netti Contour seat cushion with 3D cover, for SW 35-43 cm only in limited seat depths available (see spare part catalogue).	235,-
D63400	<input type="checkbox"/>	Vital Base Venti - anti-decubitus cushion with 3D cover	439,-
D27490	<input type="checkbox"/>	Abduction block small (W: 8 x L: 14 x H: 8 cm)	235,-
D27491	<input type="checkbox"/>	Abduction block medium (W: 11 x L: 15 x H: 8 cm)	235,-
D27492	<input type="checkbox"/>	Abduction block large (W: 14 x L: 17 x H: 8 cm)	235,-

LEG SUPPORTS AND ACCESSORIES (for dynamic leg supports [D] see page 3)



[A]

[B]

[C]

[D]

Standard	<input checked="" type="checkbox"/>	[A] Manual adjustable leg rests with automatic length adjustment, angle adjustable foot plates, calf supports and knee upholstery	0,-
D88600	<input type="checkbox"/>	[B] Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	987,-

The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.

D24005	<input type="checkbox"/>	Universal leg rests with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed (we recommend the use of D20664: Front wheel distance bushers to simplify foot propelling)	117,-
--------	--------------------------	---	-------

Accessories for Netti Grandis leg rest



Bodypoint ankle huggers with upholstery incl. mounting kit

<input type="checkbox"/>	D88863	S (L: 17-20 cm)	293,-
<input type="checkbox"/>	D88864	M (L: 19-23 cm)	293,-
<input type="checkbox"/>	D88865	L (L: 22-29 cm)	303,-
<input type="checkbox"/>	D88866	XL (L: 28-33 cm)	324,-

D88602	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	190,-
D88606	<input type="checkbox"/>	Knee upholstery at the knee/thigh angle	52,-
D88607	<input type="checkbox"/>	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	102,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	49,-
D88604	<input type="checkbox"/>	Angle limiter (for limitation of angle upwards) – mounted	58,-
D88014	<input type="checkbox"/>	Foot fixation, pair incl. mounting kit	212,-
D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable	347,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover	654,-
D21293	<input type="checkbox"/>	Calf strap	79,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	162,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	162,-

Accessories for manually adjustable or universal leg rest

D88211	<input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment (only for manually adjustable leg supports)	80,-
--------	--------------------------	---	------



Bodypoint ankle huggers with upholstery

<input type="checkbox"/>	D44863	S (L: 17-20 cm)	213,-
<input type="checkbox"/>	D44864	M (L: 19-23 cm)	213,-
<input type="checkbox"/>	D44865	L (L: 22-29 cm)	223,-
<input type="checkbox"/>	D44904	XL (L: 28-33 cm)	244,-

D80087	<input type="checkbox"/>	Depth adjustable hinge for footplates (5 cm in all) – mounted	444,-
D21008	<input type="checkbox"/>	Gas spring – only for manually adjustable leg rests	878,-
D21081	<input type="checkbox"/>	Extra abduction for leg rests (+5 cm, not for SW 43 cm)	380,-
D21044	<input type="checkbox"/>	Foot board, adjustable	287,-
D21041	<input type="checkbox"/>	Foot box upholstered	459,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	49,-
D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	190,-
D23014	<input type="checkbox"/>	Foot fixation, pair	132,-
D28453	<input type="checkbox"/>	Foot plate upholstery - pair - skai cover	269,-

D86900	<input type="checkbox"/>	Bodypoint calf strap M	162,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	162,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

Standard	<input checked="" type="checkbox"/>	Arm supports height and depth adjustable (39,5 cm)	0,-
Standard	<input checked="" type="checkbox"/>	For SW 35-50 cm: Arm pads 385 x 58 mm	0,-
Standard	<input checked="" type="checkbox"/>	Armrests with hand protection	0,-
D21077	<input type="checkbox"/>	Arm pads 420 x 80 mm for SW 35-50 cm	112,-
D21078	<input type="checkbox"/>	Arm pads 445 x 70 mm	112,-
D21079	<input type="checkbox"/>	Arm pads 525 x 80 mm	112,-
D41649	<input type="checkbox"/>	Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	99,-
D41650	<input type="checkbox"/>	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	123,-
D23003	<input type="checkbox"/>	Hemiplegic cushion	196,-
D22185	<input type="checkbox"/>	Arm support hemiplegic left (not to be combined with a tray)	296,-
D22186	<input type="checkbox"/>	Arm support hemiplegic left (not to be combined with a tray)	296,-



NEW:

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN WHEEL

Standard	<input checked="" type="checkbox"/>	Main wheels 24 x 1 3/8" flexel Possible front wheels	SH1 <input type="checkbox"/> 46,0 cm 7"	SH2 <input type="checkbox"/> 49 cm 7 & 8"	0,-
D20831	<input type="checkbox"/>	Main wheel w/one hand drive (24x1 3/8 DB) - left			1647,-
D20832	<input type="checkbox"/>	Main wheel w/one hand drive (24x1 3/8 DB) – right Max. capacity 150kg			
D22008	<input type="checkbox"/>	Main wheels pneumatic – only 24 x 1 3/8 available			59,-
D81006	<input type="checkbox"/>	Main wheels 24 x 1 3/8 Heavy duty wheels			413,-
D22007	<input type="checkbox"/>	Main wheels 22 x 1 3/8" flexel Possible front wheels		SH2 <input type="checkbox"/> 46,5 cm 7, 8"	132,-
D21035	<input type="checkbox"/>	DB wheels 12½" flexel Possible front wheels		SH2 <input type="checkbox"/> 50 cm 7, 8"	345,-
D22035	<input type="checkbox"/>	DB wheels 16" PU Possible front wheels	SH1 <input type="checkbox"/> 48,5 cm 7"		345,-

D22010	<input type="checkbox"/>	Main wheels 26 x 1 3/8" flexel Possible front wheels (Max. capacity 145 kg)	SH1 <input type="checkbox"/> 48,5 cm 7, 8"	SH2 <input type="checkbox"/> 51,5 cm 8"	137,-
D22009	<input type="checkbox"/>	Hand and spoke protector, transparent, pair			138,-
D22013	<input type="checkbox"/>	Push rim cover, pair (cannot be combined with D81006)			112,-

FRONT WHEELS

Standard	<input checked="" type="checkbox"/>	Front wheels: 7" – 175 x 45 flexel	0,-
D21012	<input type="checkbox"/>	Front wheels: 7" – 175 x 45 pneumatic	79,-
D21026	<input type="checkbox"/>	Front wheels: 8" – 200 x 50 flexel	79,-
D20664	<input type="checkbox"/>	Front wheel distance busher to simplify foot propelling (ideal in combination with D24005)	158,-

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS



	A	B	C	D	E	F
D82025	<input type="checkbox"/>	Head support adapter aluminium (not to be combined with stabilizer for head rest)				224,-
D20575	<input type="checkbox"/>	Head support A, with side support				210,-
D82566	<input type="checkbox"/>	Head support A with side support and head band				255,-
D20574	<input type="checkbox"/>	Head support B, small, oval				210,-
D20573	<input type="checkbox"/>	Head support C, large, square				210,-
D20576	<input type="checkbox"/>	Head support D, comfort (pressure distributive)				268,-
D27575	<input type="checkbox"/>	Head support E with adjustable side supports				362,-
D27576	<input type="checkbox"/>	Head support F with cheek support				362,-
D27579	<input type="checkbox"/>	Headrest E with shorter side support right				420,-
D27580	<input type="checkbox"/>	Headrest E with shorter side support left				420,-
D21027	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 10 cm, length 25 cm				79,-
D21028	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 23 cm, length 38 cm				89,-
D21054	<input type="checkbox"/>	Head support adjustment tube (vertical) + 10 cm, length 50 cm				79,-
D23004	<input type="checkbox"/>	Comfort cushion for head rest type C – removable with Mars cover				162,-
D23012	<input type="checkbox"/>	Easy Care cover for head rest type A, B, C – removable				79,-
D23013	<input type="checkbox"/>	3D cover for head rest type A, B, C – removable				79,-
D23015	<input type="checkbox"/>	Grey head rest cushion with Mars cover				214,-
D23017	<input type="checkbox"/>	Stabilizer for head rest -SW 35-50 (recommended for car transportation)				258,-



D45372	<input type="checkbox"/>	[A] Savant head support incl. headband, small – height 13 cm User forehead 46-56 cm User ½ circumference behind ears 15-18 cm Inside distance along top support 30 cm, along middle support 18 cm (not for transport in car)	Price on request
D45374	<input type="checkbox"/>	[A] Savant head support incl. headband, adult – height 15 cm User forehead 56-61 cm User ½ circumference behind ears 20-30 cm Inside distance along top support 36 cm, along middle support 20 cm (not for transport in car)	Price on request
D45373	<input type="checkbox"/>	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	<input type="checkbox"/>	Headrest adjustment tube (horizontal) + 10 cm, length 25 cm	Price on request
D45368	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not for transport in car)	Price on request
D45376	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not for transport in car)	Price on request
D89558	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not for transport in car)	Price on request
D89559	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not for transport in car)	Price on request

TRAYS






D21059	<input type="checkbox"/>	Universal tray for SW 35 - 50 cm (for SW 50 and arm pad D21077, please choose tray D21063)	195,-
D21063	<input type="checkbox"/>	Universal tray for SW 55 + 60 cm (necessary for SW 50 with arm pad D21077)	238,-
D21050	<input type="checkbox"/>	Tray reinforced for SW 35-50 cm (not possible for SW 50 if combined with D21077)	356,-
D24001	<input type="checkbox"/>	Tray swingable for SW 35-50 cm (not possible for SW 50 if combined with D21077)	242,-
D24002	<input type="checkbox"/>	Tray lockable for SW 35-50 cm (not possible for SW 50 if combined with D21077)	242,-
D21052	<input type="checkbox"/>	Upholstery for tray	113,-
D23006	<input type="checkbox"/>	Half tray, upholstered, left	383,-
D23005	<input type="checkbox"/>	Half tray, upholstered, right	383,-

VARIOUS ACCESSORIES

D21087	<input type="checkbox"/>	Clinic-Kit (tools and star wheels) only for angle adjustable legrests	106,-
D21239	<input type="checkbox"/>	Tool kit	89,-
D42269	<input type="checkbox"/>	Wheelchair bag	140,-
D41987	<input type="checkbox"/>	Intravenous rack	298,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for back unit

				
[A]	[B]	[C]	[D]	[E]
D86890	<input type="checkbox"/>	H-harness adaptor kit (recommended for all upper body harnesses) [A]	250,-	
D20881	<input type="checkbox"/>	H-belt, with upholstery and car belt lock [B]	227,-	
D41645	<input type="checkbox"/>	Belt cross harness [C]	175,-	
		Bodypoint Stayflex chest support without zipper [D]	246,-	
D89805	<input type="checkbox"/>	XS (Shoulder width 24-28 cm)		
D86898	<input type="checkbox"/>	S (Shoulder width 28-33 cm)		
D86895	<input type="checkbox"/>	M (Shoulder width 33-41 cm)		
D86896	<input type="checkbox"/>	L (Shoulder width 41-48 cm)		
		Bodypoint Pivofit shoulder harness [E]	246,-	
D89802	<input type="checkbox"/>	XS (Shoulder width 24-28 cm)		
D89803	<input type="checkbox"/>	S (Shoulder width 28-33 cm)		
D86898	<input type="checkbox"/>	M (Shoulder width 33-41 cm)		
D86899	<input type="checkbox"/>	L (Shoulder width 41-48 cm)		

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

CUSTOM MADE – most wanted special adapted items (price on request)

<input type="checkbox"/>	Extra-long calf supports (Please state length)
<input type="checkbox"/>	Calf support upholstery in special length or material
<input type="checkbox"/>	Special bracket maintaining the calf supports in a fixed position
<input type="checkbox"/>	Footboard swingable horizontally (frontwards)
<input type="checkbox"/>	Individual frame colour – please state the RAL number

Reinforced aluminum footboard




Leg support end position suspension
Not possible with D82318/9 (extension bracket)
This item works only at the end of a back movement and prevent from hard touching/slamming of the leg support.



Leg support speed absorber

This item works as a speed limiter for extension and flexion movements.
It lowers the speed in both direction to prevent from hard movements, in both ways up and down.




Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ cm and length _____ cm of the chair.

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.



TECHNICAL DATA

Tilt (seat) -9° to +16° with double gas spring

Recline (back) Depends on which gas spring is chosen

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20

DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300

Total width of the wheelchair	Seat width + 22 cm (std. wheels/DB-wheels) / +19 cm (12" DB-wheels)
Total length	102 cm with leg rests
Total height	105 cm
Distance arm support to seatplate	Min: 18,5 cm/ max. 32,5 cm
Weight of wheelchair	App. 36 kg (without cushion)
Frame colour	Silver
Cover variants	Stretchable & flexible cover 3D Easy Care antibacterial cover, washable
Crash test	ISO 7176-19 (160 kg)


Seat height – WITHOUT seat cushion (measured from floor to seat plate)

Main wheel	12 1/2"		16"		22"		24"		26" (max. capacity 145 kg)	
Upper position/front wheel size			48,5 cm	7"			46 cm	7"		
Mid position/front wheel size										
Lower position/front wheel size	48 cm	7 & 8"			46,5 cm	7 & 8"	49 cm	7 & 8"	48,5 cm 51,5 cm	7 & 8" 8"

Leg rests	Min. calf length	Max. calf length
Manual adjustable leg rests	32 cm	68 cm
Universal leg rests	36 cm	50 cm
Netti Grandis leg rests	36 cm	64 cm

Measurements


- A Hip width/Seat width _____ cm
- B Thigh length / seat depth _____ cm
- C Arm rest height _____ cm
- D Leg length / seat height _____ cm
- E Backrest height _____ cm
- F Trunk width _____ cm




Measuring for a hip belt

Measure hip width across the greater trochanters with the person seated. If the hip width falls between sizes on our chart, consider other factors such as growth, weight change and clothing.

Overall pad length	
XS	38 cm
M	46 cm
L	62 cm




MEASURING FOR ANKLE HUGGERS



Measure circumference above ankle.

S	= 17 - 20 cm
M	= 19 - 23 cm
L	= 22 - 29 cm
XL	= 28 - 33 cm



Shoulder width	
XXS	21-24 cm
XS	24-28 cm
S	28-33 cm
M	33-41 cm
L	41-48 cm

Measuring for Stayflex and PivoFit

Measure the shoulder width. If the shoulder width falls between two sizes, consider other factors such as growth, weight changes and clothing.

Please do not use any person specific data in this order form. We kindly ask you to use an anonymous order number to be able to connect the order or quote to a specific person. Thank you in advance.

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300