



	Date	Customer code C-
	Invoice address	Contact person
		Reference
		Other delivery address
0	Invoice address = delivery address	Quote
	The chair will be used as seat for ca	r transport.

	Basic price: 2.975,- € Ex		
Seat width:	CED (long seat depth/capacity 160 kg) Seat depth adjustable from 425-500 mm D65035	CEDS (short seat depth/capacity 130 kg) Seat depth adjustable from 375-450 mm D65035S I 350 mm D65040S I 400 mm D65043S I 430 mm	
	Seat depth adjustment D28002 59,- ■425 □ 450 □ 475 □ 500	Seat depth adjustment D28002       59,-         □ 375       □ 400       ■ 425       □ 450	
	D65043 □ 430 mm D65045 □ 450 mm D65050 □ 500 mm Seat depth adjustment D28002 59,- □ 425 □ 450 ■ 475 □ 500	Seat height See page 9 Seat depth Adjustable in 25 mm steps	
Г	D29488 Arm support comfort pads (redu	uces SW with 2 x 15 mm) 139,-	
	D83937 SW extension kit mounted 2 x 12	2 mm – only for SW 350-450 mm 150,-	
= Standard e	auipment		

# **Quick order**

only page 1 is send

ltem nr.	Description	Price in €
Standard	Head support A, with side support	0,-
D27574	Head support B, small, oval	0,-
D27573	Head support C, large, square	0,-
D22085	Drum brakes (brake handles mounted on push bow)	229,-
D25059	Universal tray	195,-
D21052	Upholstery for tray	113,-
D20845	Hip belt, with upholstery and car belt lock	107,-





D21022	Easy Care cover (not available for Netti Sit °C or Ride cushion)	0,-
D21075	Recommended configuration for car transportation for users higher than 185 cm (incl. back height 600 mm, 500 mm vertical tube and headrest adapter in aluminium)	597,-

DYNAMIC KIT				Price in €
D82500	Dynamic kit including - free choice of back cylinder 15° or 40° - frame extension and longer antitippers with pedal - Bodypoint pelvic stabilizer EVOFLEX - Netti Dynamic leg rest DUAL 100N incl. calf supports and footboard			4297,-
BACK OPTION 1A:	Libertas 15° back flex	tibility (not approved for 160N	or car transport)	
BACK OPTION 1B:	locked in any position	r for the back. The stan n as the dynamic move h can be appropriate c		
	<ul> <li>200N</li> <li>300N</li> <li>400N</li> <li>500N</li> </ul>	□ 600N □ 700N □ 800N □ 900N	<ul> <li>1000N</li> <li>1100N</li> <li>1200N</li> <li>1300N</li> </ul>	
BELT OPTION:		pilizer EVOFLEX 2-point	t belt:	
LEG REST OPTION:	•	ot support solution: 300 mm (for lower leg 214 mm (for lower leg	-	
	Adjustment piece	<u>idjustment of different</u> 300 mm (for lower leg 214 mm (for lower leg	length 450-550 mm)	

#### FRAME

Standard	Angle adjustable push bow	0,-
Standard	Anti tip, swingable	0,-
Standard	User brake	0,-
D86099	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	159,-
D21755	Push handles 300 mm, height adjustable and swingable (please note:	219,-





	the armrests will then not be revolvable)	
D28972	Anti tip with pedal, pair	186,-
D29474	Tilt-restrictor (no negative tilt frontwards)	41,-
D41074	Car fastening, pair	158,-
D28001	Frame extension including longer antitippers	275,-

#### BACK UNIT (for belts please see page 6)

	···· F····· F····· F····· F····· F······	
Standard	Back cushion Netti Uno – with 100 mm side support with 3D cover	0,-
Standard	Back height 500 mm (incl. adjustable velcro back)	0,-
D41006	Back height 600 mm (incl. back extender + longer Netti Smart	294,-
	cushion as standard)	
D44992	Adjustable velcro with cut for side supports	236,-
D21338	Back cushion Netti Smart – with 120 mm side support – 3D cover	306,-
D27374	Side support Correction left – for Netti Uno and Smart	193,-
D27375	Side support Correction right – for Netti Uno and Smart	193,-
D27542	Side support upholstery Correction, pair	98,-
D21333	Back cushion Netti Stabil – with 170 mm side support - 3D cover	497,-
D21334	Back cushion Netti Super Stabil – with 170 mm reinforced side	579 <i>,</i> -
	support - 3D cover	
D20630	Back cushion Netti Kyphotic - 3D/Mars cover - only back height 500 mm	667,-
	Ride Designs Back solution (See separate order form)	
	Article number: / Accessories:	
D26831	Side support Stable left - for Netti Stabil, Super Stabil & Kyphotic	219 <i>,</i> -
	(please note: the armrests will then not be revolvable)	
D26844	Side support Stable right - for Netti Stabil, Super Stabil & Kyphotic	219,-
	(please note: the armrests will then not be revolvable)	
D27541	Side support upholstery Stable, pair	134,-
D27700	Firm back in aluminium, back height 500 mm	332,-
D27701	Firm back in aluminium, back height 600 mm, incl. D41006	696,-
D21084	Back wedge	164,-
D21042	Lumbar support	164,-
	Netti Dynamic FREE back spring	Price on
AMIC 40		request



For more information and choice of gas spring, feel free to contact us or have a look at our website. If combined with other options, please send





us a request as some solutions are only possible as special adaptations.

	D82226 200N       D82227 300N       D82228 400N         D82229 500N       D82230 600N       D82231 700N         D82232 800N       D82233 900N       D82234 1000N         D82235 1100N       D82236 1200N       D82237 1300N         For Netti Dynamic System with dynamic seat unit, please see the Netti Dynamic CED order form.       D82237 1300N	
D87903	Recline limiter (possible to limit in different positions from 116° - 134°) for the Netti Dynamic Free back spring (to be mounted by the dealer)	30,-
	Libertas 15° back flexibility incl. long anti tips and frame extender (not for transport in car) D82411 80N D82412 120N D82413 160N	Price on request







NEW:

Advanced seating and positioning management: Ride Designs – solutions (seat and back) for an even more stable posture, even more mobility/ functionality and an immense improved skin protection (decubitus prophylaxis). Please see separate order form.

#### SEAT UNIT (for belts please see page 6)

Standard	Seat cushion Netti Uno – 3D cover	0,-
D21048	Incontinence cover for seat cushion	212,-
D21007	Pressure relief seat cushion Netti SIT – 3D cover incl. incontinence layer	356 <i>,</i> -
D21017	Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	497,-
	Ride Designs Seat cushion (See separate order form)         Article number:        / Accessories:	
D27493	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	235,-
D27494	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	235,-
D27495	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	235,-

## **LEG SUPPORTS**

For the Netti 4U CED you have 5 different types of leg supports with various accessories. Please contact us for consultation.

#### Manually angle adjustable leg supports

Standard	Manually angle adjustable leg supports with	0,-
	-automatic length adjustment	
<b>P</b>	-angle adjustable foot plates	
	-calf supports and knee upholstery	







D88211	Leg sup adjustm	port upper parts with lever instead of star wheel for angle ent	80,-
	· · · ·	int ankle huggers with upholstery	
	<b>D</b> D44863		213,-
	<b>D</b> D44864		213,-
	<b>D</b> 44865	L (L: 220-290 mm)	223,-
	D44904	XL (L: 280-330 mm)	244,-
D80087	🗖 Depth a	djustable hinge for footplates (50 mm in all) – mounted	444,-
D21008	Gas spri	ng for angle adjustment	878,-
D21081		oduction (+50 mm), not for SW 430 mm – adjustment of ports is limited	380,-
D20828	•	tion support left (amputation support on both sides only r with frame extension D28001)	356,-
D20827	•	tion support right (amputation support on both sides only r with frame extension D28001)	356,-
D21044	Foot bo	ard, adjustable	287,-
D21041		x upholstered (not approved for car transport, if this is please use the Netti Grandis solution which is approved)	459,-
D21745	Calf sup	port bracket upholstery - pair - skai cover	49,-
D41617	•	port upholstery extra soft - pair - EC or 3D cover depending abric for the whole chair	190,-
D28453	Foot pla	te upholstery - pair - skai cover	269,-
D86900	· ·	int calf strap M	162,-
D86901	Bodypo	int calf strap L	162,-

Universal leg supports			
D24005	Universal leg supports with knee angle adjustment, adjustable	117,-	
1	below 90° for contract leg situations with seat unit tilted when chair is pushed		

point ankle huggers with upholstery incl. mounting kit 63 S (L: 170-200 mm) 64 M (L: 190-230 mm)	213,- 213,-
64 M (L: 190-230 mm)	
, ,	212 -
	215,-
65 L (L: 220-290 mm)	223,-
04 XL (L: 280-330 mm)	244,-
h adjustable hinge for footplates (50 mm in all) – mounted	444,-
board, adjustable	287,-
box upholstered (not approved for car transport, if this is	459,-
ed please use the Netti Grandis solution which is approved)	
point calf strap M	162,-
noint calf stran l	162,-
/	led please use the Netti Grandis solution which is approved) /point calf strap M /point calf strap L





D88600		Netti Grandis angle adjustable positioning leg supports for complex	987
		individual configurations. Reduces pressure and shear forces. For	
		users with e.g. contractions, leg asymmetry, elephantiasis.	
		The foot support is characterized by unique ergonomics and user-	
		friendliness due to lifting handles, scale displays and conical	
6		extension pieces. Angle adjustable incl. angle limiter and adjustable	
D88608		calf- and foot supports. Extra Abduction (+50 mm), not for SW 430 mm - adjustment of the	376,
00000		calf supports will be limited	570
D88611		Amputation support left (amputation support on both sides only	453
		together with frame extension D28001)	
D88610		Amputation support right (amputation support on both sides only together with frame extension D28001)	453
D88602		Calf support upholstery extra soft - pair - EC or 3D cover depending	190
		on the fabric for the whole chair	
D88607		Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	102
D21745		Calf support bracket upholstery - pair - skai cover	
D88604		Angle limiter (for limitation of angle upwards) – mounted	58
D88014		Foot fixation, pair incl. mounting kit	212
D88603		Foot board, lockable and upwards swingable	347
D88605		Footbox, upholstered with Skai cover (approved for car transport)	654
D21293		Calf strap	79
D86900		Bodypoint calf strap M	162
D86901		Bodypoint calf strap L	162
Grandis leg su	uppor	t with fixed angle	
D88612		Netti Grandis leg supports with fixed angle for complex individual	987
		configurations. Reduces pressure and shear forces. For users with	
71		e.g. contractions, leg asymmetry.	
		The foot support is characterized by unique ergonomics and user-	
		friendliness due to scale displays and conical extension pieces.	
		Adjustable in a fixed angle – also below 90°. Including heel strap.	
D88608		Extra Abduction (+50 mm), not for SW 430 mm	376
D88603		Foot board, lockable and upwards swingable	347
D88605		Footbox, upholstered with Skai cover (approved for car transport)	654

## Netti Dynamic angle adjustable leg supports

HAMIC ACC		<b>Netti Dynamic angle adjustable leg rests</b> DUAL with calf supports and footboard, 100N.	Price on request
	D82296 D82298	Standard adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm)	





D82318 D82319	Adjustable for different thigh lengths: Standard adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm)	
D45245	Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
D88211	Leg support upper parts with lever instead of star wheel for angle adjustment	80,-
	Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm)	213,- 213,- 223,- 244,-
D21081	Extra abduction for leg rests (+50 mm) not for SW 430 mm - adjustment of the calf supports will be limited	380,-
D21745	Calf support bracket upholstery - pair - skai cover	49,-
D41617	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	190,-
D86900	Bodypoint calf strap M	162,-
D86901	Bodypoint calf strap L	162,-

## **ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS**

Standard	Arm supports height and depth adjustable, revolvable	0,-
Standard	Arm pads 385 x 58 mm	0,-
D41649	Arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	99,-
D23003	Hemiplegic cushion	196,-
D29459	Arm support hemiplegic left (not to be combined with a tray)	296,-
D29460	Arm support hemiplegic right (not to be combined with a tray)	296,-





#### NEW:

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

#### MAIN AND FRONT WHEELS

Standard 24 x 1" PU + 7" 175 x 3	33 PU
----------------------------------	-------

0,-





Enable joy of life



Price on

request

Main wheel 22 x 1" PU + front wheel 6" 150 x 30 PU D22007 132,-Front wheels: 7" - 175 x 45 PU wheel - puncture proof - with PU infill D21021 79,-(necessary for supportive engines) M70315 Main wheels 12½" PU with drum brakes 345,-Please note! These wheels are delivered in an extra box and are to be mounted by the dealer. Main wheels 16" PU with drum brakes M70316 345,-Please note! These wheels are delivered in an extra box and are to be mounted by the dealer. D22009 Hand and spoke protector - transparent, pair 138,-D22013 Push rim cover, pair 112,-

## HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS (please also see page 1)



	A	В	С	D	E	F
D82025	Head support ac	lapter aluminiur	n			224,-
D82567	Head support A	with head band				323,-
D82746	Netti Dynamic h	ead support C ir	ncl. head suppor	rt adapter in a	luminium –	Price on
A AMIC ACCESS	If combined with	n other options,	please send us	a request, as	some	request
E OR S	solutions are on	ly possible as sp	ecial adaptatior	ıs.		
	 For more inform	ation, feel free	to contact us.			
D27572	Head support D,	comfort (press	ure distributive)			224,-
D27577	Headrest E with	adjustable side	supports			290,-
D27581	Headrest E with	shorter side sup	oport right			370,-
D27582	Headrest E with	shorter side sup	oport left			370,-
D27578	Headrest F with	cheek support				290,-
D21027	Headrest adjusti	ment tube (hori:	zontal) + 100 mi	m, length 250	mm	79,-
D21028	Headrest adjusti	ment tube (hori:	zontal) + 230 mi	m, length 380	mm	89,-
D21054	Headrest adjust	ment tube (vert	ical) + 100 mm,	length 500 m	m	79,-
D23004	Comfort cushion	for head rest ty	ype C – removal	ole with Mars	cover	162,-
D23012	Easy Care cover	for head rest ty	vpe A, B, C – rem	novable		79,-
D23013	3D cover for hea	nd rest type A, B	, C – removable			79,-
D23015	Grey head rest c	ushion with Ma	rs cover			214,-



User ½ circumference behind ears 150-180 mm

NORWAY: Alu Rehab AS | Bedriftsveien 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300

Inside distance along top support 300 mm, along middle support 180 mm





	(not approved for car transport – if this is needed please order an additional Netti headrest)	
D45371	<ul> <li>[A] Savant head support incl. headband, adult – height 150 mm</li> <li>User forehead 560-610 mm</li> <li>User ½ circumference behind ears 200-300 mm</li> <li>Inside distance along top support 360 mm, along middle support 200 mm</li> <li>(not approved for car transport – if this is needed please order an additional Netti headrest)</li> </ul>	Price on request
D45373	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	Headrest adjustment tube (horizontal) +100 mm, length 250 mm	Price on request
D45368	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	Price on request
D89559	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	Price on request

#### TRAYS (please also see page 1)

D28826	Tray swingable	242,-
D28828	Tray lockable	242,-

## **VARIOUS ACCESSORIES**

D21087	7 Clinic-kit (tools) for angle adjustable foot supports	
D21239	Tool kit	89,-
D42269	Wheelchair bag	140,-
IS-D80085	Universal device basket incl. frame extension D28001	Price on
	SW 450: W: 405 mm, D: 305, H: 70 mm (for other seat widths please subtract or add from SW 450 mm) Max. capacity 6 kg For information concerning car transport, please see the user manual of the device basket on our website.	request
D41987	Intravenous rack	298,-





## **BELT OPTIONS FROM BODYPOINT AND NETTI**

#### Belts and accessories for seat unit

-			25		
[A]	[B]	[C]	[D]	[E]	[F]
	D86282	Belt bracket kit – se	at [A]		98,-
	D20845	Hip belt, with uphol	stery and car belt lock	[B]	107,-
	D86902 D86891 D86892 D86892	Bodypoint 2-point p XS (overall pad leng M (overall pad leng L (overall pad lengt	th: 460 mm)	+Mounting kit [C]	252,-
	D45273 D45274 D45275 D45275	Bodypoint 2-point h XS (overall pad leng M (overall pad leng L (overall pad length	th: 400 mm)	t	225,-
	D45040	Security cover for ty	vpe [C], [D] and [F] in X	S/M/L	58,-
	D86889 D86893 D86894 D			-	380,-
	D60001	Abduction belt [E]			497,-
	D45084 D45085 D45086 D45086	S (Height 80 mm - 1 L (Height 110 mm -	ve universal elastic stra 420mm long, easily cu 1420mm long, easily c - 1420mm long, easily	it-to-length) cut-to-length)	170,-

#### Belts and accessories for back unit







D86896	L (Shoulder width 410-480 mm)	
	Bodypoint Pivofit shoulder harness [E]	246,-
D89802	XS (Shoulder width 240-280 mm)	
D89803	S (Shoulder width 380-330 mm)	
D86898	M (Shoulder width 330-410 mm)	
D86899	L (Shoulder width 410-480 mm)	

## **NETTI CUSTOMIZED**

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

## CUSTOM MADE – most wanted special adapted items (price on request)



Α	В	С	
	Reinforced foot plates or foot board in aluminium (A)		
	Extra-long calf supports (please state length) (B)		
	Calf support upholstery in special length or material		
	Back cushion with special side support (C)		
	Footboard that swings horizontally forwards	;	
	Sliding seat (for positioning and transfer)		
	Comfort seat plate		
	One hand brake (please state which side)		
	Seat width extension for SW 500 mm		

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.


User weight:				
	•			
	•			








Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.






Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width \_\_\_\_\_\_ mm and length \_\_\_\_\_\_ mm of the chair.

TECHNICAL DATA	
Tilt (seat)	-5° to +20°
Recline (back)	92° to 137°
Total width of the wheelchair	Seatwidth + 180 mm (std. wheels)/ + 195 mm (DB wheels) / +170 mm (12" + 16" DB wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seatplate	Min. 265 mm / max. 355 mm
Weight of wheelchair	App. 30 kg (without cushions)
Frame colour	Grey
Cover variant	3D cover (optional Easy Care cover with D21022)
Crash test	ISO 7176-19 (CEDS: 130kg / CED: 136 kg)

# Seat height – WITHOUT seat cushion (measured from floor to seat plate)




With wheel combination 22'' + 6'' the seat height 440 and 475 mm is possible.





Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



#### Measurements

A Hip width/Seat width	mm
B Thigh length / seat depth	mm
C Arm rest height	mm
D Leg length / seat height	mm
E Backrest height	mm
F Trunk width	mm



