

Date _____ Customer code C- _____
 Invoice address _____ Contact person _____
 _____ Reference _____
 _____ Other delivery address _____

 Invoice address = delivery address Quote



NETTI DYNAMIC COMPLETE SYSTEM

Netti Dynamic complete system is equipped with a seat unit with dynamic seat plate, armrests with hand protection, frame extension, longer antitippers, Bodypoint EVOFLEX pelvic stabilizer and an individually chosen gas spring for the back unit (see page 2).

The chair will be used as seat for car transport.

Price on request

CED (long seat depth/capacity 160 kg)

Seat depth adjustable from 425-500 mm

- D65135 350 mm
- D65140 400 mm
- D65143 430 mm
- D65145 450 mm
- D65150 500 mm

Seat depth adjustment CED

- 425 450 475 500

Seat height – see page 14

CEDS (short seat depth/capacity 130 kg)

Seat depth adjustable from 375-450 mm

- D65135S 350 mm
- D65140S 400 mm
- D65143S 430 mm

Seat depth adjustment CEDS

- 375 400 425 450

Seat height – see page 14

Before using Netti Dynamic System or any of its components, a seating assessment should be carried out by a trained professional. For more information please visit our website www.my-netti.com



DYNAMIC SEAT- AND BACKSOLUTION

Please contact us for recommendation on the choice of gas spring.

Option 1: 15° Dynamic gas spring for the back angle - cannot be blocked - incl. dynamic seat unit
Not allowed for car transportation, as the back angle cannot be blocked.

Back unit with Dynamic gas spring allows 15° trunk extension movements backwards. The standard recline is maintained and can be adjusted in any position. The Dynamic gas spring cannot be blocked. Recommended for stiffness patterns which tend to persist, spasticity, and also for comfort and prevention.

- Dynamic gas spring 80 N
- Dynamic gas spring 120 N
- Dynamic gas spring 160 N



EVOFLEX pelvic stabiliser: Please choose the size from the table on page 13.

Size XS M L

Option 2: 40° Dynamic FREE gas spring for the back angle - lockable - incl. dynamic seat unit

Back unit with Dynamic Free gas spring allows up to 40° trunk extension movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. The back recline and blocking/unblocking of the dynamic back movement is done with a special dynamic release handle. The Dynamic Free gas spring is recommended for severe extension patterns, also for violent and sudden movements.

- Dynamic FREE gas spring 200 N (SW 350 - 400 mm)
- Dynamic FREE gas spring 300 N (SW 350 - 400 mm)
- Dynamic FREE gas spring 400 N (SW 350 - 400 mm)
- Dynamic FREE gas spring 500 N (SW 350 - 400 mm)
- Dynamic FREE gas spring 600 N (SW 350 - 430 mm)
- Dynamic FREE gas spring 700 N (SW 350 - 430 mm)
- Dynamic FREE gas spring 800 N (SW 350 - 430 mm)
- Dynamic FREE gas spring 900 N (SW 450 - 500 mm)
- Dynamic FREE gas spring 1000 N (SW 450 - 500 mm)
- Dynamic FREE gas spring 1100 N (SW 450 - 400 mm)
- Dynamic FREE gas spring 1200 N (SW 450 - 500 mm)
- Dynamic FREE gas spring 1300 N (SW 450 - 500 mm)



EVOFLEX pelvic stabiliser: Please choose the size from the table on page 13.

Size XS M L

D45040	<input type="checkbox"/>	Security cover for 2/4-point pelvic stabilizer (XS, M, L)	58,-
D87903	<input type="checkbox"/>	Recline limiter (possible to limit in different positions from 116° - 134°) for the Netti Dynamic Free back spring (to be mounted by the dealer)	30,-

Alternative to the 2-point pelvic stabiliser


Price on request



- D86889 – Bodypoint 4-point padded hip belt – Size XS
- D86893 – Bodypoint 4-point padded hip belt – Size M
- D86894 – Bodypoint 4-point padded hip belt – Size L

Please choose the size from the table on page 13.

DYNAMIC HEAD SUPPORT SOLUTION



- D82746 **Netti Dynamic head support C incl. head support adapter in aluminium**

Price on request

DYNAMIC FOOT SUPPORT SOLUTION

The DUAL foot support solution is for users with an asymmetric movement pattern. It is specially developed to allow for uneven forces from the legs. Furthermore the Netti Dynamic DUAL foot supports allows for different leg length.



- D82296 **Dual leg support** angle adjustable with calf supports and footboard, 100 N
Std. 300 mm adjustment piece
(Lower leg length 450-550 mm)
- D82298 With 214 mm adjustment piece
(Lower leg length 350-450 mm)
- D82318 **Dual leg support** angle adjustable with calf supports and footboard, 100 N
Including extension bracket to be used by uneven leg length or leg position adjusting the foot board depth.
Std. 300 mm adjustment piece
(Lower leg length 450-550 mm)
- D82319 With 214 mm adjustment piece
(Lower leg length 350-450 mm)

Accessories for Netti Dynamic leg rests (for other leg support solutions please see page 6)

- D88211 Leg support upper parts with lever instead of star wheel for angle adjustment 80,-

- D45245 Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation. Price on request



- Bodypoint ankle huggers incl. mounting material
- D44863 S (L: 170-200 mm) 213,-
 - D44864 M (L: 190-230 mm) 213,-
 - D44865 L (L: 220-290 mm) 223,-
 - D44904 XL (L: 280-330 mm) 244,-

D21081	<input type="checkbox"/>	Extra abduction for legrets (+50 mm, not for SW 430 mm) - adjustment of the calf supports will be limited	380,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	49,-
D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	190,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	162,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	162,-

= Standard equipment

Please send us a request for combinations with NDS options, as some combinations are only possible as special adaptations.

FRAME + ACCESSORIES

Item nr.		Description	Price in €
Standard	<input checked="" type="checkbox"/>	Angle adjustable push bow	0,-
Standard	<input checked="" type="checkbox"/>	Anti tip, swingable	0,-
Standard	<input checked="" type="checkbox"/>	User brake	0,-
Standard	<input checked="" type="checkbox"/>	Frame extension including longer antitippers	0,-
D86099	<input type="checkbox"/>	Brake lever extension + 70 mm – length 200 mm (to be mounted by dealer)	159,-
D21755	<input type="checkbox"/>	Push handles 300 mm, height adjustable and swingable (please note: the armrests will then not be revolvable)	219,-
D29474	<input type="checkbox"/>	Tilt-restrictor (no negative tilt frontwards)	34,-
D41074	<input type="checkbox"/>	Car fastening, pair	158,-
D21022	<input type="checkbox"/>	Easy Care cover (not available for Netti Sit °C or Ride cushion)	0,-
D21075	<input type="checkbox"/>	Recommended configuration for car transportation for users higher than 185 cm (incl. back height 600 mm, 500 mm vertical tube and headrest adapter in aluminium)	597,-
D83937	<input type="checkbox"/>	SW extension kit mounted 2 x 12 mm – only for SW 350-450 mm	150,-
Special	<input type="checkbox"/>	Side upholstery (reduces SW with 2 x 25 mm); incl. a special adaptation of the seatplate with cuts to allow the Dynamic movements. Seat cushion will for the same reasons also be delivered in a smaller size.	Price on request
		Bodypoint supportive universal elastic strap	170,-
D45084	<input type="checkbox"/>	S (Height 80 mm - 1420 mm long, easily cut-to-length)	
D45085	<input type="checkbox"/>	L (Height 110 mm - 1420 mm long, easily cut-to-length)	
D45086	<input type="checkbox"/>	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	



BACK UNIT (for belts please see page 9)

Standard	<input checked="" type="checkbox"/>	Back cushion Netti Uno – with 100 mm side support with 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Back height 500 mm (incl. adjustable velcro back)	0,-
D41006	<input type="checkbox"/>	Back height 600 mm (incl. back extender + longer Netti Smart cushion as standard)	294,-

D44992	<input type="checkbox"/>	Adjustable velcro with cut for side supports	236,-
D21338	<input type="checkbox"/>	Back cushion Netti Smart – with 120 mm side support – 3D cover	306,-
D27374	<input type="checkbox"/>	Side support Correction left – for Netti Uno and Smart	193,-
D27375	<input type="checkbox"/>	Side support Correction right – for Netti Uno and Smart	193,-
D27542	<input type="checkbox"/>	Side support upholstery Correction, pair	98,-
D21333	<input type="checkbox"/>	Back cushion Netti Stabil – with 170 mm side support - 3D cover	497,-
D21334	<input type="checkbox"/>	Back cushion Netti Super Stabil – with 170 mm reinforced side support - 3D cover	579,-
D20630	<input type="checkbox"/>	Back cushion Netti Kyphotic - 3D/Mars cover - only back height 500 mm	667,-
	<input type="checkbox"/>	Ride Designs Back solution (See separate order form) Article number: _____ / Accessories: _____	
D26831	<input type="checkbox"/>	Side support Stable left - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	219,-
D26844	<input type="checkbox"/>	Side support Stable right - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	219,-
D27541	<input type="checkbox"/>	Side support upholstery Stable, pair	134,-
D27700	<input type="checkbox"/>	Firm back in aluminium, back height 500 mm	332,-
D27701	<input type="checkbox"/>	Firm back in aluminium, back height 600mm, incl. D41006	696,-
D21084	<input type="checkbox"/>	Back wedge	164,-
D21042	<input type="checkbox"/>	Lumbar support	164,-



NEW:
Advanced seating and positioning management: Ride Designs – solutions (seat and back) for an even more stable posture, even more mobility/ functionality and an immense improved skin protection (decubitus prophylaxis). Please use separate order form.



SEAT UNIT

Standard	<input checked="" type="checkbox"/>	Seat cushion Netti Uno – 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Dynamic seat plate	0,-
D21048	<input type="checkbox"/>	Incontinence cover for seat cushion	212,-
D21007	<input type="checkbox"/>	Pressure relief seat cushion Netti SIT – 3D cover incl. incontinence layer	356,-
D21017	<input type="checkbox"/>	Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	497,-
	<input type="checkbox"/>	Ride Designs Seat cushion (See separate order form) Article number: _____ / Accessories: _____	
D27493	<input type="checkbox"/>	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	235,-
D27494	<input type="checkbox"/>	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	235,-
D27495	<input type="checkbox"/>	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	235,-



LEG SUPPORTS (please see page 3 for dynamic leg supports)

For the Netti 4U Dynamic CED you have 5 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports


Standard	<input checked="" type="checkbox"/>	Manually angle adjustable leg supports with	0,-
		-automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	
D88211	<input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment	80,-
		Bodypoint ankle huggers with upholstery	
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	213,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	213,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	223,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	244,-
D80087	<input type="checkbox"/>	Depth adjustable hinge for footplates (50 mm in all) – mounted	444,-
D21008	<input type="checkbox"/>	Gas spring	878,-
D21044	<input type="checkbox"/>	Foot board, adjustable	287,-
D21041	<input type="checkbox"/>	Foot box upholstered (not approved for car transportation, if this is needed, please choose the Nette Grandis solution)	459,-
D24000	<input type="checkbox"/>	Calf support hinged (possible to swing underneath the chair), pair	165,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	49,-
D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	190,-
D23014	<input type="checkbox"/>	Foot fixation, pair	132,-
D28453	<input type="checkbox"/>	Foot plate upholstery - pair - skai cover	269,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	162,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	162,-

Universal leg supports


D24005	<input type="checkbox"/>	Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed	117,-
			
		Bodypoint ankle huggers with upholstery incl. mounting kit	
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	213,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	213,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	223,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	244,-
D80087	<input type="checkbox"/>	Depth adjustable hinge for footplates (50 mm in all) – mounted	444,-

D21044	<input type="checkbox"/>	Foot board, adjustable	287,-
D21041	<input type="checkbox"/>	Foot box upholstered (not approved for car transport, if this is needed please use the Netti Grandis solution which is approved)	459,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	162,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	162,-

Netti Grandis angle adjustable leg supports

D88600	<input type="checkbox"/>	 Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis. The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	987,-
D88602	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	190,-
D88607	<input type="checkbox"/>	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	102,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	49,-
D88604	<input type="checkbox"/>	Angle limiter (for limitation of angle upwards) – mounted	58,-
D88014	<input type="checkbox"/>	Foot fixation, pair incl. mounting kit	212,-
D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable	347,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	654,-
D21293	<input type="checkbox"/>	Calf strap	79,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	162,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	162,-

Netti Grandis leg support with fixed angle

D88612	<input type="checkbox"/>	 Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	987,-
D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable	347,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	654,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

Standard	<input checked="" type="checkbox"/>	Arm supports height and depth adjustable, revolvable	0,-
Standard	<input checked="" type="checkbox"/>	Arm pads 385 x 58 mm	0,-
D41649	<input type="checkbox"/>	Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	99,-
D23003	<input type="checkbox"/>	Hemiplegic cushion	196,-
D29459	<input type="checkbox"/>	Arm support hemiplegic left (not to be combined with a tray)	296,-
D29460	<input type="checkbox"/>	Arm support hemiplegic right (not to be combined with a tray)	296,-



NEW:

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN AND FRONT WHEELS

Standard	<input checked="" type="checkbox"/>	24 x 1" PU + 7" 175 x 33 PU	0,-
D22085	<input type="checkbox"/>	Drum Brakes	229,-
D22007	<input type="checkbox"/>	Main wheel 22 x 1" PU + front wheel 6" 150 x 30 PU	132,-
D21021	<input type="checkbox"/>	Front wheel 7" - 175 x 45 PU wheel - puncture proof - with PU infill (necessary for supportive engines)	79,-
M70315	<input type="checkbox"/>	Main wheels 12½" PU with drum brakes Please note! These wheels are delivered in an extra box and are to be mounted by the dealer.	345,-
M70316	<input type="checkbox"/>	Main wheels 16" PU with drum brakes Please note! These wheels are delivered in an extra box and are to be mounted by the dealer.	345,-
D22009	<input type="checkbox"/>	Hand and spoke protector - transparent, pair	138,-
D22013	<input type="checkbox"/>	Push rim cover, pair	112,-

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS (please also see page 1)



	A	B	C	D	E	F
Standard <input checked="" type="checkbox"/>	Head support A, with side support					0,-
D82025	Head support adapter aluminium					224,-
D82567 <input type="checkbox"/>	Head support A with head band					323,-
D27574 <input type="checkbox"/>	Head support B, small, oval					0,-
D27573 <input type="checkbox"/>	Head support C, large, square					0,-
D27572 <input type="checkbox"/>	Head support D, comfort (pressure distributive)					224,-
D27577 <input type="checkbox"/>	Headrest E with adjustable side supports					362,-
D27578 <input type="checkbox"/>	Headrest F with cheek support					362,-
D27581 <input type="checkbox"/>	Headrest E with shorter side support right					370,-
D27582 <input type="checkbox"/>	Headrest E with shorter side support left					370,-
D21027 <input type="checkbox"/>	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm					79,-
D21028 <input type="checkbox"/>	Headrest adjustment tube (horizontal) + 230 mm, length 380 mm					89,-
D21054 <input type="checkbox"/>	Headrest adjustment tube (vertical) + 100 mm, length 500 mm					79,-
D23004 <input type="checkbox"/>	Comfort cushion for head rest type C – removable with Mars cover					162,-
D23012 <input type="checkbox"/>	Easy Care cover for head rest type A, B, C – removable					79,-
D23013 <input type="checkbox"/>	3D cover for head rest type A, B, C – removable					79,-
D23015 <input type="checkbox"/>	Grey head rest cushion with Mars cover					214,-




D45370 <input type="checkbox"/>	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45371 <input type="checkbox"/>	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45373 <input type="checkbox"/>	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375 <input type="checkbox"/>	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request

D45368	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	Price on request
D89559	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	Price on request

TRAYS


D25059	<input type="checkbox"/>	Universal tray	195,-
D21052	<input type="checkbox"/>	Upholstery for tray	113,-
D28826	<input type="checkbox"/>	Tray swingable	242,-
D28828	<input type="checkbox"/>	Tray lockable	242,-

VARIOUS ACCESSORIES

D21087	<input type="checkbox"/>	Clinic-kit (tools and star wheels) only for angle adjustable leg rests	106,-
D21239	<input type="checkbox"/>	Tool kit	89,-
D42269	<input type="checkbox"/>	Wheelchair bag	140,-
IS-D80085	<input type="checkbox"/>	Universal device basket incl. frame extension D28001 SW 450: W: 405 mm, D: 305, H: 70 mm (for other seat widths please subtract or add from SW 450 mm) Max. capacity 6 kg For information concerning car transport, please see the user manual of the device basket on our website.	Price on request
			
D41987	<input type="checkbox"/>	Intravenous rack	298,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for back unit




				
[A]	[B]	[C]	[D]	[E]
D86890	<input type="checkbox"/>	H-harness adaptor kit (recommended for all upper body harnesses)	250,-	
D20881	<input type="checkbox"/>	H-belt, with upholstery and car belt lock [B]	227,-	
D41645	<input type="checkbox"/>	Belt cross harness [C]	175,-	

		Bodypoint Stayflex chest support without zipper [D]	246,-
D89805	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)	
D89898	<input type="checkbox"/>	S (Shoulder width 280-330 mm)	
D86895	<input type="checkbox"/>	M (Shoulder width 330-410 mm)	
D86896	<input type="checkbox"/>	L (Shoulder width 410-480 mm)	
		Bodypoint Pivofit shoulder harness [E]	246,-
D89802	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)	
D89803	<input type="checkbox"/>	S (Shoulder width 280-330 mm)	
D86898	<input type="checkbox"/>	M (Shoulder width 330-410 mm)	
D86899	<input type="checkbox"/>	L (Shoulder width 410-480 mm)	

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.


CUSTOM MADE – most wanted special adapted items (price on request)

<input type="checkbox"/>	Extra-long calf supports. Please state length	
<input type="checkbox"/>	Calf support upholstery in special length or material	
<input type="checkbox"/>	Special bracket maintaining the calf supports in a fixed position	
<input type="checkbox"/>	Footboard swingable horizontally (frontwards)	
<input type="checkbox"/>	Reinforced aluminium footboard	
<input type="checkbox"/>	Leg support end position suspension Not possible with D82318/9 (extension bracket) This item works only at the end of a back movement and prevent from hard touching/slamming of the leg support.	
<input type="checkbox"/>	Leg support speed absorber This item works as a speed limiter for extension and flexion movements. It lowers the speed in both direction to prevent from hard movements, in both ways up and down.	

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.




Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length _____ mm of the chair.

TECHNICAL DATA



Tilt (seat)	-5° to +20°
Recline (back)	Depends on which gas spring is chosen
Total width of the wheelchair	Seatwidth + 180 mm (std. wheels)/ + 195 mm (DB wheels) / +170 mm (12" + 16" DB wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seatplate	Min. 265 mm / max. 355 mm
Weight of wheelchair	App. 30 kg (without cushions)
Frame colour	Grey
Cover variant	3D cover (optional Easy Care cover with D21022)
Crash test	ISO 7176-19 (CEDs: 130kg / CED: 136 kg)

Seat height – WITHOUT seat cushion (measured from floor to seat plate)



With wheel combination 22" + 6" the seat height 440 and 475 mm is possible.

Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



Measuring for a hip belt

Measure hip width across the greater trochanters with the person seated. If the hip width falls between sizes on our chart, consider other factors such as growth, weight change and clothing.

Overall pad length	
XS	380 mm
M	460 mm
L	620 mm

Measuring for Ankle huggers

Measure circumference above ankle.

Ankle circumference	
S	170-200 mm
M	190-230 mm
L	220-290 mm
XL	280-330 mm

Measuring for Stayflex and PivoFit

Measure the shoulder width. If the shoulder width falls between two sizes, consider other factors such as growth, weight changes and clothing.

Shoulder width	
XXS	210-240 mm
XS	240-280 mm
S	280-330 mm
M	330-410 mm
L	410-480 mm

Please do not use any person specific data in this order form. We kindly ask you to use an anonymous order number to be able to connect the order or quote to a specific person. Thank you in advance.

NORWAY: Alu Rehab AS | Bedriftsveien 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300