





	Date	ddress	Customer code C		
	Invoid	ce address = delivery address	Quote		
	The c	hair will be used as seat for car	transport		
			Basic price Excl. VA	•	
Seat width	X20050 X20055 X20060	500 mm 550 mm 600 mm	Seat depth A B C D D E	500 mm 475 mm 450 mm 425 mm 400 mm	
			Capacity Seat height	Max. 200 kg See page 8	
	D22149	Side upholstery (reduces s			129,- €
= Standard e	equipment		Netti Customized	individual adapte	d

### **FRAME**

Item nr.	Description	Price in €
Standard	Push handles 300 mm, height adjustable and swingable	0,-
Standard	Anti tip w/ pedal	0,-
D21808	Push handles 500 mm, height adjustable and swingable	189,-
D81740	Push bow – height and angle adjustable	338,-
D20824	Frame extension incl. brakes on lower frame tube	269,-
D41074	Car fastener	158,-
X21022	Easy Care cover for seat and back, washable (not available for Netti Sit °C)	295,-







	Universal device holder (incl. frame extender D20824)	1697,
	D: 348 mm / W: SW minus 36 mm / Max. capacity 10kg	
	For information concerning car transport, please see the user manual of the device holder on our website.	
	Cover plate for universal device – add. Level (only with D21186)	449,
	D: 193 mm / W: SW minus 37 mm / H (free area): 237 mm	
	Extra set of 4 mounting brackets, incl. screws	234,
	User brake, brake lever 90 mm	0,
	Drum brakes	229
	Brake lever extension + 60 mm, length: 150 mm	79
	Brake lever extension + 160 mm, length: 250 mm	89
	Back cushion Netti STABIL - side support 170 mm - 3D cover	(
elts p	please see page 5)	
	••	C
		C
		294
	· · · · · · · · · · · · · · · · · · ·	236
	·	273
	Back cushion Netti SUPER STABIL – with 170 mm reinforced side support - 3D cover	579
	Side support stable left – for Netti STABIL and SUPER STABIL	219
	Side support stable right – for Netti STABIL and SUPER STABIL	219
	Upholstery for side support stable, pair	134
	Firm back in aluminium, back height 500 mm	332
	Firm back in aluminium, back height 600 mm, incl. D21006	696
	Lumbar support	164
	elts p	D: 348 mm / W: SW minus 36 mm / Max. capacity 10kg For information concerning car transport, please see the user manual of the device holder on our website.  Cover plate for universal device — add. Level (only with D21186) D: 193 mm / W: SW minus 37 mm / H (free area): 237 mm  Extra set of 4 mounting brackets, incl. screws  User brake, brake lever 90 mm  Drum brakes  Brake lever extension + 60 mm, length: 150 mm  Brake lever extension + 160 mm, length: 250 mm  elts please see page 5)  Back cushion Netti STABIL - side support 170 mm - 3D cover Back height 500 mm (incl. adjustable velcro back) Back height 600 mm (incl. back extender + longer cushion) Adjustable velcro with cut for side supports for SW 500 Adjustable velcro with cut for side supports for SW 550-600 mm Back cushion Netti SUPER STABIL — with 170 mm reinforced side support - 3D cover  Side support stable left — for Netti STABIL and SUPER STABIL Side support stable right — for Netti STABIL and SUPER STABIL Upholstery for side support stable, pair Firm back in aluminium, back height 500 mm Firm back in aluminium, back height 500 mm, incl. D21006







D21017	Netti Sit °C - Pressure relief seat cushion Netti Sit °C with temperature		
	regulating features and incontinence layer under the 3D cover		
D27490	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	235,-	
D27491	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	235,-	
D27492	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	235,-	
D20830	Removable knee and thigh support 1 piece 2 pieces	188,-	

## **LEG SUPPORTS**

For the Netti III XHD 500-600 mm you have 3 different types of leg supports with various accessories. Please contact us for consultation.

Netti Grandis angle adjust	table leg support	
Standard	<b>Netti Grandis angle adjustable positioning leg supports</b> for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	0,-
	The foot support is characterized by unique ergonomics and user- friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	
D88608	Extra Abduction (+ 50 mm), for SW 600 mm only with footboard - adjustment of the calf supports will be limited	376,-
D88611	Amputation support left (amputation support on both sides only together with frame extension D20824)	453,-
D88610	Amputation support right (amputation support on both sides only together with frame extension D20824)	453,-
D88602	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	190,-
	Bodypoint ankle huggers with upholstery incl. mounting kit  D88863 S (L: 170-200 mm)  D88864 M (L: 190-230 mm)  D88865 L (L: 220-290 mm)  D88866 XL (L: 280-330 mm)	293,- 293,- 303,- 324,-
D88607	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	102,-
D21745	Calf support bracket upholstery - pair - skai cover	49,-
D88604	Angle limiter (for limitation of angle upwards) – mounted	58,-
D88014	Foot fixation, pair incl. mounting kit	212,-
D88603	Foot board, lockable and upwards swingable	347,-
D88605	Footbox, upholstered with Skai cover (approved for car transport)	654,-
D21293	Calf strap	79,-
D86900	Bodypoint calf strap M	162,-
D86901	Bodypoint calf strap L	162,-







	D88609		letti Grandis leg supports with fixed angle for complex individual	117,
	.00	_	onfigurations. Reduces pressure and shear forces. For users with	,
	47		e.g. contractions, leg asymmetry.	
		Т	he foot support is characterized by unique ergonomics and user-	
			riendliness due to scale displays and conical extension pieces.	
		А	djustable in a fixed angle – also below 90°. Including heel strap.	
	D88608	E	xtra Abduction (+ 50 mm), for SW 600 mm only with footboard	376
	D88603	F	oot board, lockable and upwards swingable	347
	D88605	F	ootbox, upholstered with Skai cover (approved for car transport)	654
etti Dynaı	mic angle	adiustah	ole leg rests	
cti Dyllai	inc angle		letti Dynamic angle adjustable leg rests DUAL with calf supports	Price o
ACCE SS		a	nd footboard, 100N.	reque
	D82296		tandard adjustment piece 300 mm (lower leg length 450-550 mm)	
	D82298		djustment piece 214 mm (lower leg length 350-450 mm)	
			djustable for different thigh lengths.	
	D82318		tandard adjustment piece 300 mm (lower leg length 450-550 mm)	
	D82319	_	adjustment piece 214 mm (lower leg length 350-450 mm)	D.:
	D45245		Reinforced automatic footboard lock - Not possible to combine with 082318/9 (extension bracket). With this lock the footboard is not ngle adjustable, but this can be offered as special adaptation.	Price o
	D88211	L	eg support upper parts with lever instead of star wheel for angle adjustment	80
		В	Bodypoint ankle huggers with upholstery	
			D44863 S (L: 170-200 mm)	213
	1		D44864 M (L: 190-230 mm)	213
\$ J.	•		D44865 L (L: 220-290 mm)	223
, 4		L	D44904 XL (L: 280-330 mm)	244
	D21081	E	extra abduction for leg rests (+50 mm, not for SW 600 mm) -	380
		a	djustment of the calf supports will be limited	
	D21745		Calf support bracket upholstery - pair - skai cover	49
	D41617		Calf support upholstery extra soft	190
	D86900	В	Bodypoint calf strap M	162
	D86901	В	Bodypoint calf strap L	162
RM SHIP	PORTS A	ND AC	CESSORIES	
	ndard	Arm su	oports height and depth adjustable with skirt guard in aluminium 395 mm)	0,
Stai	ndard		ds 420 x 80 mm	0,
Jiui		, pu	ced arm support brackets	J,








D21015	Arm supports extended with 100 mm (495 mm)	378,-
D21078	Arm pads 445 x 70 mm	112,-
D21079	Arm pads 525 x 80 mm	112,-
D21927	Arm pads curved at the back 525 x 80 mm	148,-
D23003	Hemiplegic cushion	196,-
D41650	Arm pad upholstery extra soft for arm pad 420 x 80 mm, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	123,-
D22185	Arm support hemiplegic left (not to be combined with a tray)	296,-
D22186	Arm support hemiplegic left (not to be combined with a tray)	296,-

# **MAIN AND FRONT WHEELS**

Standard <b></b>	Main wheels 24 x 1 3/8" HD flexel	0,-
Standard <b>Standard</b>	Reinforced Fork with front wheels: $8" - 200 \times 50$ flexel/PU wheel - puncture proof - with PU infill	0,-
X21035	Main wheels 12 ½" with DB flexel	345,-


### **HEAD SUPPORTS & ACCESSORIES**


















D41987	Intravenous rack	298,-
D42269	Wheelchair bag	140,-

### **BELT OPTIONS FROM BODYPOINT AND NETTI**

#### Belts and accessories for seat unit [A] [B] [C] [D] [F] Belt bracket kit – seat [A] 98,-D86282 D20845 Hip belt, with upholstery and car belt lock [B] 107,-Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting kit [C] 252,-L (overall pad length: 620 mm) D86892 D45040 Security cover for type [C] and [D] L 58,-Bodypoint 2-point pelvic stabiliser for SW 550-650 mm (overall D45276 323,pad length: 820 mm) incl. mounting kit [F] Bodypoint 4-point pelvic stabiliser incl. mounting kit [D] D86894 380,-L (overall pad length: 620 mm) D60001 Abduction belt [E] 497,-Bodypoint supportive universal elastic strap 170,-S (Height 80 mm - 1420 mm long, easily cut-to-length) D45084 L (Height 110 mm - 1420 mm long, easily cut-to-length) D45085 D45086 XL (Height 150 mm - 1420 mm long, easily cut-to-length)

#### Belts and accessories for back unit










# CUSTOM MADE – most wanted special adapted items (price on request)



Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:			

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.



Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width \_\_\_\_\_ mm and length \_\_\_\_ mm of the chair.








### **TECHNICAL DATA**

-9° to +16° with double gas spring
86° to 133° with double gas spring
Seat width + 240 mm (std. wheels/DB-wheels) / +210 mm (12" DB-wheels)
1020 mm with leg rests
1050 mm
Min: 185 mm/ max. 325 mm
App. 36 kg (without cushion)
Silver
Stretchable & flexible cover 3D Easy Care antibacterial cover, washable
For a higher weight capacity than 160 kg, the Netti III XHD is not allowed as a seat for car transport. If necessary, please contact customer service, as an individual risk analysis must be made.

# Seat height – WITHOUT seat cushion (measured from floor to seat plate)

Main wheel	12 1/2"		24"	
Seat height/ front wheel	485 mm	8"	475 mm	8"

Leg rests	Min. calf length	Max. calf length
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



#### Measurements

A Hip width/Seat width	mm
B Thigh length / seat depth	mm
C Arm rest height	mm
D Leg length / seat height	mm
E Backrest height	mm
F Trunk width	mm

Please do not use any person specific data in this order form. We kindly ask you to use an anonymous order number to be able to connect the order or quote to a specific person. Thank you in advance.