



| Netti 450F - 3 fixed recline positions /no tilt | | | | |
|--|---|--|--|--|
| | | Date: | | |
| | Invoice address: | Company: C- | | |
| 1 | | Contact person: | | |
| T | | Other delivery address: | | |
| | | Other delivery address. | | |
| | | Reference: | | |
| | | | | |
| | Comments: | User weight: | | |
| | connents. | | | |
| | | | | |
| | | | | |
| | Please send me an offer | Invoice address = Delivery address | | |
| Standard oguin | mont: | | | |
| Standard equip Back height 550 | | e positions 80° - 94° - 104°, main wheel 16" drum brake | | |
| | | gonomic back cushion Netti Stabil with 3D cover, universal | | |
| _ | | and removable with clothes protector in aluminium, push | | |
| handles and ant | i-tip height adjustable and swingable. | | | |
| | Netti 450 F - Seat width | Seat depth | | |
| 500 550 600 650 700 750 | | | | |
| <u></u> 500 | 550 600 650 700 750 | 440 mm 515 mm | | |
| ☐ 500 ☐ ☐ 800 ☐ | 350 600 650 700 750 850 900 950 1000 mm | | | |
| 800 |] 850 | 440 mm 515 mm 465 mm 540 mm | | |
| 800 | | 440 mm 515 mm 465 mm 540 mm | | |
| 800 Max. ca |] 850 | 440 mm 515 mm 465 mm 540 mm | | |
| 800 | 850 900 950 1000 mm | 440 mm 515 mm 540 mm 540 mm 490 mm | | |
| ■ 800 Max. cap = stand Stand Pleate | 850 900 950 1000 mm pacity: 450 kg ard equipment se mark here FRAME ht 550 mm | 440 mm | | |
| ### 800 Max. ca ### = stand ### Back heighbors Bac | 850 900 950 1000 mm pacity: 450 kg ard equipment se mark here FRAME ht 550 mm ht 670 mm (back extender + extended back cushion | 440 mm | | |
| = stand Back heig Back heig Universal | 850 900 950 1000 mm pacity: 450 kg ard equipment se mark here FRAME ht 550 mm ht 670 mm (back extender + extended back cushion device for different medical equipment | 440 mm | | |
| = stand Back heig Back heig Universal Cover pla | 850 900 950 1000 mm pacity: 450 kg ard equipment se mark here FRAME ht 550 mm ht 670 mm (back extender + extended back cushion device for different medical equipment te for universal device (additional level) | 440 mm | | |
| = stand Back heig Back heig Universal Cover pla Set of 4 m | 850 900 950 1000 mm pacity: 450 kg ard equipment se mark here FRAME at 550 mm at 670 mm (back extender + extended back cushion device for different medical equipment te for universal device (additional level) sounting brackets, incl. screws | 440 mm | | |
| = stand Back heig Back heig Universal Cover pla | ard equipment se mark here ht 550 mm ht 670 mm (back extender + extended back cushion device for different medical equipment te for universal device (additional level) sounting brackets, incl. screws sension | 440 mm | | |
| = stand = stand Back heig Back heig Universal Cover pla Set of 4 m Frame ext | ard equipment se mark here ht 550 mm ht 670 mm (back extender + extended back cushion device for different medical equipment te for universal device (additional level) sounting brackets, incl. screws sension MAIN WHE | 440 mm | | |
| = stand = stand Back heig Back heig Universal Cover pla Set of 4 m Frame ext | ard equipment se mark here ht 550 mm ht 670 mm (back extender + extended back cushion device for different medical equipment te for universal device (additional level) counting brackets, incl. screws tension MAIN WHE mel size 16" drum brakes incl. 300 mm height adjusta | 440 mm | | |
| = stand = stand Back heig Back heig Universal Cover pla Set of 4 m Frame ext | ard equipment se mark here ht 550 mm ht 670 mm (back extender + extended back cushion device for different medical equipment te for universal device (additional level) counting brackets, incl. screws tension MAIN WHE tel size 16" drum brakes incl. 300 mm height adjusta | 440 mm | | |
| = stand = stand Back heig Back heig Universal Cover pla Set of 4 m Frame ext | ard equipment se mark here ht 550 mm ht 670 mm (back extender + extended back cushion device for different medical equipment te for universal device (additional level) counting brackets, incl. screws tension MAIN WHE el size 16" drum brakes incl. 300 mm height adjusta FRONT WH | ## 440 mm | | |
| = stand = stand Back heig Back heig Universal Cover pla Set of 4 m Frame ext | ard equipment se mark here ht 550 mm ht 670 mm (back extender + extended back cushion device for different medical equipment te for universal device (additional level) counting brackets, incl. screws tension MAIN WHE tel size 16" drum brakes incl. 300 mm height adjusta | ## 440 mm | | |

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300





| | Side support stable | | | |
|--------------|---|--|--|--|
| | Upholstery for side support stable | | | |
| SEAT CUSHION | | | | |
| | Netti Sit seat cushion, 3D Cover | | | |
| | Easy Care cover for seat and back unit, washable | | | |
| | HEADREST & ACCESSORIES FOR HEADREST | | | |
| | Head rest C, large, square | | | |
| | Head rest A, with side support | | | |
| | Head rest B, small, oval | | | |
| | Headrest adjustment tube (horizontal) + 100 mm, length 250 mm | | | |
| | Headrest adjustment tube (horizontal) + 230 mm, length 380 mm | | | |
| | Headrest adjustment tube (vertical) + 100 mm, length 500 mm | | | |
| | Comfort cushion for head rest type C - removable | | | |
| | Easy Care cover for head rest type A, B, C - removable | | | |
| | Grey head rest cushion, large | | | |
| | ARM REST & ACCESSORIES FOR ARM REST | | | |
| | Height adjustable armrest, removable | | | |
| | Arm pads 420 X 80 mm | | | |
| | Clothes protector aluminum | | | |
| | Side upholstery, detachable 25 mm wide (reduces the SW with 50 mm) | | | |
| | Arm pads curved at the back 524 x 79 mm | | | |
| | Arm pads 445 x 70 mm | | | |
| | Arm pads 525 x 80 mm | | | |
| | Arm support hemiplegic, left (not possible in combination with tray) | | | |
| | Arm support hemiplegic, right (not possible in combination with tray) | | | |
| | Hemiplegic cushion | | | |
| | LEG REST AND ACCESSORIES | | | |
| | Universal legrest with footboard angle adjustable | | | |
| | Manual adjustable leg rests with automatic length adjustment, angle adjustable footboard and calf supports and knee | | | |
| | upholstery | | | |
| | Calf support bracket upholstery | | | |
| | Calf support upholstery extra soft | | | |
| | Footboard, adjustable | | | |
| | Foot box upholstered | | | |
| | Extra abduction for leg rests +50 mm, | | | |
| | Foot fixation | | | |
| | ACCESSORIES FOR BACK AND SEAT UNIT | | | |
| | Incontinence cover for seat cushion | | | |
| | Hip belt, with upholstery and car belt lock | | | |
| | H-belt, with upholstery and car belt lock | | | |
| | H-belt attachment bar | | | |
| | Abduction block small, W: 80 x L: 140 x H: 80 mm | | | |
| | Abduction block medium, W: 110 x L: 150 x H: 80 mm | | | |
| | Abduction block large, W: 140 x L: 170 x H: 80 mm | | | |
| | Removable knee and thigh support | | | |
| | VARIOUS ACCESSORIES | | | |
| | | | | |
| | Push handles 300 mm, height adjustable and swingable Push handles 500 mm, height adjustable and swingable | | | |
| 1 | I FUSIT HATIUIES JUU HIIII. HEIKIIL AUIUSLADIE AHU SWIIKADIE | | | |

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300





| Tray reinforced - we suggest armpad 525 x 80 mm to secure more stability for the tray |
|---|
| Upholstery for tray |
| Intravenous rack |

Technical data:

| Seat width (SW): | 500 – 1000 mm |
|--------------------------------|--|
| Seat depths: | 440 – 540 mm |
| Seat height: | 430 mm (from floor to seatplate) |
| Back height: | 550 mm standard 670 mm (option) |
| Tilt (seat): | none |
| Recline (back): | 3 fixed angles to choose: 80° - 94° - 104° |
| Total width of the wheelchair: | Seat width + 200 mm |
| Total length: | 870 mm without leg rest |
| Total height: | 1100 mm without head rest |
| Weight of wheelchair: | 49 kg for SW 750 mm |
| Max. capacity: | 450 kg |
| Frame colour: | Silver |
| Cover variants: | Stretchable & flexible 3D cover Easy Care antibacterial cover, washable. |