

D21052





113,-

| | Date Invoi | ce address | Customer cod Contact perso Reference Other delivery | n | |
|-----------------|---------------|---|--|--|------------|
| | lr | nvoice address = delivery address | Quote | | |
| | Т | he chair will be used as seat for ca | transport. | | |
| | | | Basic pri Excl. VAT | ce: 4.250,- 4 | £ |
| Seat width | D650 D650 | | Capacity Seat height Seat depth | Max. 160 kg See page 7 425 – 500 mm ad 25 mm per step | ljustable |
| [| D294 | 88 📃 Arm support comfort pads | (reduces SW with | ו 2 x 15 mm) | 139,-€ |
| | D280 | 02 Seat depth adjustment 425 mm 450 mr | n 📕 475 mm 🗌 |] 500 mm | 59,-€ |
| 📕 = Standard eq | uipme | ent | | | |
| Quick order | | | | only page 1 i | s send |
| Item nr. | | Description | | | Price in € |
| Standard | | Head rest A, with side support | | | 0,- |
| D27574 | | Head rest B, small, oval | | | 0,- |
| D27573 | | Head rest C, large, square | | | 0,- |
| D27572 | | Head rest D, comfort (pressure di | stributive) | | 224,- |
| D82567 | | Headrest A with side support and | head band | | 323,- |
| D82568 | | Extra comfort pads for the head b | and of D82567, p | pair | 30,- |
| D22085 | | Drum brakes (brake handles mou | nted on push bov | <i>w</i>) | 229,- |
| D21063 | | Universal tray for SW 550-600 mr | n | | 238,- |

Upholstery for tray







Smart/Stabil or Super Stabil cushion to receive a back cushion height 600 mm) D21054 Vertical tube for headrest - 500 mm D82025 Headrest adapter in aluminium

FRAME

| Standard | Angle adjustable push bow | 0,- |
|----------|--|-------|
| Standard | Anti tip, swingable | 0,- |
| Standard | User brake | 0,- |
| D86099 | Brake lever extension +70 mm (length 200 mm) to be mounted by dealer | 159,- |
| D28972 | Anti tip with pedal, pair | 186,- |
| D29474 | Tilt-restrictor (no negative tilt frontwards) | 41,- |
| D41074 | Car fastening, pair | 158,- |
| D28001 | Frame extension including longer antitippers | 275,- |
| | | |

BACK UNIT (for belts please see page 9)

| | h.e.e.e.e.h.8e.e. | |
|----------|---|-------|
| Standard | Back cushion Netti Uno with 100 mm side support with 3D cover | 0,- |
| Standard | Back height 500 mm (incl. adjustable velcro back) | 0,- |
| D44993 | Adjustable velcro with cut for side supports | 273,- |
| D41006 | Back extender 600 mm (only in combination with Netti Smart/Stabil or Super Stabil cushion to receive a back cushion height 600 mm) | 222,- |
| D21338 | Back cushion Netti Smart with 120 mm side support – 3D cover | 306,- |
| D27374 | Side support Correction with upholstery left - for Netti UNO and SMART | 193,- |
| D27375 | Side support Correction right with upholstery - for Netti UNO and SMART | 193, |
| D21333 | Back cushion Netti Stabil – with 170 mm side support - 3D cover | 497, |
| D21334 | Back cushion Netti Super Stabil – with 170 mm reinforced side support - 3D cover | 579, |
| | Ride Designs Back solution (See separate order form) Article number: / Accessories: | |
| D26831 | Side support Stable left - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable) | 219, |
| D26844 | Side support Stable right - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable) | 219, |
| D27541 | Side support upholstery Stable, pair | 134, |
| D27700 | Firm back in aluminium, back height 500 mm | 332, |
| D27708 | Firm back in aluminium, back height 600 mm (incl. D41006 back extender - only in combination with Netti Smart/Stabil or Super Stabil cushion to receive a back cushion height 600 mm) | 554, |
| D21084 | Back wedge | 164, |
| D21042 | Lumbar support | 164, |







| | Libertas 15° back flexibility incl. long anti tips and frame extender (Max. user weight 135 kg, not for transport in car) D82411 80N D82412 120N D82413 160N | Price on request |
|----------------|---|---------------------|
| AMIC PCC IS OR | Netti Dynamic FREE back cylinder Allows up to 40° trunk movements backwards. (Max. user weight 135 kg). The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Incl. frame extension D28001 and Bodypoint pelvic stabilizer 2-point belt. For more information and choice of gas spring, feel free to contact us or have a look at our website. If combined with other options, please send us a request as some solution are only possible as special adaptations. | Price on request |
| | D82226 200N D82227 300N D82228 400N D82229 500N D82230 600N D82231 700N D82232 800N D82233 900N D82234 1000N D82235 1100N D82236 1200N D82237 1300N | |

SEAT UNIT (for belts please see page 8)

| Standard | Seat cushion Netti Uno 3D cover | 0,- |
|----------|--|-------|
| D21048 | Netti Dry incontinence cover for seat cushion | 212,- |
| D21007 | Pressure relief seat cushion Netti Sit – 3D cover incl. incontinence layer | 356,- |
| D21017 | Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover | 497,- |
| | Ride Designs Seat cushion (See separate order form) Article number: / Accessories: | |
| D27493 | Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm) | 235,- |
| D27494 | Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm) | 235,- |
| D27495 | Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm) | 235,- |

LEG SUPPORTS

For the Netti 4U CED XL you have 5 different types of leg supports with various accessories. Please contact us for consultation.

| Manually angle adj | ustable leg supports | |
|--------------------|---|------|
| Standard | Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery | 0,- |
| D88211 | Leg support upper parts with lever instead of star wheel for angle adjustment | 80,- |







| | | Bodypoint ankle huggers with upholstery | |
|---------------------|-------|---|----------------|
| | | D44863 S (L: 170-200 mm) | 213,- |
| ર પ્ર | | D44864 M (L: 190-230 mm) | , 213,- |
| | | D44865 L (L: 220-290 mm) | , 223,· |
| | | D44904 XL (L: 280-330 mm) | 244, |
| D80087 | | Depth adjustable hinge for footplates (50 mm in all) – mounted | 444,- |
| D21008 | | Gas spring for angle adjustment | 878,- |
| D21044 | | Foot board, adjustable | 287,- |
| D21041 | | Foot box upholstered (not approved for car transport, if this is needed please use the Netti Grandis solution which is approved) | 459 <i>,</i> · |
| D21745 | | Calf support bracket upholstery - pair - skai cover | 49, |
| D41617 | | Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair | 190,· |
| D28453 | | Foot plate upholstery - pair - skai cover | 269, |
| D86900 | | Bodypoint calf strap M | 162,- |
| D86901 | | Bodypoint calf strap L | 162,- |
| Iniversal leg suppo | rts | | |
| D24005 | | Universal leg supports with knee angle adjustment, adjustable | 117, |
| | | below 90° for contract leg situations with seat unit tilted when chair | |
| | | is pushed | |
| | | Bodypoint ankle huggers with upholstery incl. mounting kit | |
| 1910 | | D44863 S (L: 170-200 mm) | 213, |
| | | D44864 M (L: 190-230 mm) | 213, |
| ર પુર | | D44865 L (L: 220-290 mm) | 223, |
| | | D44904 XL (L: 280-330 mm) | 244, |
| D80087 | | Depth adjustable hinge for footplates (50 mm in all) – mounted | 444, |
| D21044 | | Foot board, adjustable | 287, |
| D21041 | | Foot box upholstered (not approved for car transport, if this is needed please use the Netti Grandis solution which is approved) | 459, |
| D86900 | | Bodypoint calf strap M | 162, |
| D86901 | | Bodypoint calf strap L | 162, |
| etti Grandis angle | adjus | stable leg supports | |
| D88600 | | Netti Grandis angle adjustable positioning leg supports for complex | 987, |
| | | individual configurations. Reduces pressure and shear forces. For | , |
| | | users with e.g. contractions, leg asymmetry, elephantiasis. | |
| | | The fact support is characterized by unique organomics and user | |
| | | The foot support is characterized by unique ergonomics and user- friendliness due to lifting handles, scale displays and conical | |
| | | extension pieces. Angle adjustable incl. angle limiter and adjustable | |
| | | calf- and foot supports. | |
| D88602 | | Calf support upholstery extra soft - pair - EC or 3D cover depending | 190, |
| | | on the fabric for the whole chair | |

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300

on the fabric for the whole chair







| D88607 | Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair) | 102,- |
|--------|--|-------|
| D21745 | Calf support bracket upholstery - pair - skai cover | 49,- |
| D88604 | Angle limiter (for limitation of angle upwards) – mounted | 58,- |
| D88014 | Foot fixation, pair incl. mounting kit | 212,- |
| D88603 | Foot board, lockable and upwards swingable | 347,- |
| D88605 | Footbox, upholstered with Skai cover (approved for car transport) | 654,- |
| D21293 | Calf strap | 79,- |
| D86900 | Bodypoint calf strap M | 162,- |
| D86901 | Bodypoint calf strap L | 162,- |

| D88618 | Amputation support left (amputation support on both sides only together with frame extension D28001) incl. Netti Grandis leg support right side | 946,- |
|--------|---|-------|
| D88619 | Amputation support right (amputation support on both sides only together with frame extension D28001) incl. Netti Grandis leg support left side | 946,- |

Netti Grandis leg support with fixed angle



 Netti Grandis leg supports with fixed angle for complex individual 987,configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.
 The foot support is characterized by unique ergonomics and userfriendliness due to scale displays and conical extension pieces.

Adjustable in a fixed angle – also below 90°. Including heel strap.

| D88603 🗖 | Foot board, lockable and upwards swingable | 347,- |
|----------|---|-------|
| D88605 | Footbox, upholstered with Skai cover (approved for car transport) | 654,- |

Netti Dynamic angle adjustable leg supports

| | Netti Dynamic angle adjustable leg rests DUAL with calf supports and footboard, 100N. | Price on request |
|------------------|---|---------------------|
| D82296 D82298 | Standard adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm) Adjustable for different thigh lengths. | |
| D82318 | Standard adjustment piece 300 mm (lower leg length 450-550 mm) | |
| D82319 | Adjustment piece 214 mm (lower leg length 350-450 mm) | |
| D45245 | Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation. | Price on request |
| D88211 | Leg support upper parts with lever instead of star wheel for angle adjustment | 80,- |







| | Bodypoint ankle huggers with upholstery | |
|--------|--|-------|
| RA | D44863 S (L: 170-200 mm) | 213,- |
| | D44864 M (L: 190-230 mm) | 213, |
| | D44865 L (L: 220-290 mm) | 223, |
| | D44904 XL (L: 280-330 mm) | 244,- |
| D21745 | Calf support bracket upholstery - pair - skai cover | 49, |
| D41617 | Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair | 190, |
| D86900 | Bodypoint calf strap M | 162, |
| D86901 | Bodypoint calf strap L | 162, |
| | | |

ARM REST AND ACCESSORIES FOR ARM REST

| Standard | Arm rest height and depth adjustable, revolvable | 0,- |
|----------|--|-------|
| Standard | Arm pads 385 x 58 mm | 0,- |
| D41649 | Arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray) | 99,- |
| D23003 | Hemiplegic cushion | 196,- |
| D29459 | Arm support hemiplegic left (not to be combined with a tray) | 296,- |
| D29460 | Arm support hemiplegic right (not to be combined with a tray) | 296,- |



NEW:

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN AND FRONT WHEELS

| Standard | Main wheel 24 x 1" PU + front wheel 7" – 175 x 33 PU | 0,- |
|----------|--|--------|
| D21021 | Front wheels: 7" – 175 x 45 PU wheel - puncture proof - with PU infill (necessary for supportive engines) | 79,- |
| D22007 | Main wheel 22 x 1" PU + front wheel 6" 150 x 30 PU | 132,- |
| D22011 | Main wheels with suspension – Loopwheels Classic -24" pneumatic. Up to 70% less vibration. Cannot be combined with drum brakes. Max. capacity 120 kg (incl. chair und user) | 1950,- |
| M70315 | Main wheels 12½" PU with drum brakes – frame brakes are delivered with the chair but are not compatible with the 12" wheels. Please contact us for an offer of a frame brake option. (Please note! These wheels are delivered in an extra box and are to be mounted by the dealer) | 345,- |
| M70316 | Main wheels 16" PU with drum brakes – frame brakes are delivered with the chair but are not compatible with the 16" wheels. Please | 345,- |





Enable joy of life



| | contact us for an offer of a frame brake option. | |
|--------|---|-------|
| | (Please note! These wheels are delivered in an extra box and are to | |
| | be mounted by the dealer) | |
| D22009 | Hand and spoke protector – transparent, pair | 138,- |
| D22013 | Push rim cover, pair | 112,- |

HEAD SUPPORT AND ACCESSORIES FOR HEAD SUPPORTS (Please also see page 1)

| D82025 | Head support adapter aluminium | 224,- |
|--------|---|---------------------|
| D82746 | Netti Dynamic head support C incl. head support adapter in aluminium. If combined with other options, please send us a request, as some solutions are only possible as special adaptations. For more information, feel free to contact us. | Price on request |
| D27577 | Head support E with adjustable side supports | 290,- |
| D27581 | Headrest E with shorter side support right | 370,- |
| D27582 | Headrest E with shorter side support left | 370,- |
| D27578 | Head support F with cheek support | 290,- |
| D21027 | Headrest adjustment tube (horizontal) + 100 mm, length 250 mm | 79,- |
| D21028 | Headrest adjustment tube (horizontal) + 230 mm, length 380 mm | 89,- |
| D21054 | Headrest adjustment tube (vertical) + 100 mm, length 500 mm | 79,- |
| D23004 | Comfort cushion for head rest type C – removable with Mars cover | 162,- |
| D23012 | Easy Care cover for head rest type A, B, C – removable | 79 <i>,</i> - |
| D23013 | 3D cover for head rest type A, B, C – removable | 79 <i>,</i> - |
| D23015 | Grey head rest cushion with Mars cover | 214,- |
| D23015 | Grey head rest cushion with Mars cover | 214 |



| D45370 | | Price on request |
|--------|--|---------------------|
| D45371 | | Price on request |
| D45373 | | Price on request |
| D45375 | neddrest ddjustment tube (nonzontal) i 100 mm, iength 250 mm | Price on request |
| D45368 | | Price on request |







| | Only for Savant headrest. (not approved for car transport – if this is needed please order an additional Netti headrest) | |
|--------|---|---------------------|
| D45376 | Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrest. (not approved for car transport – if this is needed please order an additional Netti headrest) | Price on request |
| D89558 | [C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrest. (not approved for car transport – if this is needed please order an additional standard Netti headrest) | Price or request |
| D89559 | Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrest. (not approved for car transport – if this is needed please order an additional standard Netti headrest) | Price on request |

VARIOUS ACCESSORIES

| D21087 | Clinic-kit (tools) for angle adjustable foot supports | 106,- |
|--------|--|----------|
| D21239 | Tool kit | 89,- |
| D42269 | Wheelchair bag | 140,- |
| D80085 | Universal device basket incl. frame extension D28001 | Price on |
| | SW 450: W: 405 mm, D: 305, H: 70 mm (for other seat widths please subtract or add from SW 450 mm) Max. capacity 6 kg For information concerning car transport, please see the user manual of the device basket on our website. | request |
| D41987 | Intravenous rack | 298,- |

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit

| - Ce | | Ee | | |
|------|----------------------------|-----|---|-------|
| [A] | | [B] | [C] [D] | [E] |
| | D86282 | | Belt bracket kit – seat [A] | 98,- |
| | D20845 | | Hip belt, with upholstery and car belt lock [B] | 107,- |
| | D45276 | | Bodypoint 2-point pelvic stabiliser for SW 550-650 mm (overall pad length: 820 mm) incl. mounting kit [A+C] | 252,- |
| | D60001 | | Abduction belt [D] | 497,- |
| | D45084 D45085 D45086 | | Bodypoint supportive universal elastic strap [E]1S (Height 80 mm - 1420 mm long, easily cut-to-length)L (Height 110 mm - 1420 mm long, easily cut-to-length)XL (Height 150 mm - 1420 mm long, easily cut-to-length) | |



My-Netti.com Enable joy of life



| Belts and access | ories | for back unit | | | | |
|--|-------|-----------------------|-------------------------|--------------------|---------|-------|
| and the second s | | | X | | N | |
| [A] | | [B] | [C] | [D] | [E] | |
| D86890 | | H-harness adaptor ki | it (recommended for a | all upper body har | nesses) | 250,- |
| | | [A] | | | | |
| D20881 | | H-belt, with upholste | ery and car belt lock [| B] | | 227,- |
| D41645 | | Belt cross harness [C | .] | | | 175,- |
| | | Bodypoint Stayflex c | hest support without | zipper [D] | | 246,- |
| D86895 | | M (Shoulder width 3 | 30-410 mm) | | | |
| D86896 | | L (Shoulder width 41 | .0-480 mm) | | | |
| | | Bodypoint Pivofit sho | oulder harness [E] | | | 246,- |
| D86898 | | M (Shoulder width 3 | 30-410 mm) | | | |
| D86899 | | L (Shoulder width 41 | .0-480 mm) | | | |
| | | | | | | |

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

CUSTOM MADE – most wanted special adapted items (price on request)





| Α | В | С | |
|---|---|-------------------|-------------|
| | Reinforced foot board in aluminium (A | A) | |
| | Extra-long calf supports (please state l | ength) (B) | |
| | Calf support upholstery in special leng | th or material | |
| | Back cushion with special side support | : (C) | |
| | Footboard that swings horizontally for | wards | |
| | Sliding seat (for positioning and transfe | er) | · · · · · · |
| | Comfort seat plate | | · · · · · · |
| | One hand brake (please state which sig | de) | |








Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.





Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width ______ mm and length _____ mm of the chair.

TECHNICAL DATA


| -5° to +20° |
|--|
| 92° to 137° |
| Seatwidth + 180 mm (std. wheels)/ + 195 mm (DB wheels) / +170 mm (12" + 16" DB wheels) |
| 1020 mm with leg rests |
| 1050 mm |
| Min. 265 mm / max. 355 mm |
| App. 30 kg (without cushion) |
| Grey |
| 3D Cover (optional Easy Care cover with D21022) |
| ISO 7176-19 (136 kg) |
| |







Seat height – WITHOUT seat cushion (measured from floor to seat plate)



With wheel combination 22" + 6" the seat height 440 and 475 mm is possible.

| Leg rest type | Min. calf length | Max. calf length |
|-------------------------------|------------------|------------------|
| Manual adjustable leg rests | 320 mm | 680 mm |
| Universal leg rests | 360 mm | 500 mm |
| Netti Grandis leg rests | 360 mm | 640 mm |
| Netti Grandis fixed leg rests | 380 mm | 550 mm |
| | | |

