





	Customer code C-	
SS	Contact person	
	Reference	
	Other delivery address	
dress = delivery address	Ouote	
aress actively address	_	SYSTEM
	seat unit with dynamic seat plate, arming hand protection, frame extension, long antitippers, Bodypoint EVOFLEX pelvic	ests with er stabilizer and
rill be used as seat for car	transport.	
request		
D66140 400 mm	Seat height See page 13 Seat depth 425-500 mm adjus	table by 25 mm
	dress = delivery address ill be used as seat for car request D66135 350 mm D66140 400 mm D66145 450 mm	Reference Other delivery address Other delivery address NETTI DYNAMIC COMPLETE Netti Dynamic complete system is equi seat unit with dynamic seat plate, armr hand protection, frame extension, long antitippers, Bodypoint EVOFLEX pelvic an individually chosen gas spring for th (see page 2). Ill be used as seat for car transport. Pequest Capacity Max. 135 kg Seat height See page 13 Seat depth 425-500 mm adjust per step.

NORWAY: Alu Rehab AS | Bedriftsveien 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300

by a trained professional. For more information please

visit our website www.my-netti.com







DYNAMIC SEAT- AND BACKSOLUTION

Please contact us for recommendation on the choice of gas spring.

•	mic gas spring for the back angle - cannot be blocked - incl. dynamic seat unit transportation, as the back angle cannot be blocked.	
recline is maintained	mic gas spring allows 15° trunk extension movements backwards. The standard d and can be adjusted in any position. The Dynamic gas spring cannot be blocked. Stiffness patterns which tend to persist, spasticity, and also for comfort and	
	Dynamic gas spring 120 N Dynamic gas spring 160 N	
	EVOFLEX pelvic stabiliser: Please choose the size from the table on page 9.	
	Size XS M L	
Option 2: 40° Dynam	ic FREE gas spring for the back angle - lockable - incl. dynamic seat unit	
standard back recline which can be approp the dynamic back mo	nic Free gas spring allows up to 40° trunk extension movements backwards. The e can be locked in any position as the dynamic movement is blocked simultaneous riate during transport or positioning. The back recline and blocking/unblocking of evement is done with a special dynamic release handle. The Dynamic Free gas sprosevere extension patterns, also for violent and sudden movements.	•
	Dynamic FREE gas spring 200 N (SW 350 - 400 mm) Dynamic FREE gas spring 300 N (SW 350 - 400 mm) Dynamic FREE gas spring 400 N (SW 350 - 400 mm) Dynamic FREE gas spring 500 N (SW 350 - 400 mm) Dynamic FREE gas spring 600 N (SW 350 - 430 mm) Dynamic FREE gas spring 700 N (SW 350 - 430 mm) Dynamic FREE gas spring 800 N (SW 350 - 430 mm) Dynamic FREE gas spring 900 N (SW 450 - 500 mm) Dynamic FREE gas spring 1000 N (SW 450 - 500 mm) Dynamic FREE gas spring 1100 N (SW 450 - 500 mm) Dynamic FREE gas spring 1200 N (SW 450 - 500 mm) Dynamic FREE gas spring 1300 N (SW 450 - 500 mm) Dynamic FREE gas spring 1300 N (SW 450 - 500 mm)	
•••••	EVOFLEX pelvic stabiliser: Please choose the size from the table on page 9. Size XS M L	
D45040	Security cover for 2/4-point pelvic stabilizer (XS, M, L)	58,-
D87903	Recline limiter (possible to limit in different positions from 116° - 134°) for the Netti Dynamic Free back spring (to be mounted by the dealer)	30,-







244,-

Price on request Alternative to the 2-point pelvic stabilizer D86889 - Bodypoint 4-point padded hip belt - Size XS D86893 - Bodypoint 4-point padded hip belt - Size M D86894 - Bodypoint 4-point padded hip belt - Size L Please choose the size from the table on page 9. DYNAMIC HEAD SUPPORT SOLUTION Price on request Netti Dynamic head support C incl. head support D82746 adapter in aluminium DYNAMIC FOOT SUPPORT SOLUTION The DUAL foot support solution is for users with an asymmetric movement pattern. It is specially developed to allow for uneven forces from the legs. Futhermore the Netti Dynamic DUAL foot supports allows for different leg length. Price on request Dual leg support angle adjustable with calf D82296 [supports and footboard, 100 N Std. 300 mm adjustment piece (Lower leg length 450-550 mm) D82298 With 214 mm adjustment piece (Lower leg length 350-450 mm) D82318 Dual leg support angle adjustable with calf supports and footboard, 100 N Including extension bracket to be used by uneven leg length or leg position adjusting the foot board depth. Std. 300 mm adjustment piece (Lower leg length 450-550 mm) D82319 With 214 mm adjustment piece (Lower leg length 350-450 mm) Accessories for Netti Dynamic leg rests (for other leg support solutions please see page 5) D88211 Leg support upper parts with lever instead of star wheel for 80,angle adjustment D45245 ☐ Reinforced automatic footboard lock - Not possible to combine Price on with D82318/9 (extension bracket). With this lock the footboard request is not angle adjustable, but this can be offered as special adaptation. Bodypoint ankle huggers incl. mounting material D44863 (L: 170-200 mm) 213,-D44864 (L: 190-230 mm) 213,-D44865 (L: 220-290 mm) 223,-

NORWAY: Alu Rehab AS | Bedriftsveien 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300

XL (L: 280-330 mm)

D44904







D21081	Extra abduction for legrets (+50 mm) - adjustment of the c supports will be limited	alf 380,-
D21745	☐ Calf support bracket upholstery - pair - skai cover	49,-
D41617	☐ Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	190,-
D86900	☐ Bodypoint calf strap M	162,-
D86901	■ Bodypoint calf strap L	162,-

= Standard equipment

Please send us a request for combinations with NDS options, as some combinations are only possible as special adaptions.

FRAME AND ACCESSORIES

Standard 	Push bow	0,-
Standard 	Anti tip – swingable	0,-
Standard 	Frame extension including longer antitippers	0,-
Standard 🔳	Frame brakes	0,-
D86099	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	159,-
D42177	Push bow, angle adjustable	247,-
D29474	Tilt-restrictor (no negative tilt frontwards)	34,-
D41074	Car fastening, pair	158,-
D83937	SW extension kit mounted 2 x 12 mm – only for SW 350-450 mm	150,-
Special	Arm support comfort pads (reduces SW with 2 x 15 mm) incl. a seat plate in special adaptations with cut out to allow the movement of the dynamic seat unit. Seat cushion will for the same reasons also be delivered in a smaller size.	Price on request
D21022	Easy Care cover (not available for Netti Sit °C and Ride cushion)	0,-
D45084 D45085 D45086	Bodypoint supportive universal elastic strap S (Height 80 mm - 1420 mm long, easily cut-to-length) L (Height 110 mm - 1420 mm long, easily cut-to-length) XL (Height 150 mm - 1420 mm long, easily cut-to-length)	170,-

BACK UNIT (for belts please see page 9)

Standard	Back height 500 mm	0,-
D21137	Adjustable velcro back (mounting through local dealer)	259,-
D88468	Side support Basic, pair	348,-
D21338	Back cushion Netti Smart – with 120 mm side support with 3D cover – only in combination with D21137	306,-
D21335	Back cushion Netti Stabil – with 170 mm side support with 3D cover – only in combination with D21137	497,-







0,-

D21336	Back cushion Netti Super Stabil – with 170 mm reinforced side support with 3D cover – only in combination with D21137	579,-
D20630	Back cushion Netti Kyphotic with 3D/Mars cover - only in combination with D21137	667,-
	Ride Designs Back solution (See separate order form) Article number: / Accessories:	_
D21084	Back wedge	164,-
D21042	Lumbar support	164,-







NEW:

Advanced seating and positioning management: Ride Designs – solutions (seat and back) for an even more stable posture, even more mobility/ functionality and an immense improved skin protection (decubitus prophylaxis). Please use separate order form.

SEAT UNIT

_	_		
	Standard 🔳	Seat unit with dynamic seat plate	0,-
	D21000	Seat cushion Netti Uno with 3D cover	179,-
	D21048	Incontinence cover for seat cushion	212,-
	D21777	Pressure relief seat cushion Netti Sit with 3D cover, incl. incontinence layer	356,-
	D21017	Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	497,-
		Ride Designs Seat cushion (See separate order form) Article number: / Accessories:	
	D27493	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	235,-
	D27494	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	235,-
	D27495	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	235,-

LEG SUPPORTS (please see page 3 for dynamic leg supports)

For the Netti 4U Dynamic Base you have 5 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports

Standard Manually angle adjustable leg supports with
-automatic length adjustment
-angle adjustable foot plates
-calf supports and knee upholstery







6 —
A
D88600
ti Grandis angle a
D86901
D86900
3210.1
D21041
D21044
D80087
44,
1373
1
D24005
versal leg suppor
D86901
D86900
D28453
D23014
D41617
D21745
D24000
D21041
D21044
D21008
D80087
4 4 .
1463
M







	extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	
D88602	☐ Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	190,
D88607	☐ Knee upholstery for the upper lower leg (3D or EC cover depending	102,
	on the fabric for the whole chair)	
D21745	☐ Calf support bracket upholstery - pair - skai cover	49
D88604	Angle limiter (for limitation of angle upwards) – mounted	58
D88014	☐ Foot fixation, pair incl. mounting kit	212
D88603	☐ Foot board, lockable and upwards swingable	347
D88605	☐ Footbox, upholstered with Skai cover (approved for car transport)	654
D21293	☐ Calf strap	79
D86900	☐ Bodypoint calf strap M	162
D86901	☐ Bodypoint calf strap L	162
tti Grandis ampı	utation support	
D88618	Amputation support left incl. Netti Grandis leg support right side	946
D88619	☐ Amputation support right incl. Netti Grandis leg support left side	946
tti Crandia lac a	wheat with fixed and	
D88612	upport with fixed angle Netti Grandis leg supports with fixed angle for complex individual	007
D00012	☐ Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with	987
	e.g. contractions, leg asymmetry.	
∛ ſ	The foot support is characterized by unique ergonomics and user-	
	friendliness due to scale displays and conical extension pieces.	
	Adjustable in a fixed angle – also below 90°. Including heel strap.	
D88603	☐ Foot board, lockable and upwards swingable	347
D88605	☐ Footbox, upholstered with Skai cover (approved for car transport)	654
AA CUIDDODTC	AND ACCESSORIES FOR ARMA SURRORTS	
Standard Standard	AND ACCESSORIES FOR ARM SUPPORTS Height and depth adjustable - revolvable	
Standard		0
Standard	Arm pads 385 x 58 mm	0
D41649	Arm support with hand protection	0
D41649	Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (not to be	99,
	combined with a tray)	
D23003	Hemiplegic cushion	196
D29459	Arm support hemiplegic, left (not to be combined with a	296
tray)		230
	tray)	
D29460	Arm support hemiplegic, right (not to be combined with a	296,







request

HEAD SUPPORT AND ACCESSORIES (for Dynamic head rest please see page 3)



	Α	В	С	D E	F
Standard	Head support A,	with side support			0,-
D82025	Head support ad	apter aluminium	std. for Dyna	mic head support D8274	6) 224,-
D82567	Head support A v	with head band			323,-
D82568	Extra comfort pa	ds for the head b	and of D825	67, pair	30,-
D27574	Head support B,	oval (instead of h	ead support A	4)	0,-
D27573	Head support C,	square (instead o	f head suppo	rt A)	0,-
D27572	Head support D,	comfort (pressure	e distributive)		224,-
D27577	Head supports E	with adjustable s	de supports		362,-
D27578	Head supports F	with cheek supp	ort		362,-
D27581	Headrest E with s	shorter side supp	ort right		370,-
D27582	Headrest E with s	shorter side supp	ort left		370,-
D21027	Headrest adjustn	nent tube (horizo	ntal) + 100 m	m, length 250 mm	79,-
D21028	Headrest adjustn	nent tube (horizo	ntal) + 230 m	m, length 380 mm	89,-
D21054	Headrest adjustn	nent tube (vertica	l) + 100 mm,	length 500 mm	79,-
D23004	Comfort cushion	for head rest typ	e C – removal	ble with Mars cover	162,-
D23012	Easy Care cover	for head rest type	e A, B, C – ren	novable	79,-
D23013	3D cover for hea	d rest type A, B, C	– removable		79,-
D23015	Grey head rest co	ushion with Mars	cover		214,-
	[A]	(B)	[C]		
D45370	[A] Savant head s	support incl. head	band, small -	- height 130 mm	Price on
	Inside distance along (not approved for ca	e behind ears 150-18 g top support 300 mm	, along middle s	upport 180 mm order an additional Netti	request
D45371	User forehead 560-6			height 150 mm	Price on request
	Inside distance along	e behind ears 200-30 g top support 360 mm r transport – if this is	, along middle s	upport 200 mm order an additional Netti	
D45373 [·	Savant head supp ms of the head su		a lateral support. t be combined with the	Price on request
D45375 [Headrest adjustn	nent tube (horizo	ntal) +100 mr	n, length 250 mm	Price on







D45368	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	Price on request
D89559	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	Price on request





NEW:

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN WHEELS

Standard	Main wheels 24" PU incl. user brakes	0,-
M70315	Main wheels 12" PU with drum brakes (mounting through local dealer) – frame brakes are delivered with the chair but are not compatible with the 12" wheels. Please contact us for an offer of a frame brake option.	345,-
M70316	Main wheels 16" PU with drum brakes (mounting through local dealer) – frame brakes are delivered with the chair but are not compatible with the 16" wheels. Please contact us for an offer of a frame brake option.	345,-
D21085	Drum brakes for 24"	229,-
D22009	Hand and spoke protector - transparent, pair – for 24" (not for one hand drive)	139,-
D22013	Push rim cover, pair – for 24"	112,-
D20834	One hand drive for 24" wheels PU – left Cannot be combined with drum brakes.	1105,-
D20836	One hand drive for 24" wheels PU – right Cannot be combined with drum brakes.	1105,-
D20837	One hand drive for 22" wheels PU – left Cannot be combined with drum brakes. With 7" front wheels - only SH 465 mm possible.	1105,-
D20838	One hand drive for 22" wheels PU – right Cannot be combined with drum brakes. With 7" front wheels - only SH 465 mm possible.	1105,-







FRONT WHEELS

Standard	Front wheels: 7" – 175 x 33 PU	0,-
D21021	Front wheels: 7" – 175 x 45 PU wheel - puncture proof - with PU	79,-
	infill (necessary for supportive engines)	

TRAYS

Please note that the use of a tray cannot be recommended in combination with a dynamic seat unit. A tray is static and together with a dynamic seat unit this may cause injury.

D25059	Universal tray	195,-
D21052	Upholstery for tray	113,-

BELT OPTIONS FROM BODYPOINT AND NETTI

* Please note that we only recommend these parts, when the chair is equipped with a Netti III back as special adaptation. Otherwise the optimal fastening of the belts is not possible.

Belts and accessories for back unit







_			7 4		7	1
[A]	[B]		[C]	[D]	[E]	
D86890		* H-harness ada	ptor kit (recomm	nended for all uppe	r body	250,-
	_	harnesses/ only	possible with Ne	etti III back in specia	ıl	
		adaptation) [A]				
D20881		* H-belt, with up	pholstery and car	belt lock [B]		227,-
D41645		* Belt cross harr	ness [C]			175,-
		*Bodypoint Stay	flex chest suppo	rt without zipper [[)]	246,-
D89805		XS (Shoulder wid	dth 240-280 mm)		
D89898		S (Shoulder widt	th 280-330 mm)			
D86895		M (Shoulder wid	lth 330-410 mm)	1		
D86896		L (Shoulder widt	:h 410-480 mm)			
		*Bodypoint Pivo	fit shoulder harr	ness [E]		246,-
D89802		XS (Shoulder wid	dth 240-280 mm)		
D89803		S (Shoulder widt	th 280-330 mm)			
D86898		M (Shoulder wid	lth 330-410 mm))		
D86899		L (Shoulder widt	:h 410-480 mm)			

VARIOUS ACCESSORIES

D21239	Tool kit	106,-
D41987	Intravenous rack	298,-
D42269	Wheelchair bag	140,-







IS-D80085

Universal device basket

SW 450: W: 405 mm, D: 305 mm, H: 70 mm

(for other seat widths please subtract or add from SW 450 mm)

Max. capacity 6 kg

For information concerning car transport, please see the user manual of the device basket on our website.

Price on request

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

CUSTOM MADE – most wanted special adapted items (price on request)		
Reinforced aluminum footboard		
Leg support end position suspension Not possible with D82318/9 (extension bracket)		
This item works only at the end of a back movement and prevent from hard touching/slamming of the leg support.		
Leg support speed absorber		
This item works as a speed limiter for extension and flexion movements.		
It lowers the speed in both direction to prevent from hard movements		
in both ways up and down.		
Calf support with special bracket for fixed positioning		
Footboard swingable horizontally (frontwards)		
Extra long calf supports (please state length)		
Calf support upholstery in special length or material		
Please describe your current case and how a possible solution could look. If you have any material, we would also like to see this. To offer the best solution, please describe the us possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern move	er in the best	
User weight:		








Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.






Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length ____ mm of the chair.

TECHNICAL DATA

Tilt (seat)	-8° bis +22°
Recline (back)	Depends on choice of the gas spring
Total width of the wheelchair	Seat width +180 mm (24" std. wheels)/ + 195 mm (24" DB wheels) / +170 mm (16" DB wheels)
Total length	1130 mm with leg rests
Total height	1100 mm
Distance arm support to seatplate	Min. 265 mm / max. 355 mm
Weight of wheelchair	App. 29 kg (without cushions)
Frame colour	Silver
Cover variant	3D cover
Crashtest	ISO 7176-19 (135 kg) – for information concerning car transport, please see the user manual on our website.

Seat height – WITHOUT seat cushion (measured from floor to seat plate)












Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm









Shoulder width		
XXS	210-240 mm	
XS	240-280 mm	
S	280-330 mm	
M	330-410 mm	
L	410-480 mm	

Measuring for Stayflex and PivoFit

Measure the shoulder width. If the shoulder width falls between two sizes, consider other factors such as growth, weight changes and clothing.





Measuring for a hip belt

Measure hip width across the greater trochanters with the person seated. If the hip width falls between sizes on our chart, consider other factors such as growth, weight change and clothing.

Measurements

A Hip width/Seat width _____mm

B Thigh length / seat depth ____mm

C Arm rest height ____mm

D Leg length / seat height ____mm

E Backrest height ____mm

F Trunk width ____mm