



Date \_\_\_\_\_ Customer code C- \_\_\_\_\_

Invoice address \_\_\_\_\_ Contact person \_\_\_\_\_

\_\_\_\_\_ Reference \_\_\_\_\_

\_\_\_\_\_ Other delivery address \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Invoice address = delivery address  Quote

The chair will be used as seat for car transport

**Basic price 7.395,- €**

Excl. VAT

<b>Seat width</b>	X20050	<input type="checkbox"/> 500 mm	<b>Seat depth</b>	A	<input type="checkbox"/> 500 mm
	X20055	<input type="checkbox"/> 550 mm		B	<input checked="" type="checkbox"/> 475 mm
	X20060	<input type="checkbox"/> 600 mm		C	<input type="checkbox"/> 450 mm
			D	<input type="checkbox"/> 425 mm	
			E	<input type="checkbox"/> 400 mm	
			<b>Capacity</b>	Max. 200 kg	
			<b>Seat height</b>	See page 9	

D22149  Side upholstery (reduces SW with 2 x 25 mm) 129,- €

= Standard equipment

**Netti Customized individual adapted**

## FRAME

Item nr.	Description	Price in €
Standard	<input checked="" type="checkbox"/> Push handles 300 mm, height adjustable and swingable	0,-
Standard	<input checked="" type="checkbox"/> Anti tip w/ pedal	0,-
D21808	<input type="checkbox"/> Push handles 500 mm, height adjustable and swingable	189,-
D81740	<input type="checkbox"/> Push bow – height and angle adjustable	338,-
D20824	<input type="checkbox"/> Frame extension incl. brakes on lower frame tube	269,-
D41074	<input type="checkbox"/> Car fastener	158,-
X21022	<input type="checkbox"/> Easy Care cover for seat and back, washable (not available for Netti Sit °C)	295,-

## SOLUTIONS FOR RESPIRATION MACHINES AND OTHER MEDICAL DEVICES

D21186	<input type="checkbox"/>	Universal device holder (incl. frame extender D20824) D: 348 mm / W: SW minus 36 mm / Max. capacity 10kg For information concerning car transport, please see the user manual of the device holder on our website.	1697,-
D21187	<input type="checkbox"/>	Cover plate for universal device – add. Level (only with D21186) D: 193 mm / W: SW minus 37 mm / H (free area): 237 mm	449,-
D42900	<input type="checkbox"/>	Extra set of 4 mounting brackets, incl. screws	234,-

## BRAKES

Standard	<input checked="" type="checkbox"/>	User brake, brake lever 90 mm	0,-
D21010	<input type="checkbox"/>	Drum brakes	229,-
D21029	<input type="checkbox"/>	Brake lever extension + 60 mm, length: 150 mm	79,-
D21031	<input type="checkbox"/>	Brake lever extension + 160 mm, length: 250 mm	89,-

## BACK UNIT (for belts please see page 7)

Standard	<input checked="" type="checkbox"/>	Back cushion Netti STABIL - side support 170 mm - 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Back height 500 mm (incl. adjustable velcro back)	0,-
D21006	<input type="checkbox"/>	Back height 600 mm (incl. back extender + longer cushion) <b>During 2020 the design for back cushions SW 550 and up will be changed into a one-piece back cushion</b>	294,-
D44992	<input type="checkbox"/>	Adjustable velcro with cut for side supports for SW 500	236,-
D44993	<input type="checkbox"/>	Adjustable velcro with cut for side supports for SW 550-600 mm	273,-
D21123	<input type="checkbox"/>	Back cushion Netti SUPER STABIL – with 170 mm reinforced side support - 3D cover	579,-
D26831	<input type="checkbox"/>	Side support stable left – for Netti STABIL and SUPER STABIL	219,-
D26844	<input type="checkbox"/>	Side support stable right – for Netti STABIL and SUPER STABIL	219,-
D27541	<input type="checkbox"/>	Upholstery for side support stable, pair	134,-
D27700	<input type="checkbox"/>	Firm back in aluminium, back height 500 mm	332,-
D27701	<input type="checkbox"/>	Firm back in aluminium, back height 600 mm, incl. D21006 <b>During 2020 the design for back cushions SW 550 and up will be changed into a one-piece back cushion</b>	696,-
D21042	<input type="checkbox"/>	Lumbar support	164,-
D21084	<input type="checkbox"/>	Back wedge	164,-

## SEAT UNIT (for belts please see page 7)

Standard	<input checked="" type="checkbox"/>	Netti Sit - Pressure relief seat cushion with incontinence layer under the 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Reinforced seat plate	0,-
D21048	<input type="checkbox"/>	Incontinence cover for seat cushion	212,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20  
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300

D21017	<input type="checkbox"/>	Netti Sit °C - Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	497,-
D27490	<input type="checkbox"/>	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	235,-
D27491	<input type="checkbox"/>	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	235,-
D27492	<input type="checkbox"/>	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	235,-
D20830		Removable knee and thigh support <input type="checkbox"/> 1 piece <input type="checkbox"/> 2 pieces	188,-

## LEG SUPPORTS

For the Netti III XHD 500-600 mm you have 3 different types of leg supports with various accessories. Please contact us for consultation.

### Netti Grandis angle adjustable leg support

Standard  **Netti Grandis angle adjustable positioning leg supports** for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis. 0,-



The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.

D88608  Extra Abduction (+ 50 mm), for SW 600 mm only with footboard - adjustment of the calf supports will be limited 376,-

D88602  Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair 190,-



Bodypoint ankle huggers with upholstery incl. mounting kit

D88863 S (L: 170-200 mm) 293,-

D88864 M (L: 190-230 mm) 293,-

D88865 L (L: 220-290 mm) 303,-

D88866 XL (L: 280-330 mm) 324,-

D88607  Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair) 102,-

D21745  Calf support bracket upholstery - pair - skai cover 49,-

D88604  Angle limiter (for limitation of angle upwards) – mounted 58,-

D88014  Foot fixation, pair incl. mounting kit 212,-

D88603  Foot board, lockable and upwards swingable 347,-

D88605  Footbox, upholstered with Skai cover (approved for car transport) 654,-

D21293  Calf strap 79,-


D86900  Bodypoint calf strap M 162,-

D86901  Bodypoint calf strap L 162,-



### Netti Grandis amputation support

D88611	Amputation support left (amputation support on both sides only together with frame extension D20824)	453,-
D88610	Amputation support right (amputation support on both sides only together with frame extension D20824)	453,-

### Netti Grandis leg support with fixed angle

D88609	<input type="checkbox"/> <b>Netti Grandis leg supports with fixed angle</b> for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.	117,-
	 The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	
D88608	<input type="checkbox"/> Extra Abduction (+ 50 mm), for SW 600 mm only with footboard	376,-
D88603	<input type="checkbox"/> Foot board, lockable and upwards swingable	347,-
D88605	<input type="checkbox"/> Footbox, upholstered with Skai cover (approved for car transport)	654,-

### Netti Dynamic angle adjustable leg rests

	 <b>Netti Dynamic angle adjustable leg rests DUAL</b> with calf supports and footboard, 100N.	Price on request
D82296	<input type="checkbox"/> Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
D82298	<input type="checkbox"/> Adjustment piece 214 mm (lower leg length 350-450 mm) <u>Adjustable for different thigh lengths.</u>	
D82318	<input type="checkbox"/> Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
D82319	<input type="checkbox"/> Adjustment piece 214 mm (lower leg length 350-450 mm)	
D45245	<input type="checkbox"/> Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
D88211	<input type="checkbox"/> Leg support upper parts with lever instead of star wheel for angle adjustment	80,-
	 <b>Bodypoint ankle huggers with upholstery</b>	
	<input type="checkbox"/> D44863 S (L: 170-200 mm)	213,-
	<input type="checkbox"/> D44864 M (L: 190-230 mm)	213,-
	<input type="checkbox"/> D44865 L (L: 220-290 mm)	223,-
	<input type="checkbox"/> D44904 XL (L: 280-330 mm)	244,-
D21081	<input type="checkbox"/> Extra abduction for leg rests (+50 mm, not for SW 600 mm) - adjustment of the calf supports will be limited	380,-
D21745	<input type="checkbox"/> Calf support bracket upholstery - pair - skai cover	49,-
D41617	<input type="checkbox"/> Calf support upholstery extra soft	190,-
D86900	<input type="checkbox"/> Bodypoint calf strap M	162,-
D86901	<input type="checkbox"/> Bodypoint calf strap L	162,-

## ARM SUPPORTS AND ACCESSORIES

Standard	<input checked="" type="checkbox"/>	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm)	0,-
Standard	<input checked="" type="checkbox"/>	Arm pads 420 x 80 mm	0,-
Standard	<input checked="" type="checkbox"/>	Reinforced arm support brackets	0,-
D21015	<input type="checkbox"/>	Arm supports extended with 100 mm (495 mm)	378,-
D21078	<input type="checkbox"/>	Arm pads 445 x 70 mm	112,-
D21079	<input type="checkbox"/>	Arm pads 525 x 80 mm	112,-
D21927	<input type="checkbox"/>	Arm pads curved at the back 525 x 80 mm	148,-
D23003	<input type="checkbox"/>	Hemiplegic cushion	196,-
D41650	<input type="checkbox"/>	Arm pad upholstery extra soft for arm pad 420 x 80 mm, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	123,-
D22185	<input type="checkbox"/>	Arm support hemiplegic left (not to be combined with a tray)	296,-
D22186	<input type="checkbox"/>	Arm support hemiplegic right (not to be combined with a tray)	296,-

## MAIN AND FRONT WHEELS

Standard	<input checked="" type="checkbox"/>	Main wheels 24 x 1 3/8" HD flexel	0,-
Standard	<input checked="" type="checkbox"/>	Reinforced Fork with front wheels: 8" – 200 x 50 flexel/PU wheel - puncture proof - with PU infill	0,-
X21035	<input type="checkbox"/>	Main wheels 12 1/2" with DB flexel. Without frame brakes - Please contact us for an offer of a frame brake option.	345,-

## HEAD SUPPORTS & ACCESSORIES



Standard	<input checked="" type="checkbox"/>	Stabilizer for head rest	0,-
D20575	<input type="checkbox"/>	Head rest A, with side support	210,-
D82566	<input type="checkbox"/>	Head rest A with side support and head band	323,-
<b>D82568</b>	<input type="checkbox"/>	<b>Extra comfort pads for the head band of D82566, pair</b>	<b>30,-</b>
D20574	<input type="checkbox"/>	Head rest B, small, oval	210,-
D20573	<input type="checkbox"/>	Head rest C, large, square	210,-
D20576	<input type="checkbox"/>	Head rest D, comfort (pressure distributive) – only with 3D cover	268,-
D27575	<input type="checkbox"/>	Head support E with adjustable side supports	330,-
D27579	<input type="checkbox"/>	Headrest E with shorter side support right	420,-
D27580	<input type="checkbox"/>	Headrest E with shorter side support left	420,-
D27576	<input type="checkbox"/>	Head support F with cheek support	330,-
D21027	<input type="checkbox"/>	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	79,-
D21028	<input type="checkbox"/>	Headrest adjustment tube (horizontal) + 230 mm, length 380 mm	89,-
D21054	<input type="checkbox"/>	Headrest adjustment tube (vertical) + 100 mm, length 500 mm	79,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20  
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300

D23004	<input type="checkbox"/>	Comfort cushion for head rest type C – removable with Mars cover	162,-
D23012	<input type="checkbox"/>	Easy Care cover for head rest type A, B, C – removable	79,-
D23013	<input type="checkbox"/>	3D cover for head rest type A, B, C – removable	79,-
D23015	<input type="checkbox"/>	Grey head rest cushion with Mars cover	214,-



[A]



[B]



[C]

D45372	<input type="checkbox"/>	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45374	<input type="checkbox"/>	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45373	<input type="checkbox"/>	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	<input type="checkbox"/>	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request
D45368	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89559	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request

## TRAYS

D21063	<input type="checkbox"/>	Universal tray	238,-
D21052	<input type="checkbox"/>	Upholstery for tray	113,-



## VARIOUS ACCESSORIES

D21087	<input type="checkbox"/>	Clinic-Kit (tools and star wheels – only for reinforced legrests)	106,-
D21239	<input type="checkbox"/>	Tool kit	89,-
D41987	<input type="checkbox"/>	Intravenous rack	298,-
D42269	<input type="checkbox"/>	Wheelchair bag	140,-

## BELT OPTIONS FROM BODYPOINT AND NETTI

### Belts and accessories for seat unit



D86282	<input type="checkbox"/>	Belt bracket kit – seat [A]	98,-
D20845	<input type="checkbox"/>	Hip belt, with upholstery and car belt lock [B]	107,-
D86892	<input type="checkbox"/>	Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting kit [C] L (overall pad length: 620 mm)	252,-
D45040	<input type="checkbox"/>	Security cover for type [C] and [D] L	58,-
D45276	<input type="checkbox"/>	Bodypoint 2-point pelvic stabiliser for SW 550-650 mm (overall pad length: 820 mm) incl. mounting kit [F]	323,-
D86894	<input type="checkbox"/>	Bodypoint 4-point pelvic stabiliser incl. mounting kit [D] L (overall pad length: 620 mm)	380,-
D60001	<input type="checkbox"/>	Abduction belt [E]	497,-
		Bodypoint supportive universal elastic strap	170,-
D45084	<input type="checkbox"/>	S (Height 80 mm - 1420 mm long, easily cut-to-length)	
D45085	<input type="checkbox"/>	L (Height 110 mm - 1420 mm long, easily cut-to-length)	
D45086	<input type="checkbox"/>	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	

### Belts and accessories for back unit



D86890	<input type="checkbox"/>	H-harness adaptor kit (recommended for all upper body harnesses) [A]	250,-
D20881	<input type="checkbox"/>	H-belt, with upholstery and car belt lock [B]	227,-
D41645	<input type="checkbox"/>	Belt cross harness [C]	175,-
		Bodypoint Stayflex chest support without zipper [D]	246,-
D86895	<input type="checkbox"/>	M (Shoulder width 330-410 mm)	
D86896	<input type="checkbox"/>	L (Shoulder width 410-480 mm)	
		Bodypoint Pivofit shoulder harness [E]	246,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20  
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300

- D86898  M (Shoulder width 330-410 mm)  
D86899  L (Shoulder width 410-480 mm)

**CUSTOM MADE – most wanted special adapted items (price on request)**



**A**

**B**

**C**

- Reinforced footboard in aluminium  
 Extra long calf supports (please state length) **(B)**  
 Calf support upholstery in special length or material  
 Back cushion with special side support (see drawing page 9) **(C)**  
 Complete upholstery for armrest **(A)**  
 Pushhandles with special length or angle

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

---



---




---



---

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.



Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width \_\_\_\_\_ mm and length \_\_\_\_\_ mm of the chair.

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20  
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300





## TECHNICAL DATA

Tilt (seat)	-9° to +16° with double gas spring
Recline (back)	86° to 133° with double gas spring
Total width of the wheelchair	Seat width + 240 mm (std. wheels/DB-wheels) / +210 mm (12" DB-wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seatplate	Min: 185 mm/ max. 325 mm
Weight of wheelchair	App. 36 kg (without cushion)
Frame colour	Silver
Cover variants	Stretchable & flexible cover 3D Easy Care antibacterial cover, washable
Crash test	For a higher weight capacity than 160 kg, the Netti III XHD is not allowed as a seat for car transport. If necessary, please contact customer service, as an individual risk analysis must be made.

## Seat height – WITHOUT seat cushion (measured from floor to seat plate)

Main wheel	12 1/2"		24"	
Seat height/ front wheel	485 mm	8"	475 mm	8"

Leg rests	Min. calf length	Max. calf length
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



### Measurements

A Hip width/Seat width	_____ mm
B Thigh length / seat depth	_____ mm
C Arm rest height	_____ mm
D Leg length / seat height	_____ mm
E Backrest height	_____ mm
F Trunk width	_____ mm