





	Date	Customer code C	
	Invoice address	Contact person	
		Reference	
		Other delivery addr	
	<ul><li>Invoice address = delivery address</li><li>The chair will be used as seat for car</li></ul>	Quote	
	e s.i.a v.i se asea as seat is: sa.	ti dii Sport	
		Basic price Excl. VA	•
Seat width	X20065 650 mm	Seat depth A	500 mm
	X20070 700 mm	В	475 mm
	X20075 750 mm	C	450 mm
		D [	425 mm 400 mm
		Е	400 111111
		Capacity	Max. 200 kg
		Seat height	See page 7
	D22149 Side upholstery (reduces	SW with 2 x 25 mm)	129,- €
= Standard ed	quipment	Netti Customized	individual adapted
FRAME			
Item nr.	Description		Price in €
Standard	<u> </u>	ustable and swingable	0,-
Standard		<u> </u>	0,-
D21808	Push handles 500 mm, height adju	ustable and swingable	
D20824	Frame extension incl. brakes on lo		269,-
D41074	Car fastener		158,-
			·
SOLUTIONS F	OR RESPIRATION MACHINES AN	D OTHER MEDIC	AL DEVICES
X21186	Universal device holder (incl. fram	ne extender D20824)	1926,-
	D: 348 mm / W: SW minus 36 mm	•	•
	For information concerning car transport, holder on our website.	, please see the user manu	al of the device
X21187	Cover plate for universal device –	add Level (only with )	X21186) 592,-
,,2110/	D: 193 mm / W: SW minus 37 mm		•
D42900	Extra set of 4 mounting brackets,		234,-
	hab AS   Bedriftsveien 23   N-4353 Klepp sta		•
DENMAR	K: Alu Rehab ApS   Kløftehøj 8   DK-8680 Ry	info@My-Netti.com   F	Phone +45 87887300



D20830





## **BRAKES**

BRAKES			
Standard		User brake, brake lever 90 mm	0,-
D21010		Drum brakes	229,-
D21029		Brake lever extension + 60 mm, length: 150 mm	69,-
D21031		Brake lever extension + 160 mm, length: 250 mm	79,-
BACK UNIT			
Standard		Back cushion Netti Stabil - side support 170 mm, 3D cover	0,-
Standard		Back height 500 mm (incl. adjustable velcro back)	0,-
X21006		Back height 600 mm (incl. back extender + longer cushion)	294,-
		During 2020 the design will be changed into a one-piece back	
		cushion	
D44993 [		Adjustable velcro with cut for side supports	273,-
X21123		Back cushion Netti SUPER STABIL for SW 650-700 mm - with 170 mm	897,-
		reinforced side support - 3D cover	
X21124 [		Back cushion Netti SUPER STABIL for SW 750 mm - with 170 mm	897,-
		reinforced side support - 3D cover	
D26831 [		Side support stable left – for Netti STABIL and SUPER STABIL	219,-
D26844		Side support stable right – for Netti STABIL and SUPER STABIL	219,-
D27541 [		Upholstery for side support stable, pair	134,-
X27702		Firm back in aluminium, back height 500 mm	333,-
X27703		Firm back in aluminium, back height 600 mm, incl. X21006	696,-
		During 2020 the design will be changed into a one-piece back	
		cushion	
D21042		Lumbar support	164,-
D21084		Back wedge	164,-
SEAT UNIT (for be	lts i	please see page 5)	
Standard		Netti Sit - Pressure relief seat cushion with incontinence layer under	0,-
Standard	_	the 3D cover	0,
Standard		Reinforced seat plate	0,-
D27490		Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	235,-
D27491		Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	235,-
D27492		Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	235,-
52, 132			

1 piece

2 pieces

188,-

Removable knee and thigh support







## **LEG SUPPORTS AND ACCESSORIES**

Standard	<b>Netti Grandis angle adjustable positioning leg supports</b> for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	0,-
	The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and footboard.	
D88602	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	190,-
D88607	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	102,-
D21745	Calf support bracket upholstery - pair - skai cover	49,-
D88604	Angle limiter (for limitation of angle upwards) – mounted	58,
D88014	Foot fixation, pair incl. mounting kit	212,
<del></del>	Bodypoint ankle huggers with upholstery incl. mounting kit	
	D88863 S (L: 170-200 mm)	293,
	D88864 M (L: 190-230 mm)	293,
	D88865 L (L: 220-290 mm)	303,
M SUPPORTS A	ND ACCESSORIES  Arm supports height and depth adjustable with skirt guard in aluminium	0,-
		0,-
	Arm supports height and depth adjustable with skirt guard in aluminium	0,.
Standard <b>Standard</b>	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm)	0,
Standard Standard	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm	0,
Standard Standard Standard	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm)  Arm pads 420 x 80 mm  Reinforced arm support brackets	0, 0, 378,
Standard  Standard  Standard  D21015	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm)  Arm pads 420 x 80 mm  Reinforced arm support brackets  Arm supports extended with 100 mm (495 mm)	0, 0, 378, 112,
Standard Standard Standard D21015 D21078	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm)  Arm pads 420 x 80 mm  Reinforced arm support brackets  Arm supports extended with 100 mm (495 mm)  Arm pads 445 x 70 mm	0, 0, 378, 112,
Standard  Standard  Standard  D21015  D21078  D21079	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm)  Arm pads 420 x 80 mm  Reinforced arm support brackets  Arm supports extended with 100 mm (495 mm)  Arm pads 445 x 70 mm  Arm pads 525 x 80 mm	0, 0, 378, 112, 112,
Standard  Standard  Standard  D21015  D21078  D21079  D21927	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm)  Arm pads 420 x 80 mm  Reinforced arm support brackets  Arm supports extended with 100 mm (495 mm)  Arm pads 445 x 70 mm  Arm pads 525 x 80 mm  Arm pads curved at the back 525 x 80 mm	0, 0, 378, 112, 112, 148, 123,
Standard  Standard  Standard  D21015  D21078  D21079  D21927  D23003	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm)  Arm pads 420 x 80 mm  Reinforced arm support brackets  Arm supports extended with 100 mm (495 mm)  Arm pads 445 x 70 mm  Arm pads 525 x 80 mm  Arm pads curved at the back 525 x 80 mm  Hemiplegic cushion  Arm pad upholstery extra soft (for arm pads 420 x 80 mm) – 3D cover	0, 0, 378, 112, 112, 148, 123, 196,
Standard  Standard  Standard  D21015  D21078  D21079  D21927  D23003  D41650	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm)  Arm pads 420 x 80 mm  Reinforced arm support brackets  Arm supports extended with 100 mm (495 mm)  Arm pads 445 x 70 mm  Arm pads 525 x 80 mm  Arm pads curved at the back 525 x 80 mm  Hemiplegic cushion  Arm pad upholstery extra soft (for arm pads 420 x 80 mm) – 3D cover (not to be combined with a tray)  Arm support hemiplegic left	
Standard  Standard  Standard  D21015  D21078  D21079  D21927  D23003  D41650  D22185	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm)  Arm pads 420 x 80 mm  Reinforced arm support brackets  Arm supports extended with 100 mm (495 mm)  Arm pads 445 x 70 mm  Arm pads 525 x 80 mm  Arm pads curved at the back 525 x 80 mm  Hemiplegic cushion  Arm pad upholstery extra soft (for arm pads 420 x 80 mm) – 3D cover (not to be combined with a tray)  Arm support hemiplegic left (not to be combined with a tray)  Arm support hemiplegic left	0, 0, 378, 112, 112, 148, 123, 196,
Standard  Standard  Standard  D21015  D21078  D21079  D21927  D23003  D41650  D22185  D22186	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm)  Arm pads 420 x 80 mm  Reinforced arm support brackets  Arm supports extended with 100 mm (495 mm)  Arm pads 445 x 70 mm  Arm pads 525 x 80 mm  Arm pads curved at the back 525 x 80 mm  Hemiplegic cushion  Arm pad upholstery extra soft (for arm pads 420 x 80 mm) – 3D cover (not to be combined with a tray)  Arm support hemiplegic left (not to be combined with a tray)  Arm support hemiplegic left	0, 0, 378, 112, 148, 123, 196,







	puncture proof - with PU infill	
X21035	Main wheels 12 ½" with DB flexel - Without frame brakes - Please contact us for an offer of a frame brake option.	345,-

## **HEAD SUPPORTS & ACCESSORIES**



	Α	В	С	D	E	F
Standard	Stabilizer for head	d support				0,-
D20575	Head support A, v	with side supp	ort			210,-
D82566	Head support A w	vith side suppo	ort and head b	oand		323,-
D82568	Extra comfort pa	ds for the hea	d band of D82	2566, pair		30,-
D20574	Head support B, s	small, oval				210,-
D20573	Head support C, I	arge, square				210,-
D20576	Head support D,	comfort (press	ure distributi	ve)		268,-
D27575	Head support E w	ith adjustable	side supports	5		434,-
D27579	Headrest E with s	horter side su	pport right			420,-
D27580	Headrest E with s	horter side su	pport left			420,-
D27576	Head support F w	ith cheek sup	port			434,-
D21027	Head support adj	ustment tube	(horizontal) +	100 mm, lengtl	h 250 mm	79,-
D21028	Head support adj	ustment tube	(horizontal) +	230 mm, lengtl	h 380 mm	89,-
D21054	Head support adj	ustment tube	(vertical) + 10	00 mm, length 5	00 mm	79,-
D23004	Comfort cushion	for head supp	ort type C – re	emovable with I	Mars cover	162,-
D23012	Easy Care cover for	or head suppo	rt type A, B, C	– removable		79,-
D23013	3D cover for head	support type	A, B, C – rem	ovable		79,-
D23015	Grey head suppo	rt cushion witl	n Mars cover			214,-



D45372	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45374	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45373	[B] Side pads for Savant head support. For extra lateral support.	Price on request







		For the upper arms of the head support. Cannot be combined with the	
D45375		Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price or reques
D45368		[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests.  (not approved for car transport – if this is needed please order an additional Netti headrest)	Price or reques
D45376		Axion head support rotary interface, permits a lateral rotation of 90°.  Only for Savant headrests.  (not approved for car transport – if this is needed please order an additional Netti headrest)	Price or reques
D89558		[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price o reques
D89559		Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price o reques
S			
X21060		Universal tray for SW 650-700 mm (recommendation: armpad D21079 (525 x 80 mm) will provide more bearing surface for the tray)	529,
X21061		Universal tray for SW 750 mm (recommendation: armpad D21079 (525 x 80 mm) will provide more bearing surface for the tray)	639,
D21052		Upholstery for tray	113,
OUS ACC	ESSC	DRIES	
D21239		Tool kit	89,
D41987		Intravenous rack	140,
D42269		Wheelchair bag	298,
nd access	ories	for seat unit	
Œ	Fel		
	[B]	[C]	
_	Щ.	<del></del>	98,-
X20845			107,-
D45276		Bodypoint 2-point hip belt incl. mouting kit for SW 550-650 mm (overall pad length 820 mm)	252,-
	D45368  D45376  D89558  D89559  X21060  X21061  D21052  DUS ACC  D21239  D41987  D42269  DPTIONS  nd access	D45368	headband  D45375  Headrest adjustment tube (horizontal) + 100 mm, length 250 mm  D45368  C Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)  D45376  Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)  D89558  C Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)  D89559  Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)  SX21060  Universal tray for SW 650-700 mm (recommendation: armpad D21079 (525 x 80 mm) will provide more bearing surface for the tray)  X21061  Universal tray for SW 750 mm (recommendation: armpad D21079 (525 x 80 mm) will provide more bearing surface for the tray)  DUS ACCESSORIES  D21239  Tool kit  D41987  Intravenous rack  D42269  Wheelchair bag  DPTIONS FROM BODYPOINT AND NETTI  Ind accessories for seat unit  D86282  Belt bracket kit – seat [A]  Hip belt, with upholstery and car belt lock [B]  D45276  Bodypoint 2-point hip belt incl. mouting kit for SW 550-650







		Enable joy of life	BY AI
	Bodypoint supportive universal elastic stra	p	170,-
D45084	S (Height 80 mm - 1420 mm long, easily cu	•	
D45085	L (Height 110 mm - 1420 mm long, easily c	ut-to-length)	
D45086	XL (Height 150 mm - 1420 mm long, easily	cut-to-length)	
NETTI CUSTOM	IIZED		
Netti has many yea	rs of experience in developing customized solutions. I	eel free to contact us for	a quote
CUSTOM MAD	E – most wanted special adapted items (p	orice on request)	
A	B	C	
	Extra long calf supports (please state length) (B)		
	Complete upholstery for armrest (A)		
	Back cushion with special side support (see drav	ving page 6) (C)	
	Soft calf support upholstery		
material, we would	or current case and how a possible solution could look also like to see this. To offer the best solution, please uch as any given diagnosis, user weight and/or the ex	describe the user in the l	best
User weight:			
		-	

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.











Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width \_\_\_\_\_ mm and length \_\_\_\_ mm of the chair.


### **TECHNICAL DATA**

Tilt (seat)	-9° to +16° with double gas spring
Recline (back)	86° to 133° with double gas spring
Total width of the wheelchair	Seat width + 240 mm (std. wheels/DB-wheels) / +210 mm (12" DB-wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seatplate	Min: 185 mm/ max. 325 mm
Weight of wheelchair	App. 36 kg (without cushion)
Frame colour	Silver
Cover variants	3D Cover
Crash test	For a higher weight capacity than 160 kg, the Netti III XHD is
	not allowed as a seat for car transport. If necessary, please
	contact customer service, as an individual risk analysis must
	be made.

# Seat height – WITHOUT seat cushion (measured from floor to seat plate)

Main wheel	12 1	L <b>/2</b> "	24"	
Seat height/ front wheel	485 mm	8"	475 mm	8"

Leg rests	Min. calf length	Max. calf length	
Netti Grandis leg rests	360 mm	640 mm	



#### Measurements

A Hip width/Seat width \_\_\_\_\_mm

B Thigh length / seat depth \_\_\_\_mm

C Arm rest height \_\_\_\_mm

D Leg length / seat height \_\_\_\_mm

E Backrest height \_\_\_\_mm

F Trunk width \_\_\_\_mm