

Date _____

Customer code C- _____

Invoice address _____

Contact person _____

Reference _____

Other delivery address _____

Invoice address = delivery address

Quote

Ride® Java Cushion



Posture control and excellent seating stability. Manages heat and moisture. Lightest cushion in its class (0.8-1.6 kg).



Skin indications

- Moderate to severe skin risk*
- Moderate to severe muscular atrophy
- Normal to affected sensitivity
- Incontinence protection

Posture indications

- The pelvis is relatively easy to compensate for or achieves a balanced seating position by adapting the cushion with the available accessories.
- Moderate to severe posterior-anterior tilt of the pelvis.
- Strong tendency of sliding

* No cushion can eliminate seating pressure or prevent pressure ulcers completely. The Ride Design cushions are not a substitute for good skin care, including proper nutrition, cleanliness and regular use of pressure-relieving techniques.

Delivery time for Ride Designs products is 4-15 workdays.

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

Ride Java Cushion

The Ride Java Cushion comes complete with breathable spacer fabric cover, one pair of Ride CAM® Wedges and two Ride Gauges.

	W & D: Size (WxD)	Article number	Price in €
<input type="checkbox"/>	300 x 300 mm	JC-1212	1.274,-
<input type="checkbox"/>	300 x 330 mm	JC-1213	1.274,-
<input type="checkbox"/>	300 x 360 mm	JC-1214	1.274,-
<input type="checkbox"/>	300 x 380 mm	JC-1215	1.274,-
<input type="checkbox"/>	300 x 410 mm	JC-1216	1.274,-
<input type="checkbox"/>	330 x 300 mm	JC-1312	1.274,-
<input type="checkbox"/>	330 x 330 mm	JC-1313	1.274,-
<input type="checkbox"/>	360 x 360 mm	JC-1414	1.041,-
<input type="checkbox"/>	360 x 380 mm	JC-1415	1.274,-
<input type="checkbox"/>	360 x 410 mm	JC-1416	1.041,-
<input type="checkbox"/>	360 x 430 mm	JC-1417	1.274,-
<input type="checkbox"/>	360 x 460 mm	JC-1418	1.274,-
<input type="checkbox"/>	360 x 510 mm	JC-1420	1.274,-
<input type="checkbox"/>	380 x 360 mm	JC-1514	1.274,-
<input type="checkbox"/>	380 x 380 mm	JC-1515	1.041,-
<input type="checkbox"/>	380 x 410 mm	JC-1516	1.274,-
<input type="checkbox"/>	380 x 430 mm	JC-1517	1.041,-
<input type="checkbox"/>	380 x 460 mm	JC-1518	1.274,-
<input type="checkbox"/>	380 x 480 mm	JC-1519	1.274,-
<input type="checkbox"/>	380 x 510 mm	JC-1520	1.274,-
<input type="checkbox"/>	410 x 360 mm	JC-1614	1.274,-
<input type="checkbox"/>	410 x 380 mm	JC-1615	1.274,-
<input type="checkbox"/>	410 x 410 mm	JC-1616	1.041,-
<input type="checkbox"/>	410 x 430 mm	JC-1617	1.274,-
<input type="checkbox"/>	410 x 460 mm	JC-1618	1.041,-
<input type="checkbox"/>	410 x 480 mm	JC-1619	1.274,-
<input type="checkbox"/>	410 x 510 mm	JC-1620	1.041,-
<input type="checkbox"/>	430 x 360 mm	JC-1714	1.274,-
<input type="checkbox"/>	430 x 380 mm	JC-1715	1.274,-
<input type="checkbox"/>	430 x 410 mm	JC-1716	1.274,-
<input type="checkbox"/>	430 x 430 mm	JC-1717	1.041,-
<input type="checkbox"/>	430 x 460 mm	JC-1718	1.274,-
<input type="checkbox"/>	430 x 480 mm	JC-1719	1.274,-
<input type="checkbox"/>	430 x 510 mm	JC-1720	1.274,-
<input type="checkbox"/>	460 x 360 mm	JC-1814	1.274,-
<input type="checkbox"/>	460 x 380 mm	JC-1815	1.274,-
<input type="checkbox"/>	460 x 410 mm	JC-1816	1.041,-
<input type="checkbox"/>	460 x 430 mm	JC-1817	1.274,-
<input type="checkbox"/>	460 x 460 mm	JC-1818	1.041,-
<input type="checkbox"/>	460 x 480 mm	JC-1819	1.274,-
<input type="checkbox"/>	460 x 510 mm	JC-1820	1.041,-

Height back 150 mm
 Height front 80 mm
 Trochanter height 70 mm


<input type="checkbox"/>	480 x 360 mm	JC-1914	1.274,-								
<input type="checkbox"/>	480 x 380 mm	JC-1915	1.274,-								
<input type="checkbox"/>	480 x 410 mm	JC-1916	1.274,-								
<input type="checkbox"/>	480 x 430 mm	JC-1917	1.274,-								
<input type="checkbox"/>	480 x 460 mm	JC-1918	1.274,-								
<input type="checkbox"/>	480 x 480 mm	JC-1919	1.274,-								
<input type="checkbox"/>	480 x 510 mm	JC-1920	1.274,-								
<input type="checkbox"/>	510 x 360 mm	JC-2014	1.274,-								
<input type="checkbox"/>	510 x 380 mm	JC-2015	1.274,-								
<input type="checkbox"/>	510 x 410 mm	JC-2016	1.041,-								
<input type="checkbox"/>	510 x 430 mm	JC-2017	1.274,-								
<input type="checkbox"/>	510 x 460 mm	JC-2018	1.041,-								
<input type="checkbox"/>	510 x 480 mm	JC-2019	1.274,-								
<input type="checkbox"/>	510 x 510 mm	JC-2020	1.041,-								
<input type="checkbox"/>	Other dimensions according to the combination possibilities listed below are available on request. (Extended delivery time) Please specify cushion width x depth: W: _____ D: _____ <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr><th>Width</th><th>Depth</th></tr> </thead> <tbody> <tr><td>300-330 mm</td><td>300-410 mm</td></tr> <tr><td>360 mm</td><td>300-460 mm</td></tr> <tr><td>380-510 mm</td><td>360-510 mm</td></tr> </tbody> </table>	Width	Depth	300-330 mm	300-410 mm	360 mm	300-460 mm	380-510 mm	360-510 mm	JC-RIDE-004	1.274,-
Width	Depth										
300-330 mm	300-410 mm										
360 mm	300-460 mm										
380-510 mm	360-510 mm										
<input type="checkbox"/>	Extra velcro piece (male) for Netti wheelchairs - inclusive with wheelchair order	2 x 89923	Total 12,-								
<input type="checkbox"/>	Extra cover Please write measurements if ordered separately W: ____ D: ____	JCE-xxx	287,-								
<input type="checkbox"/>	Java seat cushion in standard sizes (JC-1414 to JC-2020) with Rear Cane Notches – Recesses on the rear seat cushion corners for accurate placement of the cushion between the back tubes. For combinations with JC-Ride-004, please send us a request.	JC-RIDE-006	1.268,-								

Modifications of leg length discrepancies			
		Article number	Price in €
<input type="checkbox"/>	Left	IS-RIDE-005	Price on request
<input type="checkbox"/>	Minus 30 mm		
<input type="checkbox"/>	Minus 50 mm		
<input type="checkbox"/>	Minus 80 mm		
<input type="checkbox"/>	Minus 100 mm		
<input type="checkbox"/>	Right		
<input type="checkbox"/>	Minus 30 mm		
<input type="checkbox"/>	Minus 50 mm		
<input type="checkbox"/>	Minus 80 mm		
<input type="checkbox"/>	Minus 100 mm		

<input type="checkbox"/>	Extra cover for cushion with leg length discrepancies	IS-RIDE-005	Price on request
--------------------------	---	-------------	------------------



[A]



[B]



[C]



[D]



[E]



[F]

Accessories			
		Article number	Price in €
<input type="checkbox"/>	Ride CAM® Wedge kit [A] Each kit contains two Ride Cam Wedges. Trim in field for correct fit - one size fits all.	JC-WK	64,-
	30 mm Orientation Wedge [B] Designed to fit outside of cushion cover:		
<input type="checkbox"/>	– cushion width 360 mm	OW-1414	111,-
<input type="checkbox"/>	– cushion width 380-410 mm	OW-1616	111,-
<input type="checkbox"/>	– cushion width 430-460 mm	OW-1816	111,-
<input type="checkbox"/>	– cushion width 480-510 mm	OW-2016	111,-
<input type="checkbox"/>	Reticulated Foam Well Insert Kit [C]	JC-WI	76,-
<input type="checkbox"/>	30 mm Lateral Thigh Support Wedge (pair) [D] Trim in field for correct fit - one size fits all.	JC-LTS	64,-
<input type="checkbox"/>	30 mm Medial Thigh Support Insert (pair) [E] Trim in field for correct fit - one size fits all.	JC-MTS	65,-
<input type="checkbox"/>	Complete accessory kit [F] Includes: One pair Ride CAM® Wedge Kit, two pair Medial/Lateral Thigh Supports and one Well Insert Kit.	JC-TK	228,-