

Date _____
Customer code C- _____
Customer _____
Contact person _____
Reference _____

Delivery Address _____

Invoice Address _____


- Quote
- Invoice address = delivery address
- The chair will be used as seat for car transport

Basic price: 3.495,- € excl. VAT



Seat width

- D90025 250 mm
- D90030 300 mm
- D90035 350 mm



Seat width reduction pads D90054 138 €

- Seat width reduction pads
Reduces the seat width with up to 35 mm per side. The pads can be adjusted in depth, height and stepless in width.

Seat depth

- 250 mm
- 275 mm
- 300 mm
- 325 mm
- 350 mm (only by SW 300 & 350 mm)
- 395 mm (only by SW 350 mm with SD extension – D91502)
- 440 mm (only by SW 350 mm with SD extension – D91503)



Capacity Max. 75 kg

Seat Height 440 mm by 16" wheels
470 mm by 22" wheels

HEAD SUPPORTS & ACCESSORIES




[A]	[B]	[C]	[D]	[E]	[F]
Item nr.		Description			Price in €
D86133	<input type="checkbox"/>	[A] Head support A mini with side supports 150 mm horizontal bar, 350 mm vertical bar			388,-
D23973	<input type="checkbox"/>	[A] Head support A mini with side supports 150 mm horizontal bar, 200 mm vertical bar			382,-
D20574	<input type="checkbox"/>	[B] Head support B, small, oval 150 mm horizontal bar, 350 mm vertical bar			210,-
D21027	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 100mm, length 250mm			79,-
D21028	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 230mm, length 380mm			89,-
D21054	<input type="checkbox"/>	Head support adjustment tube (vertical) 500 mm			79,-
D23012	<input type="checkbox"/>	Easy Care cover for head support type A or B - removable			79,-
D45365	<input type="checkbox"/>	[C] Savant Pediatric head support incl. headband 250 mm horizontal bar for Netti wheelchairs 350 mm vertical bar User forehead 360-460 mm User ½ circumference behind ears 130-150 mm Inside distance along top support 230 mm, along middle support 130 mm, height 120 mm (not approved for car transport – if this is needed please order an additional Netti head support)			On request
D45366	<input type="checkbox"/>	[C] Savant Small head support incl. headband 250 mm horizontal bar for Netti wheelchairs 350 mm vertical bar User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm, height 130 mm (not approved for car transport – if this is needed please order an additional Netti head support)			On request
D45373	<input type="checkbox"/>	[D] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support.			On request
D45375	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 100mm for Savant head rest, length 250mm			On request
D23015	<input type="checkbox"/>	[E] Grey head support cushion, universal, with Mars cover			214,-
D45368	<input type="checkbox"/>	[F] Axion head support rotary interface, permits a lateral rotation of 60°, for Savant head supports (not approved for car transport – if this is needed please order an additional Netti head support)			On request
D45376	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°, for Savant head supports (not approved for car transport – if this is needed please order an additional Netti head support)			On request
D89558	<input type="checkbox"/>	[F] Axion head support rotary interface, permits a lateral rotation of 60°, for Netti head supports			On request

(not approved for car transport – if this is needed please order an additional Netti head support)

D89559	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°, for Netti head supports (not approved for car transport – if this is needed please order an additional Netti head support)	On request
--------	--------------------------	---	------------

BACK UNIT



Standard	<input checked="" type="checkbox"/>	[A] Back cushion Netti Smart with ventilating 3D cover Black & red 120 mm side supports	0,-
D90350	<input type="checkbox"/>	Netti Smart with black cover	0,-
D90123	<input type="checkbox"/>	[B] Back cushion Netti S Super Stabil with good lateral support 150 mm side supports Ventilating 3D cover Black & red	588,-
Standard	<input checked="" type="checkbox"/>	[C] Adjustable velcro back	0,-
Standard	<input checked="" type="checkbox"/>	Back height 400 mm, back cushion can be adjusted up to 500 mm	0,-
D91006	<input type="checkbox"/>	[D] Back extender + 100 mm - for better support of the back cushion. SW 250 and 300 mm will be supplied with a cushion back height 400 mm. SW 350 mm will be supplied with a back cushion with back height 500 mm and black cover.	279,-
D88810	<input type="checkbox"/>	[E] Lateral supports stabilizing the sides of the back cushion, height and sideways adjustable, pair	129,-
	<input type="checkbox"/>	Ride Designs Decaf Back solution (See separate order form – for SW 250 + 300 mm as special adaptation) Article number: _____ / Accessories: _____	
D21042	<input type="checkbox"/>	Lumbar support	164,-

Belts for back unit



[A]



[B]



[C]



[D]

D90890	<input type="checkbox"/>	[A] H-belt bracket for optimum mounting of belt, height adjustable. Package of different fix locks for mounting included.	250,-
D41645	<input type="checkbox"/>	[B] Belt cross harness	175,-
D89805	<input type="checkbox"/>	[C] Bodypoint Stayflex chest support (without zipper)	246,-
D89898	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)	
D86895	<input type="checkbox"/>	S (Shoulder width 280-330 mm)	
	<input type="checkbox"/>	M (Shoulder width 330-410 mm)	
D89801	<input type="checkbox"/>	[D] Bodypoint Pivofit shoulder harness	246,-
D89802	<input type="checkbox"/>	XXS (Shoulder width 210-240 mm)	
D89803	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)	
D86898	<input type="checkbox"/>	S (Shoulder width 280-330 mm)	
	<input type="checkbox"/>	M (Shoulder width 330-410 mm)	

SEAT UNIT



[A]



[B]



[C]



[D]



[E]




[F]

Standard	<input checked="" type="checkbox"/>	[A] Readable tilt position -3 to 35°	0,-
Standard	<input checked="" type="checkbox"/>	[B] Netti S Sit seat cushion Pressure relief seat cushion with incontinence layer under the ventilating 3D cover	0,-
D21300	<input type="checkbox"/>	Extra 3D cover for Netti S Sit	138,-
	<input type="checkbox"/>	[C] Ride Designs Forward cushion – see special order form	
		Item no: _____ Accessories: _____	
Standard	<input checked="" type="checkbox"/>	[D] Seat plate that can be adjusted up to 100 mm in depth	0,-

D91502	<input type="checkbox"/>	[E] Seat depth expansion. Expands the seat depth by 45 mm reaching seat depth of 395 mm. Only available for seat width 350 mm. Cannot be combined with abduction block Seat cushion: Netti Sit, black 3D cover, seat depth 400 mm	59,-
D91503	<input type="checkbox"/>	[E] Seat depth expansion. Expands the seat depth by 2 x 45 mm reaching seat depth of 395 mm or 440 mm. Reinforced extension pieces included. Only available for seat width 350 mm. Cannot be combined with abduction block Seat cushion: Netti Sit, black 3D cover, seat depth 450 mm	258,-
		[F] Abduction block (cannot be combined with seat depth expansion)	193,-
D88822	<input type="checkbox"/>	Mini (W: 40-60 mm, L: 100 mm, H: 50 mm)	
D88823	<input type="checkbox"/>	Small (W: 80 mm, L: 140 mm, H: 80 mm)	

Belts for seat unit



		[A] Bodypoint Evoflex 2-point pelvic stabiliser incl. mounting kit	
D45021	<input type="checkbox"/>	XS (Overall pad length: 380 mm)	183,-
D45022	<input type="checkbox"/>	M (Overall pad length: 460 mm)	183,-
D45040	<input type="checkbox"/>	[B] Security cover for 2-point pelvic stabilizer	58,-
D45084	<input type="checkbox"/>	[C] Bodypoint supportive universal elastic strap S (Height 80 mm - 1420 mm long, easily cut-to-length)	170,-
D20845	<input type="checkbox"/>	[D] Hip belt, with upholstery and car belt lock	107,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORT



Standard	<input checked="" type="checkbox"/>	Arm support height and depth adjustable, can be adjusted up to 240 mm measured from seat plate. Readable horizontal scale.	0,-
Standard	<input checked="" type="checkbox"/>	2 positioning screws allow for limiting the arm support height	0,-

Standard	■	Arm pads 330 x 55 mm, depth adjustable	0,-
Standard	■	Cloth protector	0,-
D21096	□	Arm pads 385 x 58 mm	112,-
D21077	□	Arm pads 420 x 80 mm	112,-
D21078	□	Arm pads 445 x 70 mm	112,-
D21079	□	Arm pads 525 x 80 mm	112,-
D21927	□	Arm pads curved at the back 525 x 80 mm	148,-
D41648	□	Soft 3D upholstery for the arm pads (330x55)	96,-
D41649	□	Soft 3D upholstery for the arm pads for armpad D21096 (385x58 mm)	96,-
D41650	□	Soft 3D upholstery for the arm pads for armpad D21077 (420x80 mm)	123,-

LEG SUPPORTS AND ACCESSORIES



[A]



[B]



[C]



[D]

Standard	■	[A] Universal leg supports with knee angle adjustment, heel strap and footboard, black (can only be removed with tools).	0,-
D91011	□	[B] Angle adjustable leg supports with automatic length adjustment, angle adjustable foot plates, calf supports and knee upholstery, black.	383,-
D91041	□	Foot board for manual adjustable leg supports (D91011/ can only be removed with tools).	0,-
D23114	□	[C] Foot box upholstered for manual adjustable leg supports (universal or angle adjustable D91011, can only be removed with tools).	279,-
		[D] Bodypoint ankle huggers	
D44863	□	S (Length: 170-200 mm)	213,-
D44864	□	M (Length: 190-230 mm)	213,-
D44865	□	L (Length: 220-290 mm)	223,-

FRAME



[A]



[B]

Standard	■	[A] Push bow long 500 mm, height and angle adjustable	0,-
D89350	□	[A] Push bow short 380 mm, height and angle adjustable	59,-
D88203	□	[B] Car fasteners	158,-
Standard	■	Antitippers with pedal, swingable	0,-

MAIN WHEEL



[A+B]



[C]



[D]



[E]

Standard	■	[A] 22" drum break wheels, 4° camber, black tires	0,-
D90235,-	□	[C] 16" drum brake wheels with centre brake	79,-
D88831	□	[B] Mud guards for 22" wheels, pair	568,-
D22009	□	[D] Hand and spoke protector for 22" wheels, transparent, pair	138,-
D22013	□	[E] Push rim cover for 22" wheels, pair	112,-

FRONT WHEELS

Standard	■	6" front wheels, 150 x 30 PU, black tires	0,-
----------	---	---	-----

TRAYS

D21050	<input type="checkbox"/>	Tray reinforced	356,-
D21052	<input type="checkbox"/>	Upholstery for tray	113,-

VARIOUS ACCESSORIES

D21239	<input type="checkbox"/>	Toolkit	89,-
D42269	<input type="checkbox"/>	Wheelchair bag	140,-

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

CUSTOM MADE – most wanted special adapted items (price on request)



[A]




[B]

- | | |
|--------------------------|--|
| <input type="checkbox"/> | [A] Netti Nature buggy wheel for trips on uneven surfaces, on the beach or in the forest.
Standard front wheels will also be supplied |
| <input type="checkbox"/> | [B] Hood to protect from wind, rain or impressions |

TECHNICAL DATA

Tilt (seat)	-3° to +35°
Recline (back)	90° to 125°
Seat height	440 mm with 16" wheels 470 mm with 22" wheels
Total width of the wheelchair	With 16" = SW +155 mm With 22" = SW +345 mm With 22" and mudguards = SW +360 mm
Total length	920-1060 mm with leg supports
Total height without head support	885 mm
Distance arm support to seat plate	Min. 120 mm / max 290 mm Can be lowered to seat plate level for easy transfer
Weight of wheelchair	SW 350 mm: 24,5 kg (without head support, leg supports and cushions)
Frame colour	White
Covers	Stretchable, breathable & flexible cover 3D. Back cushion in black-red.
Crash test	ISO 7176-19 (75 kg)

Leg supports	Min. lower leg length	Max. lower leg length
Angle adjustable leg supports	290 mm	390 mm
Universal leg supports	220 mm	320 mm



Measurements

A Hip width/Seat width	_____ mm
B Thigh length / seat depth	_____ mm
C Arm rest height	_____ mm
D Leg length / seat height	_____ mm
E Backrest height	_____ mm
F Trunk width	_____ mm