



	Date Customer code C	
	☐ Invoice address = delivery address ☐ Quote ☐ The chair will be used as seat for car transport.	
	Basic price: 2.180,- € EXC	d. VAT
Seat width	D66035 350 mm Capacity Max. 135 kg D66040 400 mm Seat height See page 11 D66045 450 mm Seat depth 425-500 mm adjustable b step	y 25 mm per
	D29488 Arm support comfort pads (reduces SW with 2 x 15 mm)	158,-
	D83937 SW extension kit mounted 2 x 12 mm – only for SW 350-450 mm	167,-
	D28002 Adjustment of seat depth – please state the wished seat depth: 425 mm 450 mm 450 mm 500 mm	74,-
= Standard ed	uipment	
Quick order	only page 1 is s	end
ltem nr.	Description	Price in €
Standard	Head support A, with side support	0,-
D27574	Head support B, oval	0,-
D27573	Head support C, square	0,-
D27572	Head support D, comfort (pressure distributive)	252,-
D82567	Head support A with side support and head band 3D	359,-
D82568	Extra comfort pads for the head band of D82567, pair	34,-
D25059	Universal tray	236,-
D21052	Upholstery for tray	126,-
D20845	Hip belt, with upholstery and car belt lock	126,-
D21022	Easy Care cover (not available for Netti Sit °C or Ride cushion)	0,-
D88468	Side support Basic, pair	387,-





FRAME

Standard	Push bow	0,-
Standard	Anti tip – swingable	0,-
D86099	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	177,-
D28972	Anti tip with pedal	210,-
D42177	Push bow, angle adjustable	284,-
D28001	Frame extension including longer antitippers	315,-
D41074	Car fastener, pair	179,-

HEAD SUPPORT AND ACCESSORIES (Please also see page 1)

D82025	Head support adapter aluminium	252,-
D82746	Netti Dynamic head support C incl. head support adapter in aluminium. If combined with other options, please send us a request, as some solutions are only possible as special adaptations. For more information, feel free to contact us.	Price on request
D27577	Head supports E with adjustable side supports	326,-
D27578	Head supports F with cheek support	326,-
D21027	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	95,-
D21028	Headrest adjustment tube (horizontal) + 230 mm, length 380 mm	105,-
D21054	Headrest adjustment tube (vertical) + 100 mm, length 500 mm	95,-
D23004	Comfort cushion for head rest type C – removable with Mars cover	189,-
D23012	Easy Care cover for head rest type A, B, C – removable	95,-
D23013	3D cover for head rest type A, B, C – removable	95,-
D23015	Grey head rest cushion with Mars cover	242,-



	[A] [B] [C]	
D45370	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45371	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45373	B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	Headrest adjustment tube (horizontal) +100 mm, length 250 mm	Price on request





D45368	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	Price on request
D89559	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	Price on request
BACK UNIT		
Standard	Back height 500 mm	0,-
D21137	Adjustable velcro back (mounting through local dealer)	294,-
D21338	Back cushion Netti Smart – with 120 mm side support with 3D cover – only in combination with D21137	337,-
D21335	Back cushion Netti Stabil – with 170 mm side support with 3D cover – only in combination with D21137	557,-
D21336	Back cushion Netti Super Stabil – with 170 mm reinforced side support with 3D cover – only in combination with D21137	651,-
D20630	Back cushion Netti Kyphotic with 3D/Mars cover - only in combination with D21137	746,-
	Ride Designs Back solution (See separate order form) Article number: / Accessories:	
D21084	Back wedge	189,-
D21042	Lumbar support	189,-
TE TO COMPANY OF THE PARTY OF T	Netti Dynamic FREE back cylinder Allows up to 40° trunk movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Incl. frame extension D28001 and Bodypoint Evoflex pelvic stabilizer 2-point belt: Size XS M L For more information and choice of gas spring, feel free to contact us or have a look at our website. If combined with other options,	Price on request
	please send us a request as some solutions are only possible as special adaptations. D82226 200N D82227 300N D82228 400N D82229 500N D82230 600N D82231 700N	
	D82232 800N D82233 900N D82234 1000N D82235 1100N D82236 1200N D82237 1300N	





		For Netti Dynamic System with dynamic seat unit, please see the Netti Dynamic Base order form.	
D87903		Recline limiter (possible to limit in different positions from 116° - 134°) for the Netti Dynamic Free back spring (to be mounted by the dealer)	Price on request
l	ı	Libertas 15° back flexibility incl. long anti tips and frame extender (not for transport in car) D82411 80N D82412 120N D82413 160N	Price on request







NEW:

Advanced seating and positioning management: Ride Designs – solutions (seat and back) for an even more stable posture, even more mobility/ functionality and an immense improved skin protection (decubitus prophylaxis). Please use separate order form.

SEAT UNIT (for belts please see page 8)

Standard	Seating plate	0,-
D21000	Seat cushion Netti Uno with 3D cover	200,-
D21048	Incontinence cover for seat cushion	242,-
D21777	Pressure relief seat cushion Netti Sit with 3D cover, incl. incontinence layer	399,-
D21017	Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	557,-
	Ride Designs Seat cushion (See separate order form) Article number:/ Accessories:	
D27493	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,-
D27494	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,-
D27495	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,-

LEG SUPPORTS

For the Netti 4U Base you have 5 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports

Standard	•	Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	0,-
D32296		Extra-long knee upholstery 550 mm – 3D cover	290,-
D88211		Leg support upper parts with lever instead of star wheel for angle adjustment	89,-





		Bodypoint ankle huggers with upholstery	
		D44863 S (L: 170-200 mm)	242,-
		D44864 M (L: 190-230 mm)	242,-
1413		D44865 L (L: 220-290 mm)	252,-
44.		D44904 XL (L: 280-330 mm)	272,-
D80087		Depth adjustable hinge for footplates only (50 mm in all) – mounted	504,-
D21008		Gas spring for angle adjustment	987,-
D21044		Foot board, adjustable	326,-
D21041		Foot box upholstered (not approved for car transport, if this is needed please use the Netti Grandis solution which is approved)	515,
D21745		Calf support bracket upholstery - pair - skai cover	63,-
D41617		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D28453		Foot plate upholstery - pair - skai cover	305,
D86900		Bodypoint calf strap M	181,-
D86901		Bodypoint calf strap L	181,-
Jniversal leg support	ts		
		below 90° for contract leg situations with seat unit tilted when chair is pushed	
		Bodypoint ankle huggers with upholstery incl. mounting kit	
		D44863 S (L: 170-200 mm)	242,
		D44864 M (L: 190-230 mm)	242,
4714		D44865 L (L: 220-290 mm)	252,
		D44904 XL (L: 280-330 mm)	273,
D80087		Depth adjustable hinge for footplates only (50 mm in all) – mounted	504,
D21044		Foot board, adjustable (no heel strap)	326,
D21041		Foot box upholstered (not approved for car transport, if this is needed please use the Netti Grandis solution which is approved)	515,
D86900		Bodypoint calf strap M	181,
D86901		Bodypoint calf strap L	181,
Netti Grandis angle a	djust	able leg supports	
D88600		Netti Grandis angle adjustable positioning leg supports for	1.098,
		complex individual configurations. Reduces pressure and shear	
A		forces. For users with e.g. contractions, leg asymmetry,	
		elephantiasis. The foot support is characterized by unique	
		ergonomics and user-friendliness due to lifting handles, scale	
6		displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	





		_	Colf average at track plateau, autor coff, up in FC an 2D access	211,-
	D88602		Calf support upholstery extra soft - pair - EC or 3D cover	211,
			depending on the fabric for the whole chair	
	D88607		1 / 11	113,-
			depending on the fabric for the whole chair)	
	D21745		Calf support bracket upholstery - pair - skai cover	63,-
	D88014		Foot fixation, pair incl. mounting kit	236,-
	D88603		Foot board, lockable and upwards swingable	386,-
	D88605		Footbox, upholstered with Skai cover (approved for car transport)	728,-
	D21293		Calf strap	95,-
	D86900		Bodypoint calf strap M	181,-
	D86901		Bodypoint calf strap L	181,-
			Bodypoint ankle huggers with upholstery	
			D88863 S (L: 170-200 mm)	327,-
	13/7		D88864 M (L: 190-230 mm)	327,-
	4 14		D88865 L (L: 220-290 mm)	337,-
			D88866 XL (L: 280-330 mm)	360,-
letti Gra	andis amputa	ation	support	
	D88618		Amputation support left incl. Netti Grandis leg support right side	1.053,-
			•	
	D88619		Amputation support right incl. Netti Grandis leg support left side	1.053,-
Netti Gr:	D800		Amputation support left + right – requires frame extension	
Netti Gra	D800 andis leg sup	port	Amputation support left + right – requires frame extension with fixed angle	1.468,-
Netti Gra	D800		Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex	1.468,-
Netti Gra	D800 andis leg sup	port	Amputation support left + right – requires frame extension with fixed angle	1.468,-
Netti Gra	D800 andis leg sup	port	Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.	1.468,-
Netti Gra	D800 andis leg sup	port	Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and user-	1.468,-
Netti Gra	D800 andis leg sup	port	Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces.	1.468,-
Netti Gra	D800 andis leg sup	port	Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and user-	1.053,- 1.468,- 1.098,-
Netti Gra	D800 andis leg sup D88612	port	Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	1.468,-
Netti Gra	D800 andis leg sup D88612 D88603	port	Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and userfriendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (no heel strap)	1.468,-
	D800 andis leg sup D88612 D88603 D88605	port	Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and userfriendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (no heel strap)	1.468,-
	D800 andis leg sup D88612 D88603 D88605	port	with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and userfriendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (no heel strap) Footbox, upholstered with Skai cover (approved for car transport)	1.468,- 1.098,- 386,- 728,-
	D800 andis leg sup D88612 D88603 D88605	port	Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and userfriendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (no heel strap) Footbox, upholstered with Skai cover (approved for car transport)	1.468,- 1.098,- 386,- 728,-
	D800 andis leg sup D88612 D88603 D88605	port	Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and userfriendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (no heel strap) Footbox, upholstered with Skai cover (approved for car transport) stable leg supports Netti Dynamic angle adjustable leg rests DUAL with calf supports	1.468,- 1.098,- 386,- 728,-
	D800 D88612 D88603 D88605 namic angle	port	Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and userfriendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (no heel strap) Footbox, upholstered with Skai cover (approved for car transport) Stable leg supports Netti Dynamic angle adjustable leg rests DUAL with calf supports and footboard, 100N.	1.468,- 1.098,- 386,- 728,-
	D800 andis leg sup D88612 D88603 D88605 namic angle	port	Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and userfriendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (no heel strap) Footbox, upholstered with Skai cover (approved for car transport) stable leg supports Netti Dynamic angle adjustable leg rests DUAL with calf supports and footboard, 100N. Adjustment piece 300 mm (lower leg length 450-550 mm)	1.468,- 1.098,- 386,- 728,-
	D800 andis leg sup D88612 D88603 D88605 namic angle	port	Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and userfriendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (no heel strap) Footbox, upholstered with Skai cover (approved for car transport) stable leg supports Netti Dynamic angle adjustable leg rests DUAL with calf supports and footboard, 100N. Adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm)	1.468,- 1.098,- 386,- 728,-
	D800 andis leg sup D88612 D88603 D88605 namic angle D82296 D82298	port	Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and userfriendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (no heel strap) Footbox, upholstered with Skai cover (approved for car transport) stable leg supports Netti Dynamic angle adjustable leg rests DUAL with calf supports and footboard, 100N. Adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm) Adjustable for different thigh lengths:	1.468,- 1.098,- 386,- 728,-
	D800 D88612 D88603 D88605 D82296 D82298 D82318	port	Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and userfriendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (no heel strap) Footbox, upholstered with Skai cover (approved for car transport) Stable leg supports Netti Dynamic angle adjustable leg rests DUAL with calf supports and footboard, 100N. Adjustment piece 300 mm (lower leg length 450-550 mm) Adjustable for different thigh lengths: Adjustment piece 300 mm (lower leg length 450-550 mm)	1.468,-
	D800 andis leg sup D88612 D88603 D88605 namic angle D82296 D82298 D82318 D82319	port	Amputation support left + right – requires frame extension with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and userfriendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (no heel strap) Footbox, upholstered with Skai cover (approved for car transport) stable leg supports Netti Dynamic angle adjustable leg rests DUAL with calf supports and footboard, 100N. Adjustment piece 300 mm (lower leg length 450-550 mm) Adjustable for different thigh lengths: Adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm)	1.468,- 1.098,- 1.098,- Price on request





	is not angle adjustable, but this can be offered as special adaptation.	
D88211	Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
To the second	Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm)	242,- 242,- 252,- 273,-
D21081	Extra abduction for leg rests (+50 mm) - adjustment of the calf supports will be limited (not approved for car transport, if this is needed please contact customer service)	431,-
D21745	Calf support bracket upholstery - pair - skai cover	63,-
D41617	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D86900	Bodypoint calf strap M	181,-
D86901	Bodypoint calf strap L	181,-

ARMRESTS AND ACCESSORIES

,	 	
Standard	Height and depth adjustable - revolvable	0,-
Standard	Arm pads 385 x 58 mm	0,-
D41649	Arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	116,-
D23003	Hemiplegic cushion	221,-
D29459	Arm support hemiplegic, left (can only be combined with a tray in special adaptation)	336,-
D29460	Arm support hemiplegic, right (can only be combined with a tray in special adaptation)	336,-





NEW:

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN WHEELS

Standard T	Main wheels 16" PU with drum brakes (mounting through local dealer).	0,-
M70316	Main wheels 12" PU with drum brakes (mounting through local dealer) – frame brakes are delivered with the chair but are not compatible with the 12" wheels. Please contact us for an offer of a frame brake option.	384,-





D22018	Main wheels 24" PU incl. user brakes	147,-
D21085	Drum brakes (only to choose in combination with D22018)	263,-
D20834	One hand drive for 24" wheels PU – left Cannot be combined with drum brakes.	1.239,-
D20836	One hand drive for 24" wheels PU – right Cannot be combined with drum brakes.	1.239,-
D22013	Pushrim cover 24", pair	126,-
D22009	Spoke protectors for 24" wheels – transparent (not for one hand drive)	158,-

FRONT WHEELS

Standard Front wheels: 7" − 175 x 33 PU	0,-
D21021 Front wheels: 7" – 175 x 45 PU wheel - puncture proof - with PU	95,-
infill (necessary for supportive engines)	

VARIOUS ACCESSORIES

V/ 11110000 / 100E000	THE STATE OF THE S	
D21239	Tool kit	105,-
D41987	Intravenous rack	336,-
IS-D80085	Universal device basket incl. frame extension D28001	Price on
	SW 450: W: 405 mm, D: 305 mm, H: 70 mm	request
	(for other seat widths please subtract or add from SW 450 mm)	
	Max. capacity 6 kg / Combination with 12+16" wheels only in	
	special adaptation.	
	For information concerning car transport, please see the user manual of the device	
	basket on our website.	

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit








D45274 S (overall pad length: 400 mm) D45275 M (overall pad length: 460 mm) D45040 Security cover for type [C], [D] and [F] in XS/M/L Bodypoint 4-point pelvic stabiliser incl. mounting ki D86889 XS (overall pad length: 360 mm) D86893 M (overall pad length: 460 mm) D86894 L (overall pad length: 620 mm) D60001 Abduction belt [E] Bodypoint supportive universal elastic strap D45084 S (Height 80 mm - 1420 mm long, easily cut-to-leng D45085 L (Height 110 mm - 1420 mm long, easily cut-to-leng D45086 XL (Height 150 mm - 1420 mm long)	557, 189, ngth)
D45040 Security cover for type [C], [D] and [F] in XS/M/L Bodypoint 4-point pelvic stabiliser incl. mounting ki D86889 XS (overall pad length: 360 mm) D86893 M (overall pad length: 460 mm) D86894 L (overall pad length: 620 mm) D60001 Abduction belt [E] Bodypoint supportive universal elastic strap D45084 S (Height 80 mm - 1420 mm long, easily cut-to-leng D45085 L (Height 110 mm - 1420 mm long, easily cut-to-leng D45086 XL (Height 150 mm - 1420 mm long, easily cut-to-leng	423, 557, 189, ngth)
Bodypoint 4-point pelvic stabiliser incl. mounting kit D86889	423, 557, 189, ngth)
D86889	557, 189, ngth)
D86893	189, ogth)
D86894 L (overall pad length: 620 mm) D60001 Abduction belt [E] Bodypoint supportive universal elastic strap D45084 S (Height 80 mm - 1420 mm long, easily cut-to-leng D45085 L (Height 110 mm - 1420 mm long, easily cut-to-leng D45086 XL (Height 150 mm - 1420 mm long, easily cut-to-leng	189, ogth)
D60001 Abduction belt [E] Bodypoint supportive universal elastic strap D45084 S (Height 80 mm - 1420 mm long, easily cut-to-leng D45085 L (Height 110 mm - 1420 mm long, easily cut-to-len D45086 XL (Height 150 mm - 1420 mm long, easily cut-to-leng	189, ogth)
Bodypoint supportive universal elastic strap D45084 S (Height 80 mm - 1420 mm long, easily cut-to-leng D45085 L (Height 110 mm - 1420 mm long, easily cut-to-leng D45086 XL (Height 150 mm - 1420 mm long, easily cut-to-leng	189, ogth)
D45084 S (Height 80 mm - 1420 mm long, easily cut-to-leng D45085 L (Height 110 mm - 1420 mm long, easily cut-to-leng XL (Height 150 mm - 1420 mm long, easily cut-to-leng XL (Height 150 mm - 1420 mm long, easily cut-to-leng D45086	ngth)
D45085 L (Height 110 mm - 1420 mm long, easily cut-to-len D45086 XL (Height 150 mm - 1420 mm long, easily cut-to-le	
D45086 XL (Height 150 mm - 1420 mm long, easily cut-to-le	angth)
· · ·	
CUSTOM MADE – most wanted special adapted items (price	ice on request)
A B	C
	C
A B	C
A B Reinforced foot board in aluminium (A)	
A B Reinforced foot board in aluminium (A) Extra-long calf supports (please state length) (B)	
A B Reinforced foot board in aluminium (A) Extra-long calf supports (please state length) (B) Calf support upholstery in special length or materia	
A B Reinforced foot board in aluminium (A) Extra-long calf supports (please state length) (B) Calf support upholstery in special length or materia Back cushion with special side support (C)	
A B Reinforced foot board in aluminium (A) Extra-long calf supports (please state length) (B) Calf support upholstery in special length or materia Back cushion with special side support (C) Footboard that swings horizontally forwards	
A B Reinforced foot board in aluminium (A) Extra-long calf supports (please state length) (B) Calf support upholstery in special length or materia Back cushion with special side support (C) Footboard that swings horizontally forwards Sliding seat (for positioning and transfer)	





Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.





Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length ____ mm of the chair.

TECHNICAL DATA


-8° to +22°
92° to 137°
Seat width +180 mm (24" std. wheels)/ + 195 mm (24" DB wheels) / +170 mm (16" DB wheels)
1130 mm with leg rests
1100 mm
Min. 265 mm / max. 355 mm
App. 29 kg (without cushions)
Silver
3D cover
ISO 7176-19 (135 kg) – for information concerning car transport, please see the user manual on our website.


Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm





Seat height – WITHOUT seat cushion (measured from floor to seat plate)





Measurements

A Hip width/Seat width	mm
B Thigh length / seat depth	mm
C Arm rest height	mm
D Leg length / seat height	mm
E Backrest height	mm
F Trunk width	mm