



	Dat	e	Customer code C	
	Invo	oice address	Contact person	
T.	<u> </u>		Reference	
江河			Other delivery address	
0		Invoice address = delivery address	Quote	
		The chair will be used as seat for car	transport.	
			Basic price 2.510,- €	Excl. VAT
Seat width	D64035	350 mm	Capacity Max. 135 kg	
	D64040	400 mm	Seat height See page 9	
	D64045	450 mm	Seat depth 425-500 mm adju	-
	D64050	500 mm	25 mm per step (optional 375 D64000)	-450 mm with
	D28002			315,-€
	D28002	Seat depth adjustment (Std: 450	mm) 375 mm 400 mm	425 mm 74,-€
	D22154	Side upholstery for armrest (red	uces SW with 2 x 20 mm)	158,-€
	D80913	Seat width extension kit (extend	s SW with 20 or 40 mm)	84,-€
= Standa	ard equipn	nent		
Quick ord	ler		only page 1	is send
Itei	m	Description		Price in €
Sta	ndard	Head support A, with side support	t	0,-
D26	6574	Head support B, oval		0,-
D26	6573	Head rest C, square		0,-
D26	6576	Head support D, comfort (pressur	e distributive)	252,-
D82	2567	Head support A with head band		359,-
D82	2568	Extra comfort pads for the head b	and of D82567, pair	34,-
D64	4085	Drum brakes with quick release	·	263,-
D25	5059	Universal tray		236,-
D2:	1052	Upholstery for tray		126,-
D86	6145	Side support Basic, pair		387,-





D20845	Hip belt, with upholstery and car belt lock	126,-
D21122	3D cover for the complete chair	189,-
D21076	Configuration for car transportation for users higher than 185 cm incl.: D41006 Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm) D21054 Vertical tube for headrest - 500 mm D82025 Headrest adapter in aluminium	588,-

FRAME

	Standard 	Push handles 300 mm	0,-
-	Standard 	Anti tip – swingable	0,-
	Standard II	User brakes, brake handle can be folded forward	0,-
	D86099	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	177,-
	D81740	Push bow, height and angle adjustable	378,-
	D28972	Anti tip with pedal, pair	210,-
	D41074	Car fastener system, pair	179,-
-	D29474	Tilt restrictor (no negative tilt forward)	42,-
	D28001	Frame extension including longer antitippers	315,-

BACK UNIT (please also see page 1 - for belts please see page 8)

Standard III	Back cushion Netti Uno - with 100 mm side support - Easy Care cover	0,-
Standard T	Back height 500 mm (incl. one piece fabric back)	0,-
D21137	Adjustable velcro back (mounting through local dealer)	294,-
D21138	Adjustable velcro with cut for side supports (mounting through local dealer)	315,-
D41006	Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	233,-
D21338	Back cushion Netti Smart – with 120 mm side support - Easy Care cover	347,-
D27375	Side support correction with upholstery right – for Netti Uno and Smart	221,-
D27374	Side support correction with upholstery left – for Netti Uno and Smart	221,-
D21335	Back cushion Netti Stabil – with 170 mm side support - Easy Care cover	557,-
D21336	Back cushion Netti Super Stabil – with 170 mm reinforced side support - Easy Care cover	651,-
D20630	Back cushion Netti Kyphotic – 3D/Mars cover – only in combination with D21137 and for back height 500 mm	746,-





	Ride Designs Back solution (See separate order form) Article number: / Accessories:	
D26831	Side support Stable left – for Netti Stabil, Super Stabil & Kyphotic	252,-
D26844	Side support Stable right – for Netti Stabil, Super Stabil & Kyphotic	252,-
D27541	Side support upholstery Stable, pair	158,-
	Libertas 15° back flexibility incl. long anti tips and frame extender (not for transport in car) D82411 80N D82412 120N D82413 160N	Price on request







NEW:

Advanced seating and positioning management: Ride Designs – solutions (seat and back) for an even more stable posture, even more mobility/ functionality and an immense improved skin protection (decubitus prophylaxis). Please see separate order form.

SEAT UNIT (please also see page 1 - for belts please see page 7)

Standard 📕	Seat cushion Netti Uno with Easy Care cover	0,-
D21048	Incontinence cover for seat cushion	242,-
D21777	Pressure relief seat cushion Netti Sit with Easy Care cover	399,-
D21017	Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	557,-
	Ride Designs Seat cushion (See separate order form) Article number: / Accessories:	
D27493	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,-
D27494	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,-
 D27495	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,-

LEG SUPPORTS

For the Netti 4U CE Plus you have 2 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports



Standard

■ Manually angle adjustable leg supports with

0,-

- -automatic length adjustment
- -angle adjustable foot plates
- -calf supports and knee upholstery



D88211

D23001



89,-

84,-

and the same of th	Bodypoint ankle huggers with upholstery	
	□ D44863 S (L: 170-200 mm)	242,-
	D44864 M (L: 190-230 mm)	242,-
4 3 4	D44865 L (L: 220-290 mm)	252,-
	D44904 XL (L: 280-330 mm)	273,-
D21745	☐ Calf support bracket upholstery - pair - skai cover	63,-
D41617	 Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair 	221,-
D23014	Footfixation	147,-
D28453	☐ Foot plate upholstery - pair - skai cover	305,-
niversal leg supports		
D24005	☐ Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed	137,-
	Bodypoint ankle huggers with upholstery incl. mounting kit	
	D44863 S (L: 170-200 mm)	242,-
13/3	□ D44864 M (L: 190-230 mm) □ D44865 L (L: 220-290 mm)	242,-
4 4	1 (1. 220 250 mm)	252,-
D23014	☐ D44904 XL (L: 280-330 mm) ☐ Footfixation	273,- 147,-
RM SUPPORTS AND A	CCESSORIES	
Standard	Removable arm rests, height and depth adjustable	C
Standard	Arm pads 385 x 58 mm	(
D41649	Arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	116
D21077	Arm pads 420 x 80 mm	126
D41650	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (can only be	137
	combined with a swingable/lockable tray together with tray spacers)	
D23003	Hemiplegic cushion	221
D22185	Arm support hemiplegic, left (can only be combined with a tray in special adaptation)	336
D22186	Arm support hemiplegic, right (can only be combined with a tray in special adaptation)	336

☐ Leg support upper parts with lever instead of star wheel for

angle adjustment

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

Lock for arm support (mounting through local dealer)









NEW:

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN WHEELS

Standard 🔳	Main wheels 24 x 1" PU, galvanized with quick release	0,-
D22007	Main wheels 22 x 1" PU incl. 6" front wheels	147,-
D20834	One hand drive for 24" wheels PU – left	1.239,-
	Cannot be combined with drum brakes.	
D20836	One hand drive for 24" wheels PU – right	1.239,-
	Cannot be combined with drum brakes.	
D20837	One hand drive for 22" wheels PU – left	1.239,-
	Cannot be combined with drum brakes.	
	With 7" front wheels - only SH 465 mm possible.	
D20838	One hand drive for 22" wheels PU – right	1.239,-
	Cannot be combined with drum brakes.	
	With 7" front wheels - only SH 465 mm possible.	
INT70315	Main wheels 12½" PU with drum brakes – frame brakes are	461,-
	not compatible with the 12" wheels. Please contact us for	
	an offer of a frame brake option.	
	(Please note! Mounting of brake plates and handles for drum brakes is	
	prepared by us, but the wheels are to be mounted by the dealer).	
INT70316	Main wheels 16" PU with drum brakes.	461,-
	(Please note! Mounting of brake plates and handles for drum brakes is prepared by us, but the wheels are to be mounted by the dealer).	
D22009	Hand- and spoke protector, pair (not for one hand drive)	158,-
D22013	Push rim cover, pair	126,-

FRONT WHEELS

Standard 🔣	Front wheels: 7" -175 x 33 PU	0,-
D21021	Front wheels: $7'' - 175 \times 45 PU$ wheel - puncture proof - with PU infill (necessary for supportive engines)	95,-





HEAD SUPPORTS AND ACCESSORIES FOR HEAD SUPPORTS (please also see page 1)

D82025	Headrest adapter aluminium	252,-
D27577	Headrest E with adjustable side supports	326,-
D27578	Headrest F with cheek support	326,-
D23004	Comfort cushion for head rest type C – removable with Mars cover	189,-
D23012	Easy Care cover for head rest type A, B, C – removable	95,-
D23013	3D cover for head rest type A, B, C – removable	95,-
D23015	Grey head rest cushion with Mars cover	242,-
D21027	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	95,-
D21028	Headrest adjustment tube (horizontal) + 230 mm, length 380 mm	105,-
D21054	Headrest adjustment tube (vertical) + 100 mm, length 500 mm	95,-







[A] [C] D45370 [A] Savant head support incl. headband, small – height 130 mm Price on User forehead 460-560 mm request User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved for car transport – if this is needed please order an additional Netti headrest) D45371 [A] Savant head support incl. headband, adult – height 150 mm Price on User forehead 560-610 mm request User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport – if this is needed please order an additional Netti [B] Side pads for Savant head support. For extra lateral support. D45373 Price on For the upper arms of the head support. Cannot be combined with request the headband Headrest adjustment tube (horizontal) +100 mm, D45375 Price on length 250 mm request D45368 [C] Axion head support rotary interface, permits a lateral rotation of Price on 60°. Only for Savant headrests. (not approved for car transport – if this is request needed please order an additional Netti headrest) D45376 Axion head support rotary interface, permits a lateral rotation of 90°. Price on Only for Savant headrests. (not approved for car transport – if this is needed request please order an additional Netti headrest) D89558 [C] Axion head support rotary interface, permits a lateral rotation Price on of 60°. Only for Netti headrests. (not approved for car transport – if this is request needed please order an additional standard Netti headrest) D89559 Axion head support rotary interface, permits a lateral rotation of Price on 90°. Only for Netti headrests. (not approved for car transport – if this is request needed please order an additional standard Netti headrest)





TRAYS	(please	also see	page	1)
-------	---------	----------	------	----


D21050	Tray reinforced	399,-
D24001	Tray swingable	273,-
D93316	Tray spacer for swingable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	30,-
D24002	Tray lockable	273,-
D93315	Tray spacer for lockable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	20,-

VARIOUS ACCESSORIES

D21239	Tool kit	105,-
D41987	Intravenous rack	336,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit







Belts and accessories for back unit



TECHNICAL DATA

Tilt (seat)	-5° to +20°		
Recline (back)	90° to 135°		
Total width of the wheelchair	Seat width + 180 mm (std. wheels)/ + 195 mm (DB wheels) / +170 mm (12" + 16" DB wheels)		
Total length	1020 mm with leg rests		
Total height	1050 mm		
Distance arm support to seat plate	Min. 270 mm/ max. 360 mm		
Weight of wheelchair	App. 29 kg (without cushions)		
Frame colour	Silver		
Cover variant	Easy Care (optional 3D cover with D21122)		
Crash test	ISO 7176-19 (135 kg)		





mm


mm

mm

mm

mm

Seat height - WITHOUT seat cushion (measured from floor to seat plate)



Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm

