



Date _____ Customer code C- _____

Invoice address _____ Contact person _____

Reference _____

Other delivery address _____

☐ Invoice address = delivery address ☐ Quote

☐ The chair will be used as seat for car transport

Basic price: 5.795,- € Excl. VAT

Seat width	D30035	<input type="checkbox"/> 350 mm	Seat depth	A	<input type="checkbox"/> 355 mm*
	D30038	<input type="checkbox"/> 380 mm		B	<input type="checkbox"/> 380 mm*
	D30040	<input type="checkbox"/> 400 mm		C	<input type="checkbox"/> 405 mm
				D	<input type="checkbox"/> 430 mm
				E	<input type="checkbox"/> 455 mm

Seat width	D30043	<input type="checkbox"/> 430 mm	Seat depth	A	<input type="checkbox"/> 405 mm*
	D30045	<input type="checkbox"/> 450 mm		B	<input type="checkbox"/> 430 mm*
	D30050	<input type="checkbox"/> 500 mm		C	<input type="checkbox"/> 455 mm
				D	<input type="checkbox"/> 480 mm
				E	<input type="checkbox"/> 505 mm

Capacity Max. 135 kg

Seat height See page 6

* Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°.

☒ = Standard equipment ☐ = included in introduction campaign

Special
offer

FRAME

Item nr.	Description	Price in €
Standard <input checked="" type="checkbox"/>	Wheel footprint – frame length and anti-tippers adjust automatically when chair is tilted	0,-
Standard <input checked="" type="checkbox"/>	Push bow height adjustable and foldable	0,-
Standard <input checked="" type="checkbox"/>	Anti-tippers with pedal	0,-
Standard <input checked="" type="checkbox"/>	Car fastener	0,-
Standard <input checked="" type="checkbox"/>	User brake	0,-
Standard <input checked="" type="checkbox"/>	Drum brakes	0,-
D30824 <input type="checkbox"/>	Frame extension bracket for main wheels (main wheels moved 60 mm backwards)	305,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300

D21022	<input type="checkbox"/>	Easy Care cover for seat and back – wipeable (not available for Netti Sit °C, Kyphotic, Ride cushions and Netti Relaxo head support)	0,-
--------	--------------------------	--	-----

BACK UNIT

Standard	<input checked="" type="checkbox"/>	Back height 500 (incl. adjustable velcro back)	0,-
Standard	<input checked="" type="checkbox"/>	Built-it back extender for back height 610 mm (longer cushion to be ordered separately)	0,-
Standard	<input checked="" type="checkbox"/>	Back cushion Netti Smart - side support 120 mm - 3D cover in black	0,-
D37376	<input type="checkbox"/>	Side support correction with upholstery left - for Netti Smart	247,-
D37378	<input type="checkbox"/>	Side support correction with upholstery right - for Netti Smart	247,-
D21023BG	<input checked="" type="checkbox"/>	Back cushion Netti Stabil - with 170 mm side support and 3D cover in black/golden (value 557,-)	0,-
D21123BG	<input type="checkbox"/>	Back cushion Netti Super Stabil – with 170 mm reinforced side support and 3D cover in black/golden (black version available now)	651,-
D26830	<input type="checkbox"/>	Side support stable left – for Netti Stabil, Super Stabil & Kyphotic Please note: Can only be used when back extender is in top position or removed.	252,-
D26843	<input type="checkbox"/>	Side support stable right – for Netti Stabil, Super Stabil & Kyphotic Please note: Can only be used when back extender is in top position or removed.	252,-
D31006	<input type="checkbox"/>	Back cushion delivered in back height 600 mm – according to cushion choice: Netti Smart, Stabil or Super Stabil delivered with black 3D cover	142,-
D20630	<input type="checkbox"/>	Back cushion Netti Kyphotic - black 3D/Mars cover - only back height 500 mm (back height 600 mm in special adaptation)	746,-
	<input type="checkbox"/>	Ride Designs Back solution* (See separate order form) Article number: _____ / Accessories: _____	
D21042	<input type="checkbox"/>	Lumbar support	189,-
D21084	<input type="checkbox"/>	Back wedge	189,-



Netti Dynamic back cylinder

Allows up to 30° trunk movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Including Bodypoint Evoflex pelvic stabilizer 2-point belt:
Please choose size: XS ☐ M ☐ L ☐

Price on request

For more information and choice of strength of gas spring, feel free to contact us. If combined with other options, please send us a request as some solutions are only possible as special adaptations.

D32231	<input type="checkbox"/>	300N
D32232	<input type="checkbox"/>	450N
D32233	<input type="checkbox"/>	600N
D32234	<input type="checkbox"/>	750N



For a complete Dynamic System with dynamic seat unit, please see the Netti Dynamic AdaptPro order form.

SEAT UNIT

Standard	<input checked="" type="checkbox"/>	Seat plate with pressure reduction properties. Easy to adjust for correct positioning	0,-
Standard	<input checked="" type="checkbox"/>	Rail for mounting of pelvic belts	
Standard	<input checked="" type="checkbox"/>	Seat cushion Netti Sit – pressure relief seat cushion with incontinence layer under the 3D cover	0,-
D21017	<input type="checkbox"/>	Seat cushion cover °C for Netti Sit cushion with temperature regulating features – only 3D cover	557,-
D21048	<input type="checkbox"/>	Incontinence cover for seat cushion	242,-
	<input type="checkbox"/>	Ride Designs Seat cushion (See separate order form – please choose a width 20 mm smaller than seat width for perfect fit) Article number: _____ / Accessories: _____	
D37490	<input type="checkbox"/>	Abduction block small	263,-
D37491	<input type="checkbox"/>	Abduction block medium	263,-
D37492	<input type="checkbox"/>	Abduction block large	263,-

LEG SUPPORTS

Netti Grandis angle adjustable leg support


Standard	<input checked="" type="checkbox"/>	 Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis. The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	0,-
D88602	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	211,-
D88607	<input type="checkbox"/>	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	113,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	63,-
D88014	<input type="checkbox"/>	Foot fixation, pair incl. mounting kit	236,-
D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable	386,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	728,-
D21293	<input type="checkbox"/>	Calf strap	95,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-
	<input type="checkbox"/>	 Bodypoint ankle huggers with upholstery	
	<input type="checkbox"/>	D88863 S (L: 170-200 mm)	327,-
	<input type="checkbox"/>	D88864 M (L: 190-230 mm)	327,-
	<input type="checkbox"/>	D88865 L (L: 220-290 mm)	337,-
	<input type="checkbox"/>	D88866 XL (L: 280-330 mm)	360,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300



Netti Grandis amputation support

D88611	<input type="checkbox"/>	Amputation support left (amputation support on both sides only together with frame extension D30824) incl. Netti Grandis leg support right side	504,-
D88610	<input type="checkbox"/>	Amputation support right (amputation support on both sides only together with frame extension D30824) incl. Netti Grandis leg support left side	504,-

Netti Grandis leg support with fixed angle

D88609	<input type="checkbox"/>	Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	130,-
			
D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable	386,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	728,-

Manually angle adjustable leg supports

D21111	<input type="checkbox"/>	Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery -reinforced extension pieces	137,-
			
D88211	<input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
			
	<input type="checkbox"/>	Bodypoint ankle huggers with upholstery	
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	242,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	242,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	252,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	273,-
D80087	<input type="checkbox"/>	Depth adjustable hinge for footplates (50 mm in all) – mounted	504,-
D21008	<input type="checkbox"/>	Gas spring	987,-
D21044	<input type="checkbox"/>	Foot board, adjustable	326,-
D21041	<input type="checkbox"/>	Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D24000	<input type="checkbox"/>	Calf support, swingable, pair	189,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	63,-
D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-




D28453	<input type="checkbox"/>	Foot plate upholstery - pair - skai cover	305,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-

Universal leg supports

D24006	<input type="checkbox"/>	Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. Without calf supports.	137,-
	<input type="checkbox"/>	Bodypoint ankle huggers with upholstery incl. mounting kit	
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	242,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	242,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	252,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	273,-
D80087	<input type="checkbox"/>	Depth adjustable hinge for footplates (50 mm in all) – mounted	504,-
D21044	<input type="checkbox"/>	Foot board, adjustable without heel strap	326,-
D21041	<input type="checkbox"/>	Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-

Netti Dynamic angle adjustable leg rests



		Netti Dynamic angle adjustable leg rests DUAL with calf supports and footboard, 100N.		Price on request
D82296	<input type="checkbox"/>	Adjustment piece 300 mm (lower leg length 450-550 mm)		
D82298	<input type="checkbox"/>	Adjustment piece 214 mm (lower leg length 350-450 mm)		
<u>Adjustable for different thigh lengths:</u>				
D82318	<input type="checkbox"/>	Adjustment piece 300 mm (lower leg length 450-550 mm)		
D82319	<input type="checkbox"/>	Adjustment piece 214 mm (lower leg length 350-450 mm)		
D45245	<input type="checkbox"/>	Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.		Price on request
D88211	<input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment		89,-
D32296	<input type="checkbox"/>	Extra-long knee upholstery 550 mm – 3D cover		290,-
		Bodypoint ankle huggers with upholstery		
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)		242,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)		242,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)		252,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)		273,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover		63,-

D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

Standard	<input checked="" type="checkbox"/>	Arm support swingable to the back for easy side transfer	0,-
Standard	<input checked="" type="checkbox"/>	Arm support hinged at the wheelchair back	0,-
Standard	<input checked="" type="checkbox"/>	Arm supports height and depth adjustable with tools	0,-
Standard	<input checked="" type="checkbox"/>	Arm pads 385 x 58 mm	0,-
D21077	<input type="checkbox"/>	Arm pads 420 x 80 mm	126,-
D21078	<input type="checkbox"/>	Arm pads 445 x 70 mm	126,-
D21079	<input type="checkbox"/>	Arm pads 525 x 80 mm	126,-
D41649	<input type="checkbox"/>	Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	116,-
D41650	<input type="checkbox"/>	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	137,-
D23003	<input type="checkbox"/>	Hemiplegic cushion	221,-

MAIN AND FRONT WHEEL


Standard	<input checked="" type="checkbox"/>	Main wheels 24 x 1 PU black edition with drum brakes	0,-
Standard	<input checked="" type="checkbox"/>	Front wheels: 7" 175 x 33 PU – black edition Seat height <input type="checkbox"/> 417 mm <input type="checkbox"/> 447 mm	0,-
D21021	<input type="checkbox"/>	Front wheels: 7" – 175 x 45 PU (necessary for supportive engines) – grey edition Seat height <input type="checkbox"/> 417 mm <input type="checkbox"/> 447 mm	95,-
D32035	<input type="checkbox"/>	Main wheels 16" PU + front wheels 6" PU – grey edition Seat height: 410 mm	589,-
D22009	<input type="checkbox"/>	Hand and spoke protectors for 24" wheels, transparent, pair	158,-
D22013	<input type="checkbox"/>	Push rim cover for 24" wheels, pair	126,-

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS



Relaxo		A	B	C	D	E	F
D30572	<input checked="" type="checkbox"/>	Head support Relaxo, only available with 3D cover (value 477,-) – vertical bar 300 mm					0,-
D30575	<input type="checkbox"/>	Head support A, with side support (H: 150 mm/ V: 300 mm)*					320,-
D30566	<input type="checkbox"/>	Head support A with side support and head band (H: 150 mm/ V: 300 mm)*					477,-
D82568	<input type="checkbox"/>	Extra comfort pads for the head band of D30566, pair					34,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300

	<input type="checkbox"/>	D30574 Head support B, small, oval (H: 150 mm/ V: 300 mm)*	320,-
	<input type="checkbox"/>	D30573 Head support C, large, square (H: 150 mm/ V: 300 mm)*	320,-
	<input type="checkbox"/>	D32746 Netti Dynamic head support C, (H: 150 mm/ V: 300 mm)* – If combined with other options, please send us a request, as some solutions are only possible as special adaptations. For more information, feel free to contact us.	Price on request
	<input type="checkbox"/>	D30576 Head support D, comfort (pressure distributive) (H: 150 mm/ V: 300 mm)*	404,-
	<input type="checkbox"/>	D37575 Head support E with adjustable side supports (H: 150 mm/ V: 300 mm)*	488,-
	<input type="checkbox"/>	D37576 Head support F with cheek support (H: 150 mm/ V: 300 mm)*	642,-
	<input type="checkbox"/>	D21027 Headrest adjustment tube (horizontal) + 100 mm, length 250 mm – not available for Head support Relaxo	95,-
	<input type="checkbox"/>	D23004 Comfort cushion for head rest type C – removable with Mars cover	189,-
	<input type="checkbox"/>	D23012 Easy Care cover for head rest type A, B, C – removable	95,-
	<input type="checkbox"/>	D23013 3D cover for head rest type A, B, C – removable	95,-
	<input type="checkbox"/>	D23015 Grey head rest cushion with Mars cover	242,-



		D35372 [A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
		D35374 [A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
	<input type="checkbox"/>	D45373 [B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
	<input type="checkbox"/>	D45375 Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request

TRAYS

	<input type="checkbox"/>	D28826 Tray swingable	273,-
	<input type="checkbox"/>	D28828 Tray lockable	273,-
	<input type="checkbox"/>	D21059 Universal tray (Please note: Depending on how far on the armrest the table is set, a conflict between the table and wheels may occur when the chair is tilted.)	236,-
	<input type="checkbox"/>	D21052 Upholstery for tray	126,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300

VARIOUS ACCESSORIES


D21239	<input type="checkbox"/>	Tool kit	105,-
--------	--------------------------	----------	-------

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit

			
[A]			
Standard	<input type="checkbox"/>	Rail for mounting of pelvic belts	0,-
D20845	<input type="checkbox"/>	Hip belt, with upholstery and car belt lock [A]	126,-
		Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting kit [B]	210,-
D45021	<input type="checkbox"/>	XS (overall pad length: 380 mm)	
D45022	<input type="checkbox"/>	M (overall pad length: 460 mm)	
D45023	<input type="checkbox"/>	L (overall pad length: 620 mm)	
		Bodypoint 2-point hip belt incl. mounting kit [E]	224,-
D45024	<input type="checkbox"/>	XS (overall pad length: 360 mm)	
D45025	<input type="checkbox"/>	S (overall pad length: 400 mm)	
D45026	<input type="checkbox"/>	M (overall pad length: 460 mm)	
D45040	<input type="checkbox"/>	Security cover for type [B], [C] and [E] in XS/M/L	74,-
		Bodypoint 4-point pelvic stabiliser incl. mounting kit [C]	395,-
D36889	<input type="checkbox"/>	XS (overall pad length 360 mm)	
D36893	<input type="checkbox"/>	M (overall pad length: 460 mm)	
D36894	<input type="checkbox"/>	L (overall pad length: 620 mm)	
D60001	<input type="checkbox"/>	Abduction belt [D]	530,-
		Bodypoint supportive universal elastic strap	189,-
D45084	<input type="checkbox"/>	S (Height 80 mm - 1420 mm long, easily cut-to-length)	
D45085	<input type="checkbox"/>	L (Height 110 mm - 1420 mm long, easily cut-to-length)	
D45086	<input type="checkbox"/>	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	

Belts and accessories for back unit

			
[A]			
D36890	<input type="checkbox"/>	H-harness adaptor kit (recommended for all upper body harnesses) [A]	326,-
D20881	<input type="checkbox"/>	H-belt, with upholstery and car belt lock [B]	263,-
D41645	<input type="checkbox"/>	Belt cross harness [C]	200,-
		Bodypoint Stayflex chest support without zipper [D]	274,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300

D89805	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)	
D89898	<input type="checkbox"/>	S (Shoulder width 280-330 mm)	
D86895	<input type="checkbox"/>	M (Shoulder width 330-410 mm)	
D86896	<input type="checkbox"/>	L (Shoulder width 410-480 mm)	
Bodypoint Pivofit shoulder harness [E]			274,-
D89802	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)	
D89803	<input type="checkbox"/>	S (Shoulder width 280-330 mm)	
D86898	<input type="checkbox"/>	M (Shoulder width 330-410 mm)	
D86899	<input type="checkbox"/>	L (Shoulder width 410-480 mm)	

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

CUSTOM MADE – most wanted special adapted items (price on request)

<input type="checkbox"/>	16" DB wheels
<input type="checkbox"/>	Hemiplegic armrest right
<input type="checkbox"/>	Hemiplegic armrest left
<input type="checkbox"/>	Decon E-Drive with attendant control

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length _____ mm of the chair.


TECHNICAL DATA

Tilt (seat)	-3° to +30°
Recline (back)	87° to 133°
Total width of the wheelchair	Seat width + 232 mm
Total length	Min: 1280 mm with vertical leg support, vertical push bow and horizontal seat. Max. with 30° tilt is 1600 mm.
Distance arm support to seat plate	Min: 265 mm/ max. 375 mm
Weight of wheelchair	SW 450 – app. 53 kg incl. wheels, cushions, and head support

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post@My-Netti.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info@My-Netti.com | Phone +45 87887300

Frame colour	Beige metallic and black
Cover variants	Stretchable & flexible cover 3D Easy Care antibacterial cover, washable
Crash test	ISO 7176-19 (135 kg)

Leg supports	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm
Netti Dynamic leg rests	350 (450) mm	450 (550) mm



Measurements

A Hip width/Seat width	_____ mm
B Thigh length / seat depth	_____ mm
C Arm rest height	_____ mm
D Leg length / seat height	_____ mm
E Backrest height	_____ mm
F Trunk width	_____ mm