



| | | Date | | | | Custom | ner code C | |
|---------------|--|------------|----------------|------------|--|--------------------------|---|------------------|
| 7 | | Invoice a | ddress _ | | | Contac | t person | |
| | | | | | | Referer | nce | |
| | | | | | | Other o | delivery address | |
| | | | | | ery addres | | Quote ort | |
| Seat width | D53535E D53540E D53545E D53550E | | 400 r 450 r | mm (deliv | vered in se vered in se vered in se vered in se | at depth 4 at depth 4 | 00 mm) 75 mm) | Price on request |
| | | | Seat | depth (st | tepless adj | ustable 37 | nm per side) 5 – 550 mm) 0-100 mm /see page 8 | :) |
| Seat depth ac | | Netti (sea | at cushio | ns are de | elivered in | best fittin | g possible size): | 99,-€ |
| D22149 | ☐ Side and | d comfort | upholste | ery (reduc | ces SW wit | h 2 x 25 m | m) | 140,- € |
| = Standar | rd equipme | ent | | | | | | |
| ELECTRICA | L PARTS | RAME | | | | | | |

| ltem nr. | Description | Price in € |
|----------|---|------------------|
| Standard | Push handles 300 mm, height adjustable and swingable | 0,- |
| Standard | Pedal for overcoming obstacles, right side | 0,- |
| Standard | Anti-tippers, swingable and foot-operated | 0,- |
| Standard | Electric kit with control box, hand control and charger | 0,- |
| D21572 | Electrical tilt | Price on request |
| D21573 | Electrical recline | Price on request |
| D21571 | Electrical foot supports | Price on request |





| D41123 | Holder for hand control – right (can only be combined with a tray in special adaptation) | 242,- |
|---------------------|---|----------------|
| D41124 | Holder for hand control – left (can only be combined with a tray in special adaptation) | 242,- |
| D53203 | Car fasteners | 175, |
| D21808 | Push handles 500 mm, height adjustable and swingable | 200, |
| D81740 | Push bow – height and angle adjustable | 360, |
| D21022 | Easy Care cover for seat and back, washable (not available for Netti Sit °C, Kyphotic and Ride cushion) | 0, |
| OLUTIONS FOR D51186 | RESPIRATION MACHINES AND OTHER MEDICAL DEVICES Universal device holder | 1890,- |
| | D: 348 mm / W: SW minus 86 mm / Max. capacity 10kg For information concerning car transport, please see the user manual of the device holder on our website. | |
| D51187 | Cover plate for universal device – add. Level D: 193 mm / W: SW minus 37 mm / H (free area): 237 mm | 504,- |
| D42900 | Extra set of 4 mounting brackets, incl. screws | 250,- |
| Standard D53010 | User brake – allows for easy side transfer and hand propelling Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and | 0,- 263,- |
| DE7393 | drum brake One hand brake right (only in addition to DE2010 drum brakes) | 270 |
| D57282 D57283 | One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) | 378,- 378,- |
| | Its please see page 12) | |
| Standard | Back cushion Netti Uno - side support 100 mm - 3D cover | 0,- |
| Standard | Back height 500 mm (incl. fixed backrest cover) | 0,- |
| Standard | 2 x 25 mm width adjustment (*only with adjustable velcro D21137) | 0,- |
| Standard | Back tubes adjustable for V+A+H back shape (*only with adjustable velcro D21137) | 0,- |
| D41006 | Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm) (mounting through dealer) | 233,- |
| D21137 | Adjustable velcro back with straps (mounting through dealer) | 294,- |
| D27376 | Side support correction with upholstery left – for Netti Smart | 210,- |
| D27378 | Side support correction with upholstery right – for Netti Smart | 210,- |
| D21338 | Back cushion Netti Smart – with 120 mm side support with 3D cover | 347,- |





| D21335 | Back cushion Netti Stabil - with 170 mm side support with 3D cover | 557,- |
|--------|--|-------|
| D21336 | Back cushion Netti Super Stabil – with 170 mm reinforced side support, 3D cover | 651,- |
| D20630 | Back cushion Netti Kyphotic – 3D/Mars cover – only back height 500 mm and SW 350/400/450/500 mm and only in combination with velcro back with straps D21137) | 710,- |
| D26830 | Side support stable left – for Netti Stabil, Super Stabil & Kyphotic | 240,- |
| D26843 | Side support stable right – for Netti Stabil, Super Stabil & Kyphotic | 240,- |
| D27541 | Upholstery for side support stable, pair | 150,- |
| D27700 | Firm back in aluminium, back height 500 mm (mounting through dealer) | 378,- |
| D27708 | Firm back in aluminium, back height 600 mm, incl. D41006 (mounting through dealer) | 620,- |
| D21042 | Lumbar support | 180,- |
| D21084 | Back wedge | 180,- |

| SEAT UNIT (for belts please see page 11) | | | | | |
|--|---|-------|--|--|--|
| Standard | Seat cushion Netti Uno – 3D cover | 0,- | | | |
| Standard | Firm seat plate – adjustable in depth 400-550 mm | 0,- | | | |
| Standard | 2 x 25 mm width adjustment | 0,- | | | |
| D21048 | Incontinence cover for seat cushion | 230,- | | | |
| D21007 | Netti Sit - Pressure relief seat cushion with incontinence layer under the 3D cover | 380,- | | | |
| D21017 | Netti Sit °C - Pressure relief seat cushion with temperature regulating features and 3D cover | 530,- | | | |
| D53490* | Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm) | 263,- | | | |
| D53491* | Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm) | 263,- | | | |
| D53492* | Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm) | 263,- | | | |
| D50830* | Removable and depth adjustable knee and thigh support, right | 210,- | | | |
| D50831* | Removable and depth adjustable knee and thigh support, left | 210,- | | | |





LEG SUPPORTS

For the Netti V EL you have 7 different types of leg supports with various accessories. Please contact us for consultation.

| Standard | Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation) | 0, |
|--------------------|--|----------------------|
| | Bodypoint ankle huggers with upholstery incl. mounting kit D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) | 230, 230, 240, |
| | D44904 XL (L: 280-330 mm) | 260, |
| D80087 | Depth adjustable hinge for footplates (50 mm in all) – mounted | 480, |
| D21044 | ☐ Foot board, adjustable, no heel strap | 310, |
| D21041 | ☐ Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved) | 490, |
| D21745 | ☐ Calf support bracket upholstery - pair - skai cover | 63, |
| D41617 | ☐ Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair | 221, |
| D28453 | ☐ Foot plate upholstery - pair - skai cover | 305, |
| D86900 | ☐ Bodypoint calf strap M | 172, |
| D86901 | ☐ Bodypoint calf strap L | 172, |
| lanually angle adj | ustable leg supports | |
| Standard | Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery -reinforced extension pieces | 0, |

| 0,- |
|-------|
| |
| |
| 0,- |
| 85,- |
| 290,- |
| |
| 230,- |
| 230,- |
| 240,- |
| |
| |



Netti V with electrical functions

D86901

☐ Bodypoint calf strap L



172,-

| | D80087 | Depth adjustable hinge for footplates (50 mm in all) – mounted | 480,- |
|---|--------------|---|-------|
| | D21008 | Gas spring | 940,- |
| | D21044 | Foot board, adjustable | 310,- |
| | D21041 | Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved) | 490,- |
| | D24000 | Calf support, swingable, pair | 180,- |
| | D21745 | Calf support bracket upholstery - pair - skai cover | 60,- |
| | D41617 | Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair | 210,- |
| | D28453 | Foot plate upholstery - pair - skai cover | 290,- |
| | D86900 | Bodypoint calf strap M | 172,- |
| | D86901 | Bodypoint calf strap L | 172,- |
| | D24006 | Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. Without calf supports. | 137,- |
| | Standard | Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation) | 0,- |
| - | . | Bodypoint ankle huggers with upholstery incl. mounting kit | |
| | | D44863 S (L: 170-200 mm) | 230,- |
| | | D44864 M (L: 190-230 mm) | 230,- |
| | 13/3 | D44865 L (L: 220-290 mm) | 240,- |
| | 44, | D44904 XL (L: 280-330 mm) | 260,- |
| | D80087 | Depth adjustable hinge for footplates (50 mm in all) – mounted | 480,- |
| | D21044 | Foot board, adjustable, no heel strap | 310,- |
| | D21041 | Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved) | 490,- |
| | D86900 | Bodypoint calf strap M | 172,- |
| - | | | |





| D88600 | | Netti Grandis angle adjustable positioning leg supports for | 1.098, |
|-----------------|----------|---|--------|
| | | complex individual configurations. Reduces pressure and shear | |
| A | | forces. For users with e.g. contractions, leg asymmetry, | |
| | | elephantiasis. | |
| | 7 | The foot support is characterized by unique ergonomics and user- | |
| / | | friendliness due to lifting handles, scale displays and conical | |
| | | extension pieces. Angle adjustable incl. angle limiter and adjustable | |
| | | calf- and foot plates. | |
| Standard | | Up to 2x25 mm width adjustment – stepless adjustable (footplates | 0, |
| | | will by 2 x 12,5 mm have a gap, footboard and footbox only special | |
| 200502 | | adaptation) | |
| D88602 | | Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair | 201, |
| D88607 | | Knee upholstery for the upper lower leg (3D or EC cover depending | 108, |
| D00007 | ل | on the fabric for the whole chair) | 100, |
| D21745 | | Calf support bracket upholstery - pair - skai cover | 60, |
| D88014 | | Foot fixation, pair incl. mounting kit | 225 |
| D88603 | | Foot board, lockable and upwards swingable | 368, |
| D88605 | | Footbox, upholstered with Skai cover (approved for car transport) | 693 |
| D21293 | | Calf strap | 90, |
| D86900 | | Bodypoint calf strap M | 172 |
| D86901 | | Bodypoint calf strap L | 172 |
| - | | Bodypoint ankle huggers with upholstery | |
| | | D88863 S (L: 170-200 mm) | 311 |
| 13/17 | | D88864 M (L: 190-230 mm) | 311 |
| 4 1 4 | | D88865 L (L: 220-290 mm) | 321 |
| | | D88866 XL (L: 280-330 mm) | 343 |
| tti Grandis amp | outatio | n support | |
| D88618 | | Amputation support left incl. Netti Grandis leg support right side | 1.053 |
| D88619 | | Amputation support right incl. Netti Grandis leg support left side | 1.053 |
| D800 | | Amputation support left + right | 1.468 |
| tti Grandis log | cuppor | t with fixed angle | |
| | | | 1 000 |
| D88612 | | Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with | 1.098 |
| ſ | | e.g. contractions, leg asymmetry. | |





The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.

| | Standard | Up to $2x25$ mm width adjustment – stepless adjustable (footplates will by $2 \times 12,5$ mm have a gap, footboard and footbox only special adaptation) | 0,- |
|---|----------|--|-------|
| - | D88603 | Foot board, lockable and upwards swingable (no heel strap) | 368,- |
| - | D88605 | Footbox, upholstered with Skai cover (approved for car transport) | 693,- |

| Netti Dy | namic angl | e adju | istable leg rests | |
|----------------|------------------|--------|---|----------------------------------|
| MAMIC 4CO | | | Netti Dynamic angle adjustable leg rests with calf supports and footboard, 100N. | Price on request |
| | D82296 D82298 | | Adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm) | |
| HAMIC VCCHSSON | | | Netti Dynamic angle adjustable leg rests with calf supports and footboard, 100N. Adjustable for different thigh lengths: | Price on request |
| 4 27 | D82318 D82319 | | Adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm) | |
| | Standard | | Up to 2x25 mm width adjustment – if adjusted a new footboard must be mounted/purchased. | 0,- |
| | D32296 | | Extra-long knee upholstery 550 mm – 3D cover | 290,- |
| | D45245 | | Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation. | Price on request |
| | D88211 | | Leg support upper parts with lever instead of star wheel for angle adjustment | 85,- |
| | | | Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm) | 230,- 230,- 240,- 260,- |
| - | D21745 | | Calf support bracket upholstery - pair - skai cover | 60,- |
| | D41617 | | Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair (SW 550 mm only 3D) | 210,- |
| | D86900 | | Bodypoint calf strap M | 172,- |
| | D86901 | | Bodypoint calf strap L | 172,- |





ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

| Standard | Arm supports height and depth adjustable | 0,- |
|----------|--|-------|
| Standard | Arm pads 385 x 58 mm | 0,- |
| Standard | Arm rest sideways 2 x 12,5/25 mm adjustable | 0,- |
| D21077 | Arm pads 420 x 80 mm | 120,- |
| D21078 | Arm pads 445 x 70 mm | 120,- |
| D21079 | Arm pads 525 x 80 mm | 120,- |
| D41649 | Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers) | 110,- |
| D41650 | Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers) | 130,- |
| D23003 | Hemiplegic cushion | 210,- |
| D22185 | Arm support hemiplegic left (can only be combined with a tray in special adaptation) | 320,- |
| D22186 | Arm support hemiplegic left (can only be combined with a tray in special adaptation) | 320,- |

FRONT AND MAIN WHEEL

| MOITI AND IV | Alla Willer | |
|------------------|---|-------|
| Standard | Main wheel: 24 x 1" PU – steel – grey version – black hub | 0,- |
| Standard | Front wheel: 7" – 175 x 33 PU – grey version | 0,- |
| Standard | Chair delivered in seat height 461 mm (floor to seatplate) | 0,- |
| Standard | Seat height stepless adjustable from 386 – 486 mm (70 mm seat height adjustment through patent pending adjustment bracket – extra 30 mm by changing wheel position) | 0,- |
| D22006 | Main wheels wide: 1 3/8 PU infill – aluminium – grey | 74,- |
| D22008 | Main wheels wide and pneumatic: only 24 x 1 3/8 pneumatic – aluminium – grey | 74,- |
| D21021 | 7" 175 x 45 mm PU – grey | 95,- |
| D21012 | 7" 175 x 45 mm pneumatic – grey | 95,- |
| D52035 | 16" drum brake main wheels + 7" front wheels - PU grey Seat height stepless adjustable from 386 – 456 mm by dealer (mounting by dealer, no frame brakes included) | 389,- |
| D52002 | 20" main wheels + 5" front wheels – PU grey – black hub Seat height stepless adjustable from 345 – 445 mm by dealer | 253,- |
| D52007 | 22" main wheels + 7" front wheels – PU grey – black hub Seat height stepless adjustable from 390 – 460 mm by dealer | 147,- |
| D52009 | 24" main wheels + 8" front wheels – PU grey – black hub Seat height stepless adjustable from 415 – 485 mm by dealer | 95,- |
| D52010 | 26" main wheels + 8" front wheels – PU grey – black hub | 248,- |
| | | |



Netti V with electrical functions



| | Seat height stepless adjustable from 414 – 514 mm by dealer | |
|--------|---|-------|
| D22009 | Hand and spoke protector, transparent, pair | 150,- |
| D22013 | Push rim cover, pair | 120,- |

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS







| D45374 | [A] Savant head support incl. headband, adult — height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport — if this is needed please order an additional Netti headrest) | Price on request |
|--------------|---|---------------------|
| D45373 | [B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband | Price on request |
| D45375 | Headrest adjustment tube (horizontal) + 100 mm, length 250 mm | Price on request |
| D45368 | [C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti head support) | Price on request |
| D45376 | Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti head support) | Price on request |
| D89558 | [C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti head support) | Price on request |
| D89559 | Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti head support) | Price on request |
| TRAYS | | |
| D21059 | Universal tray for SW 350 - 500 mm (for SW 500 and arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm, please choose tray D21063) | 225,- |
| D21063 | Universal tray for SW 550 mm (necessary for SW 500 with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm) | 280,- |
| D21050 | Tray reinforced for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm) | 380,- |
| D24001 | Tray swingable for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm) | 260,- |
| D93316 | Tray spacer for swingable tray (necessary if a tray is combined with soft upholstery for armpads D41649/D41650) | 29,- |
| D24002 | Tray lockable for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm) | 260,- |
| D93315 | Tray spacer for lockable tray (necessary if a tray is combined with soft upholstery for armpads D41649/D41650) | 19,- |
| | | |





| D21052 | Upholstery for tray | 120,- |
|-------------|--|----------------|
| D53006 | Half tray, upholstered, left | 431,- |
| D53005 | Half tray, upholstered, right | 431,- |
| | | |
| VARIOUS ACC | ESSORIES | |
| D21087 | ESSORIES Clinic-kit – tool kit and tools for angle adjustable foot supports | 120,- |
| | | 120,- 100,- |

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit [B] [A] [C] [D] [E] Mounting material D25845 Hip belt, with upholstery and car belt lock [A] 130,-Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting 280.material[B] D56902 XS (overall pad length: 380 mm) D56891 M (overall pad length: 460 mm) D56892 L (overall pad length: 620 mm) Bodypoint 2-point hip belt incl. mouting material[E] 252,-XS (overall pad length: 360 mm) D55273 D55274 S (overall pad length: 400 mm) M (overall pad length: 460 mm) D55275 D45040 Security cover for type [B], [C] and [E] in XS/M/L 70,-D55276 Bodypoint 2-point pelvic stabiliser for SW 550-650 mm incl. 368,mounting material (overall pad length: 820 mm) [E] Bodypoint 4-point pelvic stabiliser incl. mounting material [C] 423,-XS (overall pad length 360 mm) D56889 D56893 M (overall pad length: 460 mm) L (overall pad length: 620 mm) D56894 D60001 Abduction belt [D] 530,-Bodypoint supportive universal elastic strap 180,-D45084 S (Height 80 mm - 1420 mm long, easily cut-to-length) L (Height 110 mm - 1420 mm long, easily cut-to-length) D45085 D45086 XL (Height 150 mm - 1420 mm long, easily cut-to-length)





Belts and accessories for back unit







NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

CUSTOM MADE – most wanted special adapted items (price on request)



| Α | В | |
|---|---|--|
| | Extra long calf supports (please state length) (A) | |
| | Calf support upholstery in special length or material | |
| | Back cushion with special side support (see drawing page 9) (B) | |
| | Pushhandles with special length or angle | |
| | Footboard that swings horizontally forwards | |
| | | |

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

| User weight: | |
|--------------|--|
| | |
| | |
| | |
| | |
| | |

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.







Netti V with electrical functions




Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length ____ mm of the chair.

TECHNICAL DATA

| Tilt (seat) | -3° to +30° |
|------------------------------------|--|
| Recline (back) | 90° to 118° |
| Total width of the wheelchair | Seat width + 210 mm |
| | Seat width + 195 mm (16" wheels) |
| Total length | 1000 - 1200 mm with leg rests vertical and seat horizontal |
| Distance arm support to seat plate | Min: 185 mm/ max. 325 mm |
| Weight of wheelchair | App. 32 kg (without cushion) |
| Frame colour | Turquoise |
| Cover variants | Stretchable & flexible cover 3D |
| | Easy Care antibacterial cover, washable |
| Max. capacity | 136 kg |
| Crash test | ISO 7176-19 (136 kg) |
| | |

| Leg rests | Min. calf length | Max. calf length | |
|-------------------------------|------------------|------------------|--|
| Manual adjustable leg rests | 320 mm | 680 mm | |
| Universal leg rests | 360 mm | 500 mm | |
| Netti Grandis leg rests | 360 mm | 640 mm | |
| Netti Grandis fixed leg rests | 380 mm | 550 mm | |



Measurements

A Hip width/Seat width ______mm

B Thigh length / seat depth _____mm

C Arm rest height _____mm

D Leg length / seat height _____mm

E Backrest height _____mm

F Trunk width _____mm