


**Netti 450F wheelchair with manual recline 86° - 133° and no tilt**

	<b>Invoice address:</b> _____ _____ _____	<b>Company: C-</b> _____  <b>Contact person:</b> _____  <b>Other delivery address:</b> _____
	<input type="checkbox"/> Please send me an offer  <input type="checkbox"/> Invoice address = Delivery address	<b>Reference:</b> _____  <b>User weight:</b> _____

**Standard equipment:**

Reinforced frame with manual recline 86° to 133° with double gas spring. No tilt. Main wheel 16" drum brake flexel, front wheel 8" 200 x 50 mm PU. Seat cushion Netti Sit and ergonomic back cushion Netti Stabil with 3D cover - Back height 550 mm. Universal leg support with footboard angle adjustable, armrest height adjustable and removable with clothes protector in aluminium. Push handles and anti-tippers height adjustable and swingable.

**Netti 450 F - Seat width:**

500  550  600  650  700  750


800  850  900  950  1000 mm

**Seat depth:**

440  465  490  515  540

**Max. capacity: 450 kg**

To provide the user of the wheelchair with a back support which is appropriate to his/her body shape, the wheelchair back needs to be positioned in front of area X. To provide sufficient seat depth and to give postural support, the back support of the wheelchair must be able to give space for area X.



X= \_\_\_\_\_

B= \_\_\_\_\_

**█ = Standard equipment**

↓ ⊗ Please mark here	FRAME
█	Back height 550 mm
█	Push handles 300 mm height adjustable and swingable
█	Push handles 500 mm, height adjustable and swingable
█	Back height 670 mm (back extender + extended back cushion)

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20

DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

	Universal device for different medical equipment
	Cover plate for universal device (additional level)
	Set of 4 mounting brackets, incl. screws
	Frame extension
<b>WHEELS</b>	
	Main wheel size 16" drum brake wheel
	Front wheels: 8" 200 x 50 mm PU
<b>BACK CUSHION</b>	
	Netti Stabil (side support upholstery 170 mm), 3D cover
	Netti Super Stabil (side support upholstery 170 mm, reinforced), 3D cover
	Side support stable <input type="checkbox"/> left <input type="checkbox"/> right
	Upholstery for side support stable
<b>SEAT CUSHION</b>	
	Netti Sit seat cushion, 3D Cover
	Easy Care cover for seat and back unit, washable
<b>HEAD SUPPORT &amp; ACCESSORIES FOR HEAD SUPPORT</b>	
	Head support C, large, square
	Head support A, with side support
	Head support B, small, oval
	Head support adjustment tube (horizontal) + 100 mm, length 250 mm
	Head support adjustment tube (horizontal) + 230 mm, length 380 mm
	Headrest adjustment tube (vertical) + 100 mm, length 500 mm
	Comfort cushion for head rest type C - removable
	Easy Care cover for head rest type A, B, C - removable
	Grey head rest cushion, large
<b>ARM REST &amp; ACCESSORIES FOR ARM SUPPORT</b>	
	Height adjustable armrest, removable
	Arm pads 420 X 80 mm
	Clothes protector aluminum
	Side upholstery, detachable 25 mm wide (reduces the SW with 50 mm)
	Arm pads curved at the back 525 x 80 mm
	Arm pads 445 x 70 mm
	Arm pads 525 x 80 mm
	Arm support hemiplegic, left (not possible in combination with tray)
	Arm support hemiplegic, right (not possible in combination with tray)
	Hemiplegic cushion <input type="checkbox"/> 1 pcs. <input type="checkbox"/> 2 pcs.
<b>LEG SUPPORT AND ACCESSORIES</b>	
	Universal legrest with footboard angle adjustable
	Footboard, adjustable
	Foot box upholstered
	Extra abduction for leg rests +50 mm,
	Foot fixation
<b>ACCESSORIES FOR BACK AND SEAT UNIT</b>	
	Incontinence cover for seat cushion
	Hip belt, with upholstery and car belt lock
	H-belt, with upholstery and car belt lock
	H-belt attachment bar
	Abduction block small, W: 80 x L: 140 x H: 80 mm

	Abduction block medium, W: 110 x L: 150 x H: 80 mm
	Abduction block large, W: 140 x L: 170 x H: 80 mm
	Removable knee and thigh support <input type="checkbox"/> 1 pcs. <input type="checkbox"/> 2 pcs.
	Back wedge <input type="checkbox"/> 1 pcs. <input type="checkbox"/> 2 pcs
<b>VARIOUS ACCESSORIES</b>	
	Tray reinforced - we suggest armpad 525 x 80 mm to secure more stability for the tray
	Upholstery for tray
	Intravenous rack

## Technical data:

<b>Seat width :</b>	<b>500 – 1000 mm</b>
<b>Seat depth:</b>	<b>440 – 540 mm</b>
<b>Seat height:</b>	<b>430 mm (from floor to seat plate)</b>
<b>Back height:</b>	<b>550 mm standard 670 mm (option)</b>
<b>Tilt (seat):</b>	<b>None</b>
<b>Recline (back):</b>	<b>86° to 133° - double gas spring</b>
<b>Total width of the wheelchair:</b>	<b>Seat width + 200 mm</b>
<b>Total length:</b>	<b>870 mm without leg rest</b>
<b>Total height:</b>	<b>1100 mm without head rest</b>
<b>Weight of wheelchair:</b>	<b>49 kg for SW 750 mm</b>
<b>Max. capacity:</b>	<b>450 kg</b>
<b>Frame colour:</b>	<b>Silver</b>
<b>Cover variants:</b>	<b>Stretchable &amp; flexible 3D cover Easy Care antibacterial cover, washable.</b>