



	Date Customer code C	
	☐ Invoice address = delivery address ☐ Quote	
	☐ The chair will be used as seat for car transport.	
	Basic price: 2.180,- € Exc	i. VAT
Seat width	D66035       350 mm       Capacity       Max. load is 135 kg minus seating unit.         D66040       400 mm       seat height       See page 11         D66045       450 mm       Seat depth       425-500 mm adjustable by step	J
	D29488 Arm support comfort pads (reduces SW with 2 x 15 mm)	158,-
	D83937 SW extension kit mounted 2 x 12 mm – only for SW 350-450 mm	167,-
= Standard ed	D28002 Adjustment of seat depth – please state the wished seat depth:  425 mm 450 mm 475 mm 500 mm  425 mm	74,-
Item nr.	Description	Price in €
Standard	Head support A, with side support	0,-
D27574	Head support B, oval	0,-
D27573	Head support C, square	0,-
D27572	Head support D, comfort (pressure distributive)	252,-
D82567	Head support A with side support and head band 3D (not approved for car transport – if this is needed please order an additional Netti headrest)	359,-
D82568	Extra comfort pads for the head band of D82567, pair	34,-
D25059	Universal tray	236,-
D21052	Upholstery for tray	126,-
D20845	Hip belt, with upholstery and car belt lock	126,-
D21022	Easy Care cover (not available for Netti Sit °C or Ride cushion)	0,-
D88468	Side support Basic, pair	387,-





## **FRAME**

Standard	Push bow	0,-
Standard	Anti tip – swingable	0,-
D86099	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	177,-
D28972	Anti tip with pedal	210,-
D42177	Push bow, angle adjustable	284,-
D28001	Frame extension including longer antitippers	315,-
D41074	Car fastener, pair	179,-

# **HEAD SUPPORT AND ACCESSORIES** (Please also see page 1)

D	82025	Head support adapter aluminium	252,-
D	82746	Netti Dynamic head support C incl. head support adapter in aluminium. If combined with other options, please send us a request, as some solutions are only possible as special adaptations. For more information, feel free to contact us.	Price on request
D	27577	Head supports E with adjustable side supports	326,-
D	27578	Head supports F with cheek support (not approved for car transport – if this is needed please order an additional Netti headrest)	326,-
D	21064	Headrest adjustment tube (horizontal) + 50 mm, length 200 mm	95,-
D	21027	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	95,-
D	21065	Headrest adjustment tube (horizontal) + 150 mm, length 300 mm	95,-
D	21028	Headrest adjustment tube (horizontal) + 230 mm, length 380 mm	105,-
D	21054	Headrest adjustment tube (vertical) + 100 mm, length 500 mm	95,-
D	23004	Comfort cushion for head rest type C – removable with Stella cover	189,-
D	23012	Easy Care cover for head rest type A, B, C – removable	95,-
D	23013	3D cover for head rest type A, B, C – removable	95,-
D	23015	Grey head rest cushion with Stella cover	242,-



D45370	[A] Savant head support incl. headband, small — height 130 mm  User forehead 460-560 mm  User ½ circumference behind ears 150-180 mm  Inside distance along top support 300 mm, along middle support 180 mm  (not approved for car transport — if this is needed please order an additional Netti headrest)	Price on request
D45371	[A] Savant head support incl. headband, adult – height 150 mm  User forehead 560-610 mm  User ½ circumference behind ears 200-300 mm  Inside distance along top support 360 mm, along middle support 200 mm  (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request





D45373	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	Headrest adjustment tube (horizontal) +100 mm, length 250 mm	Price on request
D45368	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	Price on request
D89559	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	Price on request
BACK UNIT		
Standard	Back height 500 mm	0,-
D21137	Adjustable velcro back (mounting through local dealer)	294,-
D21338	Back cushion Netti Smart – with 120 mm side support with 3D cover – only in combination with D21137	337,-
D21335	Back cushion Netti Stabil – with 170 mm side support with 3D cover – only in combination with D21137	557,-
D21336	Back cushion Netti Super Stabil – with 170 mm reinforced side support with 3D cover – only in combination with D21137	651,-
D20630	Back cushion Netti Kyphotic with 3D/Stella cover only in combination with D21137	746,-
	Ride Designs Back solution (See separate order form)  Article number: / Accessories:	
D21084	Back wedge	189,-
D21042	Lumbar support	189,-
A CCESSOR	Netti Dynamic FREE back gas spring  Allows up to 40° trunk movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Incl. frame extension D28001 and Bodypoint Evoflex pelvic stabilizer 2-point belt:  Size XS	Price on request





	D82226 200N D82227 300N D82228 400N	
	D82229 500N D82230 600N D82231 700N	
	D82232 800N D82233 900N D82234 1000N	
	D82235 1100N D82236 1200N D82237 1300N	
	For Netti Dynamic System with dynamic seat unit, please see the Netti Dynamic Base order form.	
D87903	Recline limiter (possible to limit in different positions from 116° - 134°) for the Netti Dynamic Free back spring (to be mounted by the dealer)	Price on request
	Libertas 15° back flexibility incl. long anti tips and frame extender (not allowed as seat in a car)  D82411 80N D82412 120N D82413 160N	Price on request







#### NEW:

Advanced seating and positioning management: Ride Designs – solutions (seat and back) for an even more stable posture, even more mobility/ functionality and an immense improved skin protection (decubitus prophylaxis). Please use separate order form.

# **SEAT UNIT** (for belts please see page 8)

•		
Standard	Seating plate	0,-
D21000	Seat cushion Netti Uno with 3D cover	200,-
D21048	Incontinence cover for seat cushion	242,-
D21777	Pressure relief seat cushion Netti Sit with 3D cover, incl. incontinence layer	399,-
D21017	Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	557,-
	Ride Designs Seat cushion (See separate order form)  Article number: / Accessories:	
D27493	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,-
D27494	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,-
D27495	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,-





## **LEG SUPPORTS**

For the Netti 4U Base you have 5 different types of leg supports with various accessories. Please contact us for consultation.

Manu	ally angle adj	ustable leg supports	
	Standard	<ul> <li>Manually angle adjustable leg supports with         <ul> <li>automatic length adjustment</li> <li>angle adjustable foot plates</li> <li>calf supports and knee upholstery</li> </ul> </li> </ul>	0,-
	D32296	☐ Extra-long knee upholstery 550 mm – 3D cover	290,-
	D88211	<ul> <li>Leg support upper parts with lever instead of star wheel for angle adjustment</li> </ul>	89,-
	D23014	☐ Footfixation	147,-
		Bodypoint ankle huggers with upholstery  D44863 S (L: 170-200 mm)  D44864 M (L: 190-230 mm)  D44865 L (L: 220-290 mm)  D44904 XL (L: 280-330 mm)	242,- 242,- 252,- 272,-
	D21008	Gas spring for angle adjustment	987,-
	D21000	Foot board, adjustable	326,-
	D21041	Foot board, adjustable  Foot box upholstered (not approved for car transport, if this is needed please use the Netti Grandis solution which is approved)	515,
	D21745	☐ Calf support bracket upholstery - pair - skai cover	63,-
	D41617	☐ Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
	D28453	☐ Foot plate upholstery - pair - skai cover	305,-
	D86900	☐ Bodypoint calf strap M	181,-
	D86901	☐ Bodypoint calf strap L	181,-
Jnive	rsal leg suppo	orts	
	D24005	☐ Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed	137,-
		Bodypoint ankle huggers with upholstery incl. mounting kit	
		D44863 S (L: 170-200 mm)	242,-
	13/3	☐ D44864 M (L: 190-230 mm) ☐ D44865 L (L: 220-290 mm)	242,-
	4 4	☐ D44865 L (L: 220-290 mm) ☐ D44904 XL (L: 280-330 mm)	252,- 273,-
	D23014	☐ Footfixation	
			147,
	D21044 D21041	<ul> <li>Foot board, adjustable (no heel strap)</li> <li>Foot box upholstered (not approved for car transport, if this is needed please use the Netti Grandis solution which is approved)</li> </ul>	326, 515,
	D06000		101
	D86900	<ul><li>Bodypoint calf strap M</li></ul>	181,

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300





D86901		Bodypoint calf strap L	181,-
Netti Grandis angle a	djust	able leg supports	
D88600		Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis. The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	1.098,-
D88602		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	211,-
D88607		Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	113,-
D21745		Calf support bracket upholstery - pair - skai cover	63,-
D88014		Foot fixation, pair incl. mounting kit	236,-
D88603		Foot board, lockable and upwards swingable	386,-
D88605		Footbox, upholstered with Skai cover (approved for car transport)	728,-
D21293		Calf strap	95,-
D86900		Bodypoint calf strap M	181,-
D86901		Bodypoint calf strap L	181,-
	0000	Bodypoint ankle huggers with upholstery D88863 S (L: 170-200 mm) D88864 M (L: 190-230 mm) D88865 L (L: 220-290 mm) D88866 XL (L: 280-330 mm)	327,- 327,- 337,- 360,-
Netti Grandis amputa	ation	support	
D88618		Amputation support left incl. Netti Grandis leg support right side	1.053,-
D88619		Amputation support right incl. Netti Grandis leg support left side	1.053,-
		Amputation support left + right – requires frame extension	1.468,-
Netti Grandis leg sup	nort :	with fixed angle	
D88612		Netti Grandis leg supports with fixed angle for complex	1.098,-
088012	J	individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.	1.090,-
		The foot support is characterized by unique ergonomics and user- friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	
D88603		Foot board, lockable and upwards swingable (no heel strap)	386,-
D88605		Footbox, upholstered with Skai cover (approved for car transport)	728,-





C ACC			Netti Dynamic angle adjustable leg rests with calf supports and	Price on request
No. Section 1	D82296		footboard, 100N. Adjustment piece 200 mm (lower leg length 450 550 mm)	
18 6	D82296 D82298		Adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm)	
	D82238	_	Adjustable for different thigh lengths:	
	D82318	П	Adjustment piece 300 mm (lower leg length 450-550 mm)	1
	D82319		Adjustment piece 214 mm (lower leg length 350-450 mm)	
	D32296		Extra-long knee upholstery 550 mm – 3D cover	290,-
	D45245		Reinforced automatic footboard lock - Not possible to combine	Price on
			with D82318/9 (extension bracket). With this lock the footboard	request
			is not angle adjustable, but this can be offered as special	
			adaptation.	
	D88211		Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
		-	Bodypoint ankle huggers with upholstery	
	14.3		D44863 S (L: 170-200 mm)	242,
	44.		D44864 M (L: 190-230 mm)	242,-
			D44865 L (L: 220-290 mm)	252,
			D44904 XL (L: 280-330 mm)	273,
	D21081		Extra abduction for leg rests (+50 mm) - adjustment of the calf	431,
			supports will be limited (not approved for car transport, if this is	
	D24745		needed please contact customer service)	
	D21745		and the same and the same of t	63,
	D41617		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,
	D86900		Bodypoint calf strap M	181,
	D86901		Bodypoint calf strap L	181,
	STS AND A			
	tandard <b>I</b>		ht and depth adjustable - revolvable	0,
	tandard <b>I</b>		pads 385 x 58 mm	0,
D	41649		pad upholstery extra soft, EC or 3D cover depending on the fabric he whole chair (not to be combined with a tray)	116,
D	23003	Hem	niplegic cushion	221,
D	29459		support hemiplegic, left (can only be combined with a tray in ial adaptation)	336,
D	29460		support hemiplegic, right (can only be combined with a tray in cial adaptation)	336,









#### **NEW:**

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

### **MAIN WHEELS**

Main wheels 16" PU with drum brakes (mounting through local dealer).	0,-
Main wheels 12" PU with drum brakes (mounting through local dealer) – frame brakes are delivered with the chair but are not compatible with the 12" wheels. Please contact us for an offer of a frame brake option.	384,-
Main wheels 24" PU incl. user brakes	147,-
Drum brakes (only to choose in combination with D22018)	263,-
One hand drive for 24" wheels PU – left Cannot be combined with drum brakes.	1.239,-
One hand drive for 24" wheels PU – right Cannot be combined with drum brakes.	1.239,-
Pushrim cover 24", pair	126,-
Spoke protectors for 24" wheels – transparent (not for one hand drive)	158,-
	dealer).  Main wheels 12" PU with drum brakes (mounting through local dealer) – frame brakes are delivered with the chair but are not compatible with the 12" wheels. Please contact us for an offer of a frame brake option.  Main wheels 24" PU incl. user brakes  Drum brakes (only to choose in combination with D22018)  One hand drive for 24" wheels PU – left  Cannot be combined with drum brakes.  One hand drive for 24" wheels PU – right  Cannot be combined with drum brakes.  Pushrim cover 24", pair  Spoke protectors for 24" wheels – transparent (not for one hand

### **FRONT WHEELS**

Standard <b>T</b>	Front wheels: 7" – 175 x 33 PU	0,-
D21021	Front wheels: 7" – 175 x 45 PU wheel - puncture proof - with PU	95,-
	infill (necessary for supportive engines)	

## **VARIOUS ACCESSORIES**


D21239	Tool kit	105,-
D41987	Intravenous rack	336,-
IS-D80085	Universal device basket incl. frame extension D28001	Price on
	SW 450: W: 405 mm, D: 305 mm, H: 70 mm	request
	(for other seat widths please subtract or add from SW 450 mm)	
	Max. capacity 6 kg / Combination with 12+16" wheels only in	
	special adaptation.	
	For information concerning car transport, please see the user manual of the device	
	basket on our website.	





### **BELT OPTIONS FROM BODYPOINT AND NETTI**


#### Belts and accessories for seat unit



#### **NETTI CUSTOMIZED**

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

## **CUSTOM MADE – most wanted special adapted items (price on request)**



NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300



Cover variant



Back cushi	on with special side support <b>(C)</b>
Footboard	that swings horizontally forwards
Sliding sea	t (for positioning and transfer)
Comfort se	eat plate
One hand	brake (please state which side)
Seat width	extension for SW 500 mm
51	
	nd how a possible solution could look. If you have any picture or video
	this. To offer the best solution, please describe the user in the best
possible way, e.g. such as any given	diagnosis, user weight and/or the exact pattern movement of the user.
User weight:	
Please write the exact measuremer	nts and draw the wished solution for the requested accessories e.g. by
using the drawings underneath.	
(\ \ \	
Please inform us if there are any sp	ecial circumstances in the living area that has an influence for the chair:
e.g. the total possible width	mm and length mm of the chair.
TECHNICAL DATA	
Tilt (seat)	-8° to +22°
Recline (back)	92° to 137°
Total width of the wheelchair	Seat width +180 mm (24" std. wheels)/ + 195 mm (24" DB wheels)
	/ +170 mm (16" DB wheels)
Total length	1130 mm with leg rests
Total height	1100 mm
Distance arm support to seatplate	Min. 265 mm / max. 355 mm
Weight of wheelchair	App. 29 kg (without cushions)
Frame colour	Silver

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

3D cover







Crashtest	ISO 7176-19 (Max. load is 135 kg minus weight of seating unit) —
	for more information concerning car transport, please see
	the user manual on our website.

Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm

# Seat height – WITHOUT seat cushion (measured from floor to seat plate)





NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300