



Date \_\_\_\_\_ Customer code C- \_\_\_\_\_  
 Invoice address \_\_\_\_\_ Contact person \_\_\_\_\_  
 \_\_\_\_\_ Reference \_\_\_\_\_  
 \_\_\_\_\_ Other delivery address \_\_\_\_\_  
 \_\_\_\_\_  
 Invoice address = delivery address     Quote  
 The chair will be used as seat for car transport.

**Basic price: 3.320,- €** Excl. VAT

Seat width:	CED (long seat depth/capacity 160 kg) Seat depth adjustable from 425-500 mm	CEDS (short seat depth/capacity 160 kg) Seat depth adjustable from 375-450 mm
	D65035 <input type="checkbox"/> 350 mm D65040 <input type="checkbox"/> 400 mm	D65035S <input type="checkbox"/> 350 mm D65040S <input type="checkbox"/> 400 mm D65043S <input type="checkbox"/> 430 mm
	Seat depth adjustment D28002    74,- <input checked="" type="checkbox"/> 425 <input type="checkbox"/> 450 <input type="checkbox"/> 475 <input type="checkbox"/> 500	Seat depth adjustment D28002    74,- <input type="checkbox"/> 375 <input type="checkbox"/> 400 <input checked="" type="checkbox"/> 425 <input type="checkbox"/> 450
	D65043 <input type="checkbox"/> 430 mm D65045 <input type="checkbox"/> 450 mm D65050 <input type="checkbox"/> 500 mm	<b>Seat height</b> See page 13 <b>Seat depth</b> Adjustable in 25 mm steps
	Seat depth adjustment D28002    74,- <input type="checkbox"/> 425 <input type="checkbox"/> 450 <input checked="" type="checkbox"/> 475 <input type="checkbox"/> 500	
	D29488 <input type="checkbox"/> Arm support comfort pads (reduces SW with 2 x 15 mm)	158,-
	D83937 <input type="checkbox"/> SW extension kit mounted 2 x 12 mm – only for SW 350-450 mm	167,-

= Standard equipment

Item nr.	Description	Price in €
Standard <input checked="" type="checkbox"/>	Head support A, with side support	0,-
D27574 <input type="checkbox"/>	Head support B, small, oval	0,-
D27573 <input type="checkbox"/>	Head support C, large, square	0,-
D22085 <input type="checkbox"/>	Drum brakes (brake handles mounted on push bow)	263,-
D25059 <input type="checkbox"/>	Universal tray	236,-
D21052 <input type="checkbox"/>	Upholstery for tray	126,-
D20845 <input type="checkbox"/>	Hip belt, with upholstery and car belt lock	126,-
D21022 <input type="checkbox"/>	Easy Care cover (not available for Netti Sit °C or Ride cushion)	0,-

D21076	<input type="checkbox"/>	Configuration for car transportation for users higher than 185 cm incl.: D41006 Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm) D21054 Vertical tube for headrest - 500 mm D82025 Headrest adapter in aluminium	588,-
--------	--------------------------	--	-------

## FRAME

Standard	<input checked="" type="checkbox"/>	Angle adjustable push bow	0,-
Standard	<input checked="" type="checkbox"/>	Anti tip, swingable	0,-
Standard	<input checked="" type="checkbox"/>	User brake	0,-
D86099	<input type="checkbox"/>	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	177,-
D21755	<input type="checkbox"/>	Push handles 300 mm, height adjustable and swingable (please note: the armrests will then not be revolvable)	252,-
D28972	<input type="checkbox"/>	Anti tip with pedal, pair	210,-
D29474	<input type="checkbox"/>	Tilt-restrictor (no negative tilt frontwards)	42,-
D41074	<input type="checkbox"/>	Car fastening, pair	179,-
D28001	<input type="checkbox"/>	Frame extension including longer anti tippers	315,-

## BACK UNIT (for belts please see page 11)

Standard	<input checked="" type="checkbox"/>	Back cushion Netti Uno – with 100 mm side support with 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Back height 500 mm (incl. adjustable velcro back)	0,-
D41006	<input type="checkbox"/>	Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	233,-
D44992	<input type="checkbox"/>	Adjustable velcro with cut for side supports	263,-
D21338	<input type="checkbox"/>	Back cushion Netti Smart – with 120 mm side support – 3D cover	347,-
D27374	<input type="checkbox"/>	Side support Correction with upholstery left – for Netti Uno and Smart	221,-
D27375	<input type="checkbox"/>	Side support Correction with upholstery right – for Netti Uno and Smart	221,-
D21333	<input type="checkbox"/>	Back cushion Netti Stabil – with 170 mm side support - 3D cover	557,-
D21334	<input type="checkbox"/>	Back cushion Netti Super Stabil – with 170 mm reinforced side support - 3D cover	651,-
D20630	<input type="checkbox"/>	Back cushion Netti Kyphotic - 3D/Stella cover - only back height 500 mm	746,-
	<input type="checkbox"/>	Ride Designs Back solution (See separate order form) Article number: _____ / Accessories: _____	
D26831	<input type="checkbox"/>	Side support Stable left - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	252,-
D26844	<input type="checkbox"/>	Side support Stable right - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	252,-
D27541	<input type="checkbox"/>	Side support upholstery Stable, pair	158,-

D27700	<input type="checkbox"/>	Firm back in aluminium, back height 500 mm	378,-
D27708	<input type="checkbox"/>	Firm back in aluminium, back height 600 mm (incl. D41006 back extender - only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	620,-
D21084	<input type="checkbox"/>	Back wedge	189,-
D21042	<input type="checkbox"/>	Lumbar support	189,-



**Netti Dynamic FREE back spring**

Price on request

Allows up to 40° trunk movements backwards. Max. user weight 135 kg. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Incl. frame extension D28001 and Bodypoint Evoflex pelvic stabilizer 2-point belt:

Size XS  M  L

For more information and choice of gas spring, feel free to contact us or have a look at our website. If combined with other options, please send us a request as some solutions are only possible as special adaptations.

- |                                       |                                       |                                       |
|---------------------------------------|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> D82226 200N  | <input type="checkbox"/> D82227 300N  | <input type="checkbox"/> D82228 400N  |
| <input type="checkbox"/> D82229 500N  | <input type="checkbox"/> D82230 600N  | <input type="checkbox"/> D82231 700N  |
| <input type="checkbox"/> D82232 800N  | <input type="checkbox"/> D82233 900N  | <input type="checkbox"/> D82234 1000N |
| <input type="checkbox"/> D82235 1100N | <input type="checkbox"/> D82236 1200N | <input type="checkbox"/> D82237 1300N |

For Netti Dynamic System with dynamic seat unit, please see the Netti Dynamic CED order form.

D87903	<input type="checkbox"/>	Recline limiter (possible to limit in different positions from 116° - 134°) for the Netti Dynamic Free back spring (to be mounted by the dealer)	Price on request
		Libertas 15° back flexibility incl. long anti tips and frame extender Max. user weight 135 kg, not allowed for use as seat in car.	Price on request
		<input type="checkbox"/> D82411 80N <input type="checkbox"/> D82412 120N <input type="checkbox"/> D82413 160N	



**NEW:**  
**Advanced seating and positioning management: Ride Designs – solutions (seat and back) for an even more stable posture, even more mobility/ functionality and an immense improved skin protection (decubitus prophylaxis). Please see separate order form.**

**SEAT UNIT (for belts please see page 10)**

Standard	<input checked="" type="checkbox"/>	Seat cushion Netti Uno – 3D cover	0,-
D21048	<input type="checkbox"/>	Incontinence cover for seat cushion	242,-
D21007	<input type="checkbox"/>	Pressure relief seat cushion Netti Sit – 3D cover incl. incontinence layer	399,-

D21017	<input type="checkbox"/>	Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	557,-
D40001	<input type="checkbox"/>	<b>Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/- Easy Care + depending on the fabric for the whole chair. Article number _____</b> <i>(if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)</i>	<b>Price on request</b>
D40002	<input type="checkbox"/>	<b>Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/- Easy Care + depending on the fabric for the whole chair. Article number _____</b> <i>(if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)</i>	<b>Price on request</b>
D50000/ D50001	<input type="checkbox"/>	Ride Designs Forward seat cushion (See separate order form) Article number: _____ / Accessories: _____	Price on request
D50002	<input type="checkbox"/>	Ride Designs Java seat cushion (See separate order form) Article number: _____ / Accessories: _____	Price on request
D27493	<input type="checkbox"/>	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,-
D27494	<input type="checkbox"/>	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,-
D27495	<input type="checkbox"/>	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,-

## LEG SUPPORTS

For the Netti 4U CED you have 5 different types of leg supports with various accessories. Please contact us for consultation.

### Manually angle adjustable leg supports

Standard	<input checked="" type="checkbox"/>	<b>Manually angle adjustable leg supports with</b> -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	0,-
			
D32296	<input type="checkbox"/>	Extra-long knee upholstery 550 mm – 3D cover	290,-
D88211	<input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
		Bodypoint ankle huggers with upholstery	
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	242,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	242,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	252,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	273,-
D23014	<input type="checkbox"/>	Footfixation	147,-
D21008	<input type="checkbox"/>	Gas spring for angle adjustment	987,-
D21081	<input type="checkbox"/>	Extra Abduction (+50 mm), not for SW 430 mm – adjustment of calf supports is limited (not approved for car transport – if needed, please contact customer service)	431,-
D21044	<input type="checkbox"/>	Foot board, adjustable	326,-
D21041	<input type="checkbox"/>	Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	63,-

D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D28453	<input type="checkbox"/>	Foot plate upholstery - pair - skai cover	305,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-

### Universal leg supports

D24005	<input type="checkbox"/>	<b>Universal leg supports</b> with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. No calf supports, delivered with heel strap.	137,-
			
<p>Bodypoint ankle huggers with upholstery incl. mounting kit</p>			
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	242,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	242,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	252,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	273,-
			
D23014	<input type="checkbox"/>	Footfixation	147,-
D21044	<input type="checkbox"/>	Foot board, adjustable (without heel strap)	326,-
D21041	<input type="checkbox"/>	Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-

### Netti Grandis angle adjustable leg supports

D88600	<input type="checkbox"/>	<b>Netti Grandis angle adjustable positioning leg supports</b> for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	1.098,-
			
<p>The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.</p>			
D88608	<input type="checkbox"/>	Extra Abduction (+50 mm), not for SW 430 mm - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	419,-
D88602	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	211,-
D88607	<input type="checkbox"/>	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	113,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	63,-
D88014	<input type="checkbox"/>	Foot fixation, pair incl. mounting kit	236,-
D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable	386,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	728,-

D21293	<input type="checkbox"/>	Calf strap	95,-
		Bodypoint ankle huggers with upholstery	
	<input type="checkbox"/>	D88863 S (L: 170-200 mm)	327,-
	<input type="checkbox"/>	D88864 M (L: 190-230 mm)	327,-
	<input type="checkbox"/>	D88865 L (L: 220-290 mm)	337,-
	<input type="checkbox"/>	D88866 XL (L: 280-330 mm)	360,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-

### Netti Grandis amputation support

D88618	<input type="checkbox"/>	Amputation support left incl. Netti Grandis leg support right side	1.053,-
D88619	<input type="checkbox"/>	Amputation support right incl. Netti Grandis leg support left side	1.053,-
	<input type="checkbox"/>	Amputation support left + right – requires frame extension	1.468,-

### Netti Grandis leg support with fixed angle

D88612	<input type="checkbox"/>	<b>Netti Grandis leg supports with fixed angle</b> for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.	1.098,-	
		The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.		
	D88608	<input type="checkbox"/>	Extra Abduction (+50 mm), not for SW 430 mm. Not approved for car transport – if needed, please contact customer service.	419,-
	D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable (without heel strap)	386,-
	D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	728,-

### Netti Dynamic angle adjustable leg supports



		<b>Netti Dynamic angle adjustable leg rests with calf supports and footboard, 100N.</b>	Price on request
D82296	<input type="checkbox"/>	Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
D82298	<input type="checkbox"/>	Adjustment piece 214 mm (lower leg length 350-450 mm)	
D82318	<input type="checkbox"/>	Adjustable for different thigh lengths:	
D82319	<input type="checkbox"/>	Standard adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm)	
D32296	<input type="checkbox"/>	Extra-long knee upholstery 550 mm – 3D cover	290,-
D45245	<input type="checkbox"/>	Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
D88211	<input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment	89,-

	Bodypoint ankle huggers with upholstery			
	<input type="checkbox"/>	D44863	S (L: 170-200 mm)	242,-
	<input type="checkbox"/>	D44864	M (L: 190-230 mm)	242,-
	<input type="checkbox"/>	D44865	L (L: 220-290 mm)	252,-
	<input type="checkbox"/>	D44904	XL (L: 280-330 mm)	273,-
D21081	<input type="checkbox"/>	Extra abduction for leg rests (+50 mm) not for SW 430 mm - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.		431,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover		63,-
D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair		221,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M		181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L		181,-

## ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

Standard	<input checked="" type="checkbox"/>	Arm supports height and depth adjustable, revolvable	0,-
Standard	<input checked="" type="checkbox"/>	Arm pads 385 x 58 mm	0,-
D21077	<input type="checkbox"/>	Arm pads 420 x 80 mm	126,-
D41649	<input type="checkbox"/>	Arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	116,-
D41650	<input type="checkbox"/>	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	137,-
D23003	<input type="checkbox"/>	Hemiplegic cushion	221,-
D29459	<input type="checkbox"/>	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	336,-
D29460	<input type="checkbox"/>	Arm support hemiplegic right (can only be combined with a tray in special adaptation)	336,-



### Decon E-Drive or Decon E-move

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

## MAIN AND FRONT WHEELS

Standard	<input checked="" type="checkbox"/>	24 x 1" PU + 7" 175 x 33 PU	0,-
D22007	<input type="checkbox"/>	Main wheel 22 x 1" PU + front wheel 6" 150 x 30 PU	147,-
<b>D22006</b>	<input type="checkbox"/>	<b>Main wheels wide: 1 3/8 PU infill</b>	<b>74,-</b>
<b>D22008</b>	<input type="checkbox"/>	<b>Main wheels pneumatic – only 24 x 1 3/8 available</b>	<b>74,-</b>
D21021	<input type="checkbox"/>	Front wheels: 7" – 175 x 45 PU wheel - puncture proof - with PU infill (necessary for supportive engines)	95,-
<b>D21012</b>	<input type="checkbox"/>	<b>Front wheels: 7" – 175 x 45 pneumatic</b>	<b>95,-</b>

D20834	<input type="checkbox"/>	One hand drive for 24" wheels PU – left Cannot be combined with drum brakes.	1.239,-
D20836	<input type="checkbox"/>	One hand drive for 24" wheels PU – right Cannot be combined with drum brakes.	1.239,-
INT70315	<input type="checkbox"/>	Main wheels 12½" PU with drum brakes – frame brakes are not compatible with the 12" wheels. Please contact us for an offer of a frame brake option. (Please note! Mounting of brake plates and handles for drum brakes is prepared by us, but the wheels are to be mounted by the dealer).	461,-
INT70316	<input type="checkbox"/>	Main wheels 16" PU with drum brakes. (Please note! Mounting of brake plates and handles for drum brakes is prepared by us, but the wheels are to be mounted by the dealer).	461,-
D22009	<input type="checkbox"/>	Hand and spoke protector - transparent, pair (not for one hand drive)	158,-
D22013	<input type="checkbox"/>	Push rim cover, pair	126,-

### HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS (please also see page 1)



		A	B	C	D	E	F	
D82025	<input type="checkbox"/>	Head support adapter aluminium						252,-
D82567	<input type="checkbox"/>	Head support A with head band (not approved for car transport – if this is needed please order an additional Netti head support)						359,-
D82568	<input type="checkbox"/>	Extra comfort pads for the head band of D82567, pair						34,-
D82746	<input type="checkbox"/>	Netti Dynamic head support C incl. head support adapter in aluminium –If combined with other options, please send us a request, as some solutions are only possible as special adaptations. For more information, feel free to contact us.						Price on request
D27572	<input type="checkbox"/>	Head support D, comfort (pressure distributive)						252,-
D27577	<input type="checkbox"/>	Head support E with adjustable side supports						326,-
D27578	<input type="checkbox"/>	Head support F with cheek support (not approved for car transport – if this is needed please order an additional Netti head support)						326,-
D21064	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 50 mm, length 200 mm						95,-
D21027	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 100 mm, length 250 mm						95,-
D21065	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 150 mm, length 300 mm						95,-
D21028	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 230 mm, length 380 mm						105,-
D21054	<input type="checkbox"/>	Head support adjustment tube (vertical) + 100 mm, length 500 mm						95,-
D23004	<input type="checkbox"/>	Comfort cushion for head support type C – removable with Stella cover						189,-
D23012	<input type="checkbox"/>	Easy Care cover for head support type A, B, C – removable						95,-
D23013	<input type="checkbox"/>	3D cover for head support type A, B, C – removable						95,-
D23015	<input type="checkbox"/>	Grey head support cushion with Stella cover						242,-





D45370	<input type="checkbox"/>	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved for car transport – if this is needed please order an additional Netti head support)	Price on request
D45371	<input type="checkbox"/>	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport – if this is needed please order an additional Netti head support)	Price on request
D45373	<input type="checkbox"/>	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	<input type="checkbox"/>	Headrest adjustment tube (horizontal) +100 mm, length 250 mm	Price on request
D45368	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant head supports. (not approved for car transport – if this is needed please order an additional Netti head support)	Price on request
D45376	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant head supports. (not approved for car transport – if this is needed please order an additional Netti head support)	Price on request
D89558	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti head supports. (not approved for car transport – if this is needed please order an additional standard Netti head support)	Price on request
D89559	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti head supports. (not approved for car transport – if this is needed please order an additional standard Netti head support)	Price on request

### TRAYS (please also see page 1)

D28826	<input type="checkbox"/>	Tray swingable	273,-
D93316	<input type="checkbox"/>	Tray spacer for swingable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	30,-
D28828	<input type="checkbox"/>	Tray lockable	273,-
D93315	<input type="checkbox"/>	Tray spacer for lockable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	20,-

### VARIOUS ACCESSORIES

D21087	<input type="checkbox"/>	Clinic-kit (tools) for angle adjustable foot supports	126,-
D21239	<input type="checkbox"/>	Tool kit	105,-

IS-D80085 <input type="checkbox"/>	Universal device basket incl. frame extension D28001 SW 450: W: 405 mm, D: 305, H: 70 mm (for other seat widths please subtract or add from SW 450 mm) Max. capacity 6 kg / Combination with 12+16" wheels only in special adaptation. For information concerning car transport, please see the user manual of the device basket on our website.	Price on request
D41987 <input type="checkbox"/>	Intravenous rack	336,-

## BELT OPTIONS FROM BODYPOINT AND NETTI

### Belts and accessories for seat unit

						[F]
[A]	[B]	[C]	[D]	[E]	[F]	
D86282 <input type="checkbox"/>	<input type="checkbox"/>	Belt bracket kit – seat [A]				109,-
D20845 <input type="checkbox"/>	<input type="checkbox"/>	Hip belt, with upholstery and car belt lock [B]				126,-
D86902 <input type="checkbox"/>	<input type="checkbox"/>	Bodypoint 2-point pelvic stabiliser Evoflex+Mounting kit [A+C]				280,-
D86891 <input type="checkbox"/>	<input type="checkbox"/>	XS (overall pad length: 380 mm)				
D86892 <input type="checkbox"/>	<input type="checkbox"/>	M (overall pad length: 460 mm)				
D86892 <input type="checkbox"/>	<input type="checkbox"/>	L (overall pad length: 620 mm)				
D45273 <input type="checkbox"/>	<input type="checkbox"/>	Bodypoint 2-point hip belt incl. mouting kit [A+F]				252,-
D45274 <input type="checkbox"/>	<input type="checkbox"/>	XS (overall pad length: 360 mm)				
D45275 <input type="checkbox"/>	<input type="checkbox"/>	S (overall pad length: 400 mm)				
D45275 <input type="checkbox"/>	<input type="checkbox"/>	M (overall pad length: 460 mm)				
D45040 <input type="checkbox"/>	<input type="checkbox"/>	Security cover for type [C], [D] and [F] in XS/M/L				74,-
D86889 <input type="checkbox"/>	<input type="checkbox"/>	Bodypoint 4-point pelvic stabiliser incl. mounting kit [A+D]				423,-
D86893 <input type="checkbox"/>	<input type="checkbox"/>	XS (overall pad length: 360 mm)				
D86894 <input type="checkbox"/>	<input type="checkbox"/>	M (overall pad length: 460 mm)				
D86894 <input type="checkbox"/>	<input type="checkbox"/>	L (overall pad length: 620 mm)				
D60001 <input type="checkbox"/>	<input type="checkbox"/>	Abduction belt [E]				557,-
D45084 <input type="checkbox"/>	<input type="checkbox"/>	Bodypoint supportive universal elastic strap				189,-
D45085 <input type="checkbox"/>	<input type="checkbox"/>	S (Height 80 mm - 1420 mm long, easily cut-to-length)				
D45086 <input type="checkbox"/>	<input type="checkbox"/>	L (Height 110 mm - 1420 mm long, easily cut-to-length)				
D45086 <input type="checkbox"/>	<input type="checkbox"/>	XL (Height 150 mm - 1420 mm long, easily cut-to-length)				

**Belts and accessories for back unit**

				
[A]	[B]	[C]	[D]	[E]
D86890	<input type="checkbox"/>	H-harness adaptor kit (recommended for all upper body harnesses) [A]		278,-
D20881	<input type="checkbox"/>	H-belt, with upholstery and car belt lock [B]		263,-
D41645	<input type="checkbox"/>	Belt cross harness [C]		200,-
D89805	<input type="checkbox"/>	Bodypoint Stayflex chest support without zipper [D]		274,-
D89898	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)		
D86895	<input type="checkbox"/>	S (Shoulder width 380-330 mm)		
D86896	<input type="checkbox"/>	M (Shoulder width 330-410 mm)		
D86896	<input type="checkbox"/>	L (Shoulder width 410-480 mm)		
D89802	<input type="checkbox"/>	Bodypoint Pivofit shoulder harness [E]		274,-
D89803	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)		
D86898	<input type="checkbox"/>	S (Shoulder width 380-330 mm)		
D86899	<input type="checkbox"/>	M (Shoulder width 330-410 mm)		
D86899	<input type="checkbox"/>	L (Shoulder width 410-480 mm)		

**NETTI CUSTOMIZED**

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

**CUSTOM MADE – most wanted special adapted items (price on request)**



**A**



**B**



**C**

<input type="checkbox"/>	Reinforced foot board in aluminium <b>(A)</b>
<input type="checkbox"/>	Extra-long calf supports (please state length) <b>(B)</b>
<input type="checkbox"/>	Calf support upholstery in special length or material
<input type="checkbox"/>	Back cushion with special side support <b>(C)</b>
<input type="checkbox"/>	Footboard that swings horizontally forwards
<input type="checkbox"/>	Sliding seat (for positioning and transfer)
<input type="checkbox"/>	One hand brake (please state which side)
<input type="checkbox"/>	Seat width extension for SW 500 mm

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

---



---



---



---




---



---

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.




Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width \_\_\_\_\_ mm and length \_\_\_\_\_ mm of the chair.



### TECHNICAL DATA

Tilt (seat)	-5° to +20°
Recline (back)	92° to 137°
Total width of the wheelchair	Seat width + 180 mm (std. wheels)/ + 195 mm (DB wheels) / +170 mm (12" + 16" DB wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seat plate	Min. 265 mm / max. 355 mm
Weight of wheelchair	App. 30 kg (without cushions)
Frame colour	Grey
Cover variant	3D cover (optional Easy Care cover with D21022)
Crash test	ISO 7176-19 (160 kg)

## Seat height – WITHOUT seat cushion (measured from floor to seat plate)



Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



### Measurements

- A Hip width/Seat width \_\_\_\_\_ mm
- B Thigh length / seat depth \_\_\_\_\_ mm
- C Arm rest height \_\_\_\_\_ mm
- D Leg length / seat height \_\_\_\_\_ mm
- E Backrest height \_\_\_\_\_ mm
- F Trunk width \_\_\_\_\_ mm