



D30038 380 mm B 380 mm* D30040 400 mm C 405 mm D 430 mm E 455 mm		Date			Customer code C					
Other delivery address Invoice address = delivery address Invoice address = delivery address Quote The chair will be used as seat for car transport Basic price: 5.795,- € Excl. VAT **Change in frame colour: From Beige metallic/black to Pearl orange/black (transition period from 11/2024) Seat width D30035 350 mm D30040 400 mm C 400 mm C 405 mm* D30040 400 mm C 430 mm B 430 mm* D30043 430 mm Seat depth A 955 mm Seat width D30043 430 mm D30045 450 mm B 430 mm* D30050 500 mm C 455 mm Capacity Max. 135 kg Seat take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. Item nr. Description Price in € Standard Wheel footprint – frame length and anti-tippers adjust automatically 0,- Standard Push bow height adjustable and foldable 0,- Standard Push bow hei		Invoice	voice address			Contact person				
Invoice address = delivery address Quote □ Invoice address = delivery address Quote □ The chair will be used as seat for car transport Basic price: 5.795,- € Excl. VAT **Change in frame colour: From Beige metallic/black to Pearl orange/black (transition period from 11/2024) Seat width D30035 350 mm D30038 380 mm B 380 mm* D30040 400 mm C 405 mm* D30040 400 mm C 405 mm* B 430 mm E 455 mm Seat width D30043 430 mm Seat depth A 405 mm* B 430 mm E 455 mm E 455 mm Seat width D30043 430 mm Seat depth A 405 mm* D30045 450 mm E 455 mm E 505 mm Capacity Max. 135 kg Seat take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. Seat addeeneeneeneeneeneeneeneeneeneeneeneenee						Referenc	e			
□ The chair will be used as seat for car transport Basic price: 5.795,- € Excl. VAT **Change in frame colour: From Beige metallic/black to Pearl orange/black (transition period from 11/2024) Seat width D30035 350 mm Seat width D30035 350 mm D30038 380 mm B 380 mm* D30040 400 mm C 405 mm* D30040 400 mm C 405 mm* D30040 400 mm E 455 mm Seat width D30043 430 mm Seat depth A 405 mm* D30045 450 mm B 430 mm* E 505 mm Seat width D30043 430 mm E 505 mm Capacity Max. 135 kg Seat height See page 6 * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. ■ = included in campaign offer Special offer Special offer Standard equipment = included in campaign offer						Other de	liver	y address		
□ The chair will be used as seat for car transport Basic price: 5.795,- € Excl. VAT **Change in frame colour: From Beige metallic/black to Pearl orange/black (transition period from 11/2024) Seat width D30035 350 mm Seat width D30035 350 mm D30038 380 mm B 380 mm* D30040 400 mm C 405 mm* D30040 400 mm C 405 mm* D30040 400 mm E 455 mm Seat width D30043 430 mm Seat depth A 405 mm* D30045 450 mm B 430 mm* E 505 mm Seat width D30043 430 mm E 505 mm Capacity Max. 135 kg Seat height See page 6 * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. ■ = included in campaign offer Special offer Special offer Standard equipment = included in campaign offer										
□ The chair will be used as seat for car transport Basic price: 5.795,- € Excl. VAT **Change in frame colour: From Beige metallic/black to Pearl orange/black (transition period from 11/2024) Seat width D30035 350 mm Seat width D30035 350 mm D30038 380 mm B 380 mm* D30040 400 mm C 405 mm* D30040 400 mm C 405 mm* D30040 400 mm E 455 mm Seat width D30043 430 mm Seat depth A 405 mm* D30045 450 mm B 430 mm* E 505 mm Seat width D30043 430 mm E 505 mm Capacity Max. 135 kg Seat height See page 6 * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. ■ = included in campaign offer Special offer Special offer Standard equipment = included in campaign offer										
Basic price: 5.795,- € Excl. VAT **Change in frame colour: From Beige metallic/black to Pearl orange/black (transition period from 11/2024) Seat width D30035 350 mm Seat depth A 355 mm* D30038 380 mm B 380 mm* D 405 mm* D30040 400 mm C 405 mm* D 430 mm* D30040 400 mm C 430 mm* D 430 mm* D30040 430 mm B 430 mm* D 430 mm* D30045 450 mm B 430 mm* D 4455 mm D30050 500 mm C 455 mm D 480 mm* E 505 mm Capacity Max. 135 kg Seat height See page 6 * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. Special offer Item nr. Description Price in € Standard @ Uber footprint – frame length and anti-tippers adjust automatically when chair is tilted 0,- Standard Push bow height adjustable and foldable 0,- 0,- Standard 0,- Standard<		Invo	ice addre	ss = delivery ad	dress	Quot	e			
**Change in frame colour: From Beige metallic/black to Pearl orange/black (transition period from 11/2024) Seat width D30035 350 mm Seat depth A 355 mm* D30038 380 mm B 380 mm* D30040 400 mm C 4005 mm D 4300 mm E 4355 mm Seat width D30043 430 mm Seat depth A 405 mm* D30045 450 mm B 430 mm* D30050 500 mm C 4555 mm D 480 mm E 5055 mm Capacity Max. 135 kg Seat height See page 6 * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. ■ = Standard equipment ■ = included in campaign offer Standard ■ Push bow height adjustable and foldable 0,- Standard ■ Push bow height adjustable and foldable 0,- Standard ■ Push bow height adjustable and foldable 0,- Standard ■ Car fastener 0,- Standard ■ User brake 0,-		The	chair will	be used as seat	t for car	transport				
Seat width D30035 350 mm Seat depth A 355 mm* D30038 380 mm B 380 mm* D 400 mm D30040 400 mm C 405 mm D 430 mm E 455 mm D 430 mm* E 430 mm* D30040 430 mm Seat depth A 405 mm* D30045 450 mm B 430 mm* D 440 mm* D30050 500 mm C 455 mm D 480 mm* D30050 500 mm C 455 mm D 480 mm* E 505 mm D 480 mm E 505 mm Capacity Max. 135 kg Seat height See page 6 * * Piese take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. Special offer FRAME Item nr. Description Price in € Standard Wheel footprint – frame length and anti-tippers adjust automatically of,- when chair is tilted 0,- Standard Push bow height adjustable and foldable 0,- 0,-		Basic	price: 5	. 795,- € Excl.	VAT					
D30038 380 mm B 380 mm* D30040 400 mm C 405 mm D30040 400 mm C 405 mm D 430 mm E 455 mm Seat width D30043 430 mm Seat depth A 405 mm* D30045 450 mm B 430 mm* D 480 mm* D30050 500 mm C 455 mm D 480 mm Capacity Max. 135 kg Seat height See page 6 * * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. Special offer = Standard equipment = included in campaign offer Special offer FRAME Wheel footprint – frame length and anti-tippers adjust automatically of,-	**Change in frame	e colour: Fi	rom Beige I	metallic/black to	Pearl ora	ange/black	(trai	nsition period from 11/	2024)	
D30040 400 mm C 405 mm D30040 400 mm D 430 mm E 455 mm 455 mm Seat width D30043 430 mm Seat depth A 405 mm* D30045 450 mm B 430 mm* D 430 mm* D30045 450 mm B 430 mm* D 480 mm* D30050 500 mm C 455 mm D 480 mm* E 505 mm D 480 mm E 505 mm Capacity Max. 135 kg Seat height See page 6 * * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. Special offer FRAME Item nr. Description Price in € Standard Wheel footprint – frame length and anti-tippers adjust automatically of,-when chair is tilted 0,- Standard Push bow height adjustable and foldable 0,- Standard Car fastener 0,- Standard Car fastener 0,- Standard User brake 0,- <	Seat width	D30035		350 mm	Sea	it depth	Α			
D 430 mm D 430 mm E 455 mm Seat width D30043 430 mm D30045 450 mm B 430 mm* D30050 500 mm C 455 mm D30050 500 mm C 455 mm D 480 mm* E 505 mm Capacity Max. 135 kg Seat height See page 6 * * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. Special offer FRAME		D30038		380 mm						
E 455 mm Seat width D30043 430 mm Seat depth A 405 mm* D30045 450 mm B 430 mm* A Casacity max. 135 mm D 480 mm E 505 mm Capacity Max. 135 kg Seat height See page 6 * * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. Special offer FRAME		D30040		400 mm						
D30045 450 mm B 430 mm* D30050 500 mm C 455 mm D 480 mm E 505 mm Capacity Max. 135 kg Seat height See page 6 * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. ■ = Standard equipment ■ = included in campaign offer FRAME Item nr. Description Price in € Standard Wheel footprint – frame length and anti-tippers adjust automatically when chair is tilted Standard Push bow height adjustable and foldable 0,- Standard Anti-tippers with pedal 0,- Standard User brake 0,- Standard User brake							_			
D30050 500 mm C 455 mm D 480 mm E 505 mm Capacity Max. 135 kg Seat height See page 6 * * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. • ■ = Standard equipment ■ = included in campaign offer • FRAME • • Item nr. Description Price in € Standard • Wheel footprint – frame length and anti-tippers adjust automatically offer Standard • Push bow height adjustable and foldable 0,- Standard • Push bow height adjustable and foldable 0,- Standard • Cross bar for sidewards frame stabilization 0,- Standard • • • 0,- Standard • • 0,- • Standard • • • • • • • • • • • • • • • • • • • •<	Seat width	D30043		430 mm	Sea	it depth	Α	405 mm*		
D 480 mm E 505 mm Capacity Max. 135 kg Seat height See page 6 * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. ■ = Standard equipment ■ = included in campaign offer FRAME FRAME FRAME Item nr. Description Price in € Standard Wheel footprint – frame length and anti-tippers adjust automatically when chair is tilted Standard Push bow height adjustable and foldable O,- Standard Cross bar for sidewards frame stabilization O,- Standard Car fastener O,- Standard User brake		D30045		450 mm		-	В	430 mm*		
E 505 mm Capacity Max. 135 kg Seat height See page 6 * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. Special offer		D30050		500 mm			-			
Capacity Max. 135 kg Seat height See page 6 * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°.										
Seat height See page 6 * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°.	Capacity Max 15	PE ka								
 * Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°. ■ = Standard equipment ■ = included in campaign offer Special offer FRAME Item nr. Description Price in € Standard Wheel footprint – frame length and anti-tippers adjust automatically 0,- when chair is tilted Standard Push bow height adjustable and foldable 0,- Standard Cross bar for sidewards frame stabilization 0,- Standard Car fastener 0,- Standard User brake 	• •	-								
■ = Standard equipment = included in campaign offer Special offer FRAME Item nr. Description Price in € Standard Wheel footprint – frame length and anti-tippers adjust automatically 0,- when chair is tilted 0,- Standard 0,- Standard Standard Push bow height adjustable and foldable 0,- Standard 0,- Standard 0,- Standard Standard Cross bar for sidewards frame stabilization 0,- Standard 0,- Standard 0,- Standard Standard Car fastener 0,- Standard 0,- O,- Standard 0,- O,- Standard 0,- Standard	-		possible co	onflict betweer	n the Net	ti Grandi:	s leg	support and front ca	stors when	
= Standard equipment = Included in campaign offer FRAME Item nr. Description Standard Wheel footprint – frame length and anti-tippers adjust automatically 0,- Standard Wheel footprint – frame length and anti-tippers adjust automatically 0,- Standard Push bow height adjustable and foldable 0,- Standard Cross bar for sidewards frame stabilization 0,- Standard Anti-tippers with pedal 0,- Standard Car fastener 0,- Standard User brake 0,-	the seat plate is	horizonta	l and the	leg supports ar	e adjuste	ed in 90°.			osial	
Item nr. Description Price in € Standard Wheel footprint – frame length and anti-tippers adjust automatically 0,- when chair is tilted 0,- Standard Push bow height adjustable and foldable 0,- Standard Cross bar for sidewards frame stabilization 0,- Standard Anti-tippers with pedal 0,- Standard Car fastener 0,- Standard User brake 0,-	Standard e	quipment	t 📕	= included in	campai	gn offer				
Standard Wheel footprint – frame length and anti-tippers adjust automatically when chair is tilted 0,- Standard Push bow height adjustable and foldable 0,- Standard Cross bar for sidewards frame stabilization 0,- Standard Anti-tippers with pedal 0,- Standard Car fastener 0,- Standard User brake 0,-	FRAME									
when chair is tilted 0,- Standard Push bow height adjustable and foldable 0,- Standard Cross bar for sidewards frame stabilization 0,- Standard Anti-tippers with pedal 0,- Standard Car fastener 0,- Standard User brake 0,-	ltem nr.	D	escription	l					Price in €	
Standard Cross bar for sidewards frame stabilization 0,- Standard Anti-tippers with pedal 0,- Standard Car fastener 0,- Standard User brake 0,-	Standar			•	ength an	d anti-tip	pers	adjust automatically	0,-	
StandardAnti-tippers with pedal0,-StandardCar fastener0,-StandardUser brake0,-	Standar	d 📕 P	ush bow h	eight adjustab	le and fo	ldable			0,-	
Standard Car fastener 0,- Standard User brake 0,-	Standar	d 📕 C	ross bar fo	or sidewards fra	ame stab	oilization			0,-	
Standard User brake 0,-	Standar	d 📕 A	nti-tipper	s with pedal					0,-	
	Standar	d 📕 Ca	ar fastene	r					0,-	
Standard Drum brakes 0,-	Standar	d 📕 U	ser brake						0,-	
	Standar	d 📕 D	rum brake	es					0,-	

Netti AdaptPro



D30824	Frame extension bracket for main wheels (main wheels moved 60 mm backwards)	305,-
D21022	Easy Care cover for seat and back – wipeable (not available for Netti Sit °C, Kyphotic, Ride cushions and Netti Relaxo head support)	0,-

BACK UNIT

Standard	Back height 500 (incl. adjustable velcro back)	0,-
Standard	Built-it back extender for back height 610 mm (longer cushion to be ordered separately)	0,-
Standard	Back cushion Netti Smart - side support 120 mm - 3D cover in black	0,-
D37376	Side support correction with upholstery left - for Netti Smart	247,-
D37378	Side support correction with upholstery right - for Netti Smart	247,-
D21023BG	Back cushion Netti Stabil - with 170 mm side support and 3D cover in black/orange (value 557,-)	0,-
D21123BG	Back cushion Netti Super Stabil – with 170 mm reinforced side support and 3D cover in black/orange (black version available now)	651,-
D26830	Side support stable left – for Netti Stabil, Super Stabil & Kyphotic Please note: Can only be used when back extender is in top position or removed.	252,-
D26843	Side support stable right – for Netti Stabil, Super Stabil & Kyphotic Please note: Can only be used when back extender is in top position or removed.	252,-
D31006	Back cushion delivered in back height 600 mm – according to cushion choice: Netti Smart, Stabil or Super Stabil delivered with black 3D cover	142,-
D20630	Back cushion Netti Kyphotic - black 3D/Stella cover - only back height 500 mm (back height 600 mm in special adaptation)	746 <i>,</i> -
	Ride Designs Back solution* (See separate order form)	
	Article number: / Accessories:	
D21042	Lumbar support	189,-
D21084	Back wedge	189,-
AMIC ACCRISSOR	Netti Dynamic back gas spring Allows up to 30° trunk movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Including Bodypoint Evoflex pelvic stabilizer 2-point belt: Please choose size: XS M L	Price on request

For more information and choice of strength of gas spring, feel free to contact us. If combined with other options, please send us a request as some solutions are only possible as special adaptations.

D32231 – 300N	
D32232 – 450N	
D32233 – 600N	
D32234 – 750N	



For a complete Dynamic System with dynamic seat unit, please see the
Netti Dynamic AdaptPro order form.

Standard	Seat plate with pressure reduction properties. Easy to adjust for correct positioning	0,-
Standard	Rail for mounting of pelvic belts	
Standard	Seat cushion Netti Sit – pressure relief seat cushion with incontinence layer under the 3D cover	0,-
D21017	Seat cushion cover °C for Netti Sit cushion with temperature regulating features – only 3D cover	557,-
D40001	Pressure distribution and relief seat cushion Netti Precision 1	Price on
	Cover Stella +/ Easy Care + depending on the fabric for the whole chair	request
	Article number	
D40002	Pressure distribution and relief seat cushion Netti Precision 2	Price or
	Cover Stella +/ Easy Care + depending on the fabric for the whole	request
	chair	
	Article number	
	(if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)	
D50000/	Ride Designs Forward seat cushion (See separate order form – please	Price of
D50001	choose a width 20 mm smaller than seat width for perfect fit)	reques
	Article number: / Accessories:	
D50002	Ride Designs Java seat cushion (See separate order form – please	Price o
	choose a width 20 mm smaller than seat width for perfect fit)	reques
	Article number: / Accessories:	
D21048	Incontinence cover for seat cushion	242,
D37490	Abduction block small	263,
D37491	Abduction block medium	263,
D37492	Abduction block large	263,

LEG SUPPORTS

Standard	Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis. The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	0,-
D88602	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	211,-





D88607	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	113,-
D21745	Calf support bracket upholstery - pair - skai cover	63,-
D88014	Foot fixation, pair incl. mounting kit	236,-
D88603	Foot board, lockable and upwards swingable	386,-
D88605	Footbox, upholstered with Skai cover (approved for car transport)	728,-
D21293	Calf strap	95,-
D86900	Bodypoint calf strap M	181,-
D86901	Bodypoint calf strap L	181,-
	Bodypoint ankle huggers with upholstery	
	D88863 S (L: 170-200 mm)	327,-
	D88864 M (L: 190-230 mm)	327,-
RP	D88865 L (L: 220-290 mm)	337,-
	D88866 XL (L: 280-330 mm)	360,-

D88611	Amputation support left (amputation support on both sides only together with frame extension D30824) incl. Netti Grandis leg support right side	504,-
D88610	Amputation support right (amputation support on both sides only together with frame extension D30824) incl. Netti Grandis leg support left side	504,-

D88609	Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	130,-	-
D88603	Foot board, lockable and upwards swingable	386,-	-
D88605	Footbox, upholstered with Skai cover (approved for car transport)	728,-	

Manually angle adjustable leg supports

D21111
F

-automatic length adjustment
 -angle adjustable foot plates
 -calf supports and knee upholstery

Manually angle adjustable leg supports with

137,-





D88211	Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
M	Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm)	242,- 242,- 252,- 273,-
D23014	Footfixation	147,-
D21008	Gas spring	987,-
D21044	Foot board	326,-
D21041	Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D24000	Calf support, swingable, pair	189,-
D21745	Calf support bracket upholstery - pair - skai cover	63,-
D41617	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D28453	Foot plate upholstery - pair - skai cover	305,-
D86900	Bodypoint calf strap M	181,-
D86901	Bodypoint calf strap L	181,-

Universal leg suppo	rts		
D24006		Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. Without calf supports, delivered with heel straps.	137,-
		Bodypoint ankle huggers with upholstery incl. mounting kit D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm)	242,- 242,- 252,- 273,-
D21044		Foot board, without heel strap	326,-
D21041		Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D86900		Bodypoint calf strap M	181,-
D86901		Bodypoint calf strap L	181,-

Netti Dynamic angle adjustable leg rests

		Netti Dynamic angle adjustable leg rests DUAL with calf	Price on
THAMIC ACCU		supports and footboard, 100N.	request
	D82296	Adjustment piece 300 mm (lower leg length 450-550 mm)	
347 0 587	D82298	Adjustment piece 214 mm (lower leg length 350-450 mm)	





D82318 D82319	<u>Adjustable for different thigh lengths:</u> Adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm)		
D45245	Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard s not angle adjustable, but this can be offered as special adaptation.		
D88211	Leg support upper parts with lever instead of star wheel for angle adjustment	89,-	
D32296	Extra-long knee upholstery 550 mm – 3D cover	290,-	
	Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm)	242,- 242,- 252,- 273,-	
D21745	Calf support bracket upholstery - pair - skai cover	63,-	
D41617	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair		
D86900	Bodypoint calf strap M	181,-	
D86901	Bodypoint calf strap L	181,-	

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

Standard	Arm support swingable to the back for easy side transfer	0,-
Standard	Arm support hinged at the wheelchair back	0,-
Standard	Arm supports height and depth adjustable with tools	0,-
Standard	Arm pads 385 x 58 mm	0,-
D21077	Arm pads 420 x 80 mm	126,-
D21078	Arm pads 445 x 70 mm	126,-
D21079	Arm pads 525 x 80 mm	126,-
D41649	Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	116,-
D41650	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	137,-
D23003	Hemiplegic cushion	221,-

MAIN AND FRONT WHEEL

Standard	Main wheels 24 x 1 PU black edition with drum brakes	0,-
Standard	Front wheels: 7" 175 x 33 PU – black edition Seat height 417 mm 447 mm	0,-
D21021	Front wheels: 7" – 175 x 45 PU (necessary for supportive engines) – grey edition Seat height 417 mm 447 mm	95,-





D32035	Main wheels 16" PU + front wheels 6" PU – grey edition	589,-
	Seat height: 410 mm	
D22009	Hand and spoke protectors for 24" wheels, transparent, pair	158,-
D22013	Push rim cover for 24" wheels, pair	126,-

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS -

P)	-1	-6 @	-				
Relaxo		А	В	С	D	E	F
D30572		Head support Rel vertical bar 300 n	· · · · · · · · · · · · · · · · · · ·	ole with 3D c	over (value 477	,-) —	0,-
D30575		Head support A, v	with side support	(H: 150 mm/ V	: 300 mm)*		320,-
D30566		Head support A w mm)* (not approved for car headrest)			•		477,-
D82568		Extra comfort pag	ds for the head ba	and of D3056	6, pair		34,-
D30574		Head support B, s	mall, oval (H: 150	mm/ V: 300 mn	n)*		320,-
D30573		Head support C, I	arge, square (H: 1	50 mm/ V: 300	mm)*		320,-
D32746		Netti Dynamic he other options, plea special adaptations	se send us a reque	st, as some so	lutions are only p		Price on request
D30576		Head support D, o	comfort (pressure	e distributive) (H: 150 mm/ V: 30	00 mm)*	404,-
D37575		Head support E w	vith adjustable sid	le supports (I	H: 150 mm/ V: 300	mm)*	488,-
D37576		Head support F w (not approved for car headrest)		•	•	Netti	642,-
D21064		Headrest adjustm available for Head	•	ntal) + 50 mn	n, length 200 m	m – not	95,-
D21027		Headrest adjustm not available for H	•		m, length 250 n	nm –	95,-
D21065		Headrest adjustm not available for H	•		m, length 300 n	nm –	95,-
D23004		Comfort cushion	for head rest type	e C – remova	ble with Mars c	over	189,-
D23012		Easy Care cover for	or head rest type	A, B, C – rem	novable		95,-
D23013		3D cover for head	l rest type A, B, C	– removable	2		95,-
D23015		Grey head rest cu	shion with Mars	cover			242,-
		* horizontal bar 150 r	nm / vertical bar 300) mm			







D35372	 [A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved for car transport – if this is needed please order an additional Netti headrest) 	Price on request
D35374	 [A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport – if this is needed please order an additional Netti headrest) 	Price on request
D45373	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request

TRAYS

Tray swingable	273,-
Tray spacer for swingable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	30,-
Tray lockable	273,-
Tray spacer for lockable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	20,-
Universal tray (Please note: Depending on how far on the armrest the table is set, a conflict between the table and wheels may occur when the chair is tilted.)	236,-
Upholstery for tray	126,-
	 Tray spacer for swingable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650 Tray lockable Tray spacer for lockable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650 Universal tray (Please note: Depending on how far on the armrest the table is set, a conflict between the table and wheels may occur when the chair is tilted.)

VARIOUS ACCESSORIES

Tool kit

105,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories	s for seat unit			
			5	
[A]	[B]	[C]	[D]	[E]
Standard	Rail for mounting of pel	vic belts		0,-
D20845	Hip belt, with upholster	y and car belt lock	[A]	126,-





Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting kit [B]	210,-
	224,-
	227,
	74,-
	395,-
	595,-
L (overall pad length: 620 mm)	
Abduction belt [D]	530,-
Bodypoint supportive universal elastic strap	189,-
S (Height 80 mm - 1420 mm long, easily cut-to-length)	
L (Height 110 mm - 1420 mm long, easily cut-to-length)	
XL (Height 150 mm - 1420 mm long, easily cut-to-length)	
	 XS (overall pad length: 380 mm) M (overall pad length: 460 mm) L (overall pad length: 620 mm) Bodypoint 2-point hip belt incl. mouting kit [E] XS (overall pad length: 360 mm) S (overall pad length: 400 mm) M (overall pad length: 460 mm) Security cover for type [B], [C] and [E] in XS/M/L Bodypoint 4-point pelvic stabiliser incl. mounting kit [C] XS (overall pad length: 460 mm) M (overall pad length 360 mm) M (overall pad length: 460 mm) L (overall pad length: 460 mm) L (overall pad length: 620 mm) Abduction belt [D] Bodypoint supportive universal elastic strap S (Height 80 mm - 1420 mm long, easily cut-to-length) L (Height 110 mm - 1420 mm long, easily cut-to-length)

Belts and accessories for back unit

		X			
[A]	[B]	[C]	[D]	[E]	
D36890	H-harness adaptor l	kit (recommended for a	all upper body ha	rnesses) [A]	326,-
D20881	H-belt, with upholst	tery and car belt lock [E	3]		263,-
D41645	Belt cross harness [C]			200,-
	Bodypoint Stayflex	chest support without :	zipper [D]		274,-
D89805	XS (Shoulder width	240-280 mm)			
D89898	S (Shoulder width 2	80-330 mm)			
D86895	M (Shoulder width	330-410 mm)			
D86896	L (Shoulder width 4	10-480 mm)			
	Bodypoint Pivofit sh	noulder harness [E]			274,-
D89802	XS (Shoulder width	240-280 mm)			
D89803	S (Shoulder width 2	80-330 mm)			
D86898	M (Shoulder width	330-410 mm)			
D86899	L (Shoulder width 4	10-480 mm)			

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.



CUSTOM MADE - most wanted special adapted items (price on request)

Hemiplegic armrest right
Hemiplegic armrest left
Decon E-Drive with attendant control

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

er weight:		

Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width ______ mm and length _____ mm of the chair.


TECHNICAL DATA

Tilt (seat)	-3° to +30°
Recline (back)	87° to 133°
Total width of the wheelchair	Seat width + 232 mm
Total length	Min: 1280 mm with vertical leg support, vertical push bow and horizontal seat. Max. with 30° tilt is 1600 mm.
Distance arm support to seat plate	Min: 265 mm/ max. 375 mm
Weight of wheelchair	SW 450 – app. 53 kg incl. wheels, cushions, and head support
Frame colour	Beige metallic and black / Pearl orange and black (transition period from 11/2024)
Cover variants	Stretchable & flexible cover 3D Easy Care antibacterial cover, washable
Crash test	ISO 7176-19 (135 kg)

Leg supports	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm
Netti Dynamic leg rests	350 (450) mm	450 (550) mm

Netti AdaptPro





Measurements

A Hip width/Seat width	mm
B Thigh length / seat depth	mm
C Arm rest height	mm
D Leg length / seat height	mm
E Backrest height	mm
F Trunk width	mm