



	Invoice address		Contact Reference			
		ss = delivery ad	dress Quot	2		
**Change in frame	Basic price: 5	·		(transition period from 11/202	24)	
Seat width	D30035	350 mm 380 mm 400 mm	Seat depth	A 355 mm* B 380 mm* C 405 mm D 430 mm E 455 mm		
Seat width	D30043 D30045 D30050	430 mm 450 mm 500 mm	Seat depth	A 405 mm* B 430 mm* C 455 mm D 480 mm E 505 mm		
	page 6 te of the possible con norizontal and the			s leg support and front casto	rs when	
FRAME	<u> </u>					
Item nr.	Description			Pr	ice in €	
Standar		print – frame le	ength and anti-tip	pers adjust automatically	0,-	
Standar	Push bow h	eight adjustab	le and foldable		0,-	
Standar	Cross bar fo	or sidewards fra	ame stabilization		0,-	
Standar	Anti-tipper	s with pedal			0,-	
Standar	d Car fastene	r			0,-	
Standar	User brake				0,-	
Standar	Drum brake) C			0 -	





	D30824	Frame extension bracket for main wheels (main wheels moved 60 mm backwards)	305,-
	D21022	Easy Care cover for seat and back – wipeable (not available for Netti Sit °C, Kyphotic, Ride cushions and Netti Relaxo head support)	0,-
ВАСК	UNIT		
	Standard	Back height 500 (incl. adjustable velcro back)	0,-
	Standard	Built-it back extender for back height 610 mm (longer cushion to be ordered separately)	0,-
	Standard	Back cushion Netti Smart - side support 120 mm - 3D cover in black	0,-
	D37376	Side support correction with upholstery left - for Netti Smart	247,-
	D37378	Side support correction with upholstery right - for Netti Smart	247,-
	D21023BO	Back cushion Netti Stabil - with 170 mm side support and 3D cover in black/orange	557,-
	D21123BO	Back cushion Netti Super Stabil – with 170 mm reinforced side support and 3D cover in black/orange	651,-
	D26830	Side support stable left – for Netti Stabil, Super Stabil & Kyphotic Please note: Can only be used when back extender is in top position or removed. The arm support will not be fully swingable behind the back when mounted.	252,-
	D26843	Side support stable right – for Netti Stabil, Super Stabil & Kyphotic Please note: Can only be used when back extender is in top position or removed. The arm support will not be fully swingable behind the back when mounted.	252,-
	D31006	Back cushion delivered in back height 600 mm – according to cushion choice: Netti Smart, Stabil or Super Stabil delivered with black 3D cover	142,-
	D20630	Back cushion Netti Kyphotic - black 3D/Stella cover - only back height 500 mm (back height 600 mm in special adaptation)	746,-
		Ride Designs Back solution* (See separate order form) Article number: / Accessories:	
	D21042	Lumbar support	189,-
	D21084	Back wedge	189,-
THE MICE	A CCESSORIES	Netti Dynamic back gas spring Allows up to 30° trunk movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Including Bodypoint Evoflex pelvic stabilizer 2-point belt: Please choose size: XS	Price on request
		For more information and choice of strength of gas spring, feel free to contact us. If combined with other options, please send us a request as some solutions are only possible as special adaptations. D32231 – 300N D32232 – 450N	





	D32233 – 600N	
	For a complete Dynamic System with dynamic seat unit, please see the Netti Dynamic AdaptPro order form.	
SEAT UNIT		
Standard 	Seat plate with pressure reduction properties. Easy to adjust for correct positioning	0,
Standard Standard	Rail for mounting of pelvic belts	
Standard Standard	Seat cushion Netti Sit – pressure relief seat cushion with incontinence layer under the 3D cover	0,
D21017	Seat cushion cover °C for Netti Sit cushion with temperature regulating features – only 3D cover	557,
D40001	Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/ Easy Care + depending on the fabric for the whole chair. Article number (if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)	Price or reques
D40002	Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/ Easy Care + depending on the fabric for the whole chair. Article number (if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)	Price or reques
D50000/ D50001	Ride Designs Forward seat cushion (See separate order form – please choose a width 20 mm smaller than seat width for perfect fit) Article number: / Accessories:	Price or reques
D50002	Ride Designs Java seat cushion (See separate order form – please choose a width 20 mm smaller than seat width for perfect fit) Article number: / Accessories:	Price or reques
D21048	Incontinence cover for seat cushion	242,
D37490	Abduction block small	263,
D37491	Abduction block medium	263,
D37492	Abduction block large	263,
LEG SUPPORTS		
Netti Grandis angle a	djustable leg support	
Standard	■ Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis. The foot support is sharestorized by unique organizes and	0,
	The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	
D88602	☐ Calf support upholstery extra soft - pair - EC or 3D cover	211,

depending on the fabric for the whole chair





D88607		Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	113,-
D21745		Calf support bracket upholstery - pair - skai cover	63,-
D88014		Foot fixation, pair incl. mounting kit	236,
D88603		Foot board, lockable and upwards swingable	386,
D88605		Footbox, upholstered with Skai cover (approved for car	728,-
		transport)	
D21293		Calf strap	95,-
D86900		Bodypoint calf strap M	181,
D86901		Bodypoint calf strap L	181,
	_	Bodypoint ankle huggers with upholstery	
		D88863 S (L: 170-200 mm)	327,
		D88864 M (L: 190-230 mm)	327,
1413		D88865 L (L: 220-290 mm)	337,
11.		D88866 XL (L: 280-330 mm)	360,
letti Grandis ampu	tatior	n support	
D88611		Amputation support left (amputation support on both sides only	504,
		together with frame extension D30824) incl. Netti Grandis leg	
		support right side	
D88610		Amputation support right (amputation support on both sides	504,
200010	_	only together with frame extension D30824) incl. Netti Grandis	301,
		leg support left side	
Netti Grandis leg su	pport	: with fixed angle	
D88609		Netti Grandis leg supports with fixed angle for complex	130,
		individual configurations. Reduces pressure and shear forces.	/
I		For users with e.g. contractions, leg asymmetry.	
		The foot support is characterized by unique ergonomics and	
		user-friendliness due to scale displays and conical extension	
		pieces. Adjustable in a fixed angle – also below 90°. Including	
		heel strap.	
D88603		Foot board, lockable and upwards swingable	386
D88605		Footbox, upholstered with Skai cover (approved for car	728,
		transport)	
lanually angle adju	ıstabl	le leg supports	
D21111		Manually angle adjustable leg supports with	137,
DZ1111	_	-automatic length adjustment	137,
III.			
1		-angle adjustable foot plates	
		-calf supports and knee upholstery	
D88211		Leg support upper parts with lever instead of star wheel for	89,-
		angle adjustment	,





	-			
		_	Bodypoint ankle huggers with upholstery	242
	1415		D44863 S (L: 170-200 mm)	242,-
			D44864 M (L: 190-230 mm)	242,-
			D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm)	252,- 273,-
	D23014		Footfixation	147,-
	D21008		Gas spring	987,-
	D21044		Foot board	326,-
	D21041		Foot box upholstered (not approved for car transport, if this is	515,-
			needed, please use the Netti Grandis solution which is approved)	3-3,
	D24000		Calf support, swingable, pair	189,-
	D21745		Calf support bracket upholstery - pair - skai cover	63,-
	D41617		Calf support upholstery extra soft - pair - EC or 3D cover	221,-
			depending on the fabric for the whole chair	
	D28453		Foot plate upholstery - pair - skai cover	305,-
	D86900		Bodypoint calf strap M	181,-
	D86901		Bodypoint calf strap L	181,-
Jnivers	al leg support	:S		
	D24006		Universal leg supports with knee angle adjustment, adjustable	137,-
			below 90° for contract leg situations with seat unit tilted when chair is pushed. Without calf supports, delivered with heel straps.	·
			Bodypoint ankle huggers with upholstery incl. mounting kit	
			D44863 S (L: 170-200 mm)	242,-
			D44864 M (L: 190-230 mm)	242,-
	TAPE		D44865 L (L: 220-290 mm)	252,-
	4 4 -		D44904 XL (L: 280-330 mm)	273,-
	D21044		Foot board, without heel strap	326,-
	D21041		Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
	D86900		Bodypoint calf strap M	181,-
	D86901		Bodypoint calf strap L	181,-
letti Dy	ynamic angle	adju	stable leg rests	
			Netti Dynamic angle adjustable leg rests with calf supports and	Price on
WIC 4CC			footboard, 100N.	request
SSS	D82296		Adjustment piece 300 mm (lower leg length 450-550 mm)	
\$7	D82298		Adjustment piece 214 mm (lower leg length 350-450 mm)	
			Adjustable for different thigh lengths:	_
	D82318		Adjustment piece 300 mm (lower leg length 450-550 mm)	
	D82319		Adjustment piece 214 mm (lower leg length 350-450 mm)	



D32035

D22009



589,-

158,-

D88211 D32296	 □ Leg support upper parts with lever instead of star wheel for angle adjustment □ Extra-long knee upholstery 550 mm – 3D cover Bodypoint ankle huggers with upholstery □ D44863 S (L: 170-200 mm) □ D44864 M (L: 190-230 mm) □ D44865 L (L: 220-290 mm) 	89,- 290,- 242,-
	Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm)	
	☐ D44863 S (L: 170-200 mm) ☐ D44864 M (L: 190-230 mm)	242,-
	D44904 XL (L: 280-330 mm)	242,- 252,- 273,-
D21745	☐ Calf support bracket upholstery - pair - skai cover	63,-
D41617	☐ Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D86900	☐ Bodypoint calf strap M	181,-
D86901	☐ Bodypoint calf strap L	181,-
Standard	Arm support hinged at the wheelchair back	0,
Standard	Arm supports height and depth adjustable with tools	
Standard	Arm supports height and depth adjustable with tools Arm pads 385 x 58 mm	0,
Standard D21077	Arm supports height and depth adjustable with tools Arm pads 385 x 58 mm Arm pads 420 x 80 mm	0 126
Standard D21077 D21078	Arm supports height and depth adjustable with tools Arm pads 385 x 58 mm Arm pads 420 x 80 mm Arm pads 445 x 70 mm	126 126
Standard D21077	Arm supports height and depth adjustable with tools Arm pads 385 x 58 mm Arm pads 420 x 80 mm	126, 126, 126,
Standard D21077 D21078 D21079	Arm supports height and depth adjustable with tools Arm pads 385 x 58 mm Arm pads 420 x 80 mm Arm pads 445 x 70 mm Arm pads 525 x 80 mm Standard arm pad upholstery extra soft, EC or 3D cover depending on	0, 0, 126, 126, 126, 116,

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

Hand and spoke protectors for 24" wheels, transparent, pair

Main wheels 16" PU + front wheels 6" PU – grey edition


Seat height: 410 mm





D22013 Push rim cover for 24" wheels, pair	126,-
--	-------

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS





D35372 [A] Savant head support incl. headband, small – height 130 mm

User forehead 460-560 mm

User ½ circumference behind ears 150-180 mm

Inside distance along top support 300 mm, along middle support 180 mm






		(not approved for car transport – if this is needed please order an additional Netti headrest)	
D35374		[A] Savant head support incl. headband, adult — height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport — if this is needed please order an additional Netti headrest)	Price or request
D45373		[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price or request
D45375		Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price or request
RAYS			
D28826		Tray swingable	273,
D28828		Tray lockable	273,
D93316		Tray spacer for swingable or lockable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	20,
			226
D21059		Universal tray (Please note: Depending on how far on the armrest the table is	230,
D21059		Universal tray (Please note: Depending on how far on the armrest the table is set, a conflict between the table and wheels may occur when the chair is tilted.)	230,
D21059		set, a conflict between the table and wheels may occur when the chair is	
	ESSO	set, a conflict between the table and wheels may occur when the chair is tilted.) Upholstery for tray	236,· 126,·

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit







D45025 D45026	S (overall pad length: 400 mm) M (overall pad length: 460 mm)	
D45040	Security cover for type [B], [C] and [E] in XS/M/L	74,-
·	Bodypoint 4-point pelvic stabiliser incl. mounting kit [C]	395,-
D36889	XS (overall pad length 360 mm)	
D36893	M (overall pad length: 460 mm)	
D36894	L (overall pad length: 620 mm)	
D60001	Abduction belt [D]	530,-
	Bodypoint supportive universal elastic strap	189,-
D45084	S (Height 80 mm - 1420 mm long, easily cut-to-length)	
D45085	L (Height 110 mm - 1420 mm long, easily cut-to-length)	
D45086	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	

Belts and accessories for back unit











					1
[A]	[B]	[C]	[D]	[E]	
D36890	H-harness adaptor kit	(recommended for a	all upper body har	nesses) [A]	326,-
D20881	H-belt, with upholster	y and car belt lock [3]		263,-
D41645	Belt cross harness [C]				200,-
	Bodypoint Stayflex ch	est support without	zipper [D]		274,-
D89805	XS (Shoulder width 24	0-280 mm)			
D89898	S (Shoulder width 280)-330 mm)			
D86895	M (Shoulder width 33	0-410 mm)			
D86896	L (Shoulder width 410)-480 mm)			
	Bodypoint Pivofit show	ulder harness [E]			274,
D89802	XS (Shoulder width 24	10-280 mm)			
D89803	S (Shoulder width 280)-330 mm)			
D86898	M (Shoulder width 33	0-410 mm)			
D86899	L (Shoulder width 410)-480 mm)			

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

See examples and more about our special solutions online.



CUSTOM MADE – most wanted special adapted items (price on request)



Netti Dynamic leg rests




Hemiplegic armrest right	t	
Hemiplegic armrest left		
Decon E-Drive with atter	ndant control	
Please describe your current case and	how a possible solution could look	. If you have any picture or video
material, we would also like to see thi	s. To offer the best solution, please	describe the user in the best
possible way, e.g. such as any given di	agnosis, user weight and/or the exa	act pattern movement of the user.
Haarwaiaht		
User weight:		
		·
Please inform us if there are any speci	al circumstances in the living area t	that has an influence for the chair:
e.g. the total possible width	mm and length mm of the	chair.
TECHNICAL DATA		
Tilt (seat)	-3° to +30°	
Recline (back)	87° to 133°	
Total width of the wheelchair	Seat width + 232 mm	
Total length	Min: 1280 mm with vertical leg	• • •
	horizontal seat. Max. with 30° t	ilt is 1600 mm.
Distance arm support to seat plate	Min: 265 mm/ max. 375 mm	
Weight of wheelchair	SW 450 – app. 53 kg incl. wheel	s, cushions, and head
	support	
Frame colour	Beige metallic and black / Pearl (transition period from 11/2024)	_
Cover variants	Stretchable & flexible cover 3D	· · · · · · · · · · · · · · · · · · ·
Cover variants	Easy Care antibacterial cover, w	rashahle
Crash test	ISO 7176-19 (135 kg)	asilasie
Leg supports	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm

350 (450) mm

450 (550) mm







Measurements

A Hip width/Seat width	mn
B Thigh length / seat depth	mn
C Arm rest height	mn
D Leg length / seat height	mn
E Backrest height	mn
E Trunk width	mn