



Date		Customer co	ode C		
Invoice addres	s	Contact pers	son		
		Reference _			
		Other delive	ry address		
Invoice add	dress = delivery address	Quote			-
			NETTI DYNA	MIC COMPLETE	SYSTEM
			seat unit with dyn hand protection, tippers, Bodypoir	mplete system is equi namic seat plate, armr frame extension, long at EVOFLEX pelvic stab en gas spring for the b	ests with er anti ilizer and an
☐ The chair wi	ill be used as seat for car	transport.			
Price on	request				
Seat width	D66135 350 mm		Capacity	Max. load is 135 kg seating unit.	minus weight of
	D66145  450 mm D66150 500 mm		_	See page 13 425-500 mm adjust per step	table by 25 mm
Seat depth  425	450 475 500	)			
_	Netti Dynamic System on ned professional. For mo	•	•	-	





DYNAMIC SEAT- AND BACKSOLUTION
Please contact us for recommendation on the choice of gas spring.
Option 1: 15° Dynamic gas spring for the back angle - cannot be blocked - incl. dynamic seat unit Not allowed for car transportation, as the back angle cannot be blocked.
Back unit with Dynamic gas spring allows 15° trunk extension movements backwards. The standard recline is maintained and can be adjusted in any position. The Dynamic gas spring cannot be blocked. Recommended for stiffness patterns which tend to persist, spasticity, and for comfort and prevention.  Dynamic gas spring 80 N  Dynamic gas spring 120 N  Dynamic gas spring 160 N
EVOFLEX pelvic stabilizer: Please choose the size from the table on page 9.
Size XS M L
Option 2: 40° Dynamic FREE gas spring for the back angle - lockable - incl. dynamic seat unit
Back unit with Dynamic Free gas spring allows up to 40° trunk extension movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously which can be appropriate during transport or positioning. The back recline and blocking/unblocking of tl dynamic back movement is done with a special dynamic release handle. The Dynamic Free gas spring is recommended for severe extension patterns, also for violent and sudden movements.
Dynamic FREE gas spring 200 N (SW 350 - 400 mm) Dynamic FREE gas spring 300 N (SW 350 - 400 mm) Dynamic FREE gas spring 400 N (SW 350 - 400 mm) Dynamic FREE gas spring 500 N (SW 350 - 400 mm) Dynamic FREE gas spring 600 N (SW 350 - 430 mm) Dynamic FREE gas spring 700 N (SW 350 - 430 mm) Dynamic FREE gas spring 800 N (SW 350 - 430 mm) Dynamic FREE gas spring 900 N (SW 450 - 500 mm) Dynamic FREE gas spring 1000 N (SW 450 - 500 mm) Dynamic FREE gas spring 1100 N (SW 450 - 400 mm) Dynamic FREE gas spring 1200 N (SW 450 - 500 mm) Dynamic FREE gas spring 1300 N (SW 450 - 500 mm) Dynamic FREE gas spring 1300 N (SW 450 - 500 mm)
EVOFLEX pelvic stabilizer: Please choose the size from the table on page 9.
Size XS M L
D45040 Security cover for 2/4-point pelvic stabilizer (XS, M, L) 74
Jecurity cover for 2/4-point pervic stabilizer (A3, IVI, L)





D87903			ne limiter (possible to limit in different positions from 116° - 134°) Price	on request
	f	or th	e Netti Dynamic Free back spring (to be mounted by the dealer)	422
	_ /	Alter	native to the 2-point pelvic stabilizer	423,-
			D86889 – Bodypoint 4-point padded hip belt – Size XS	
		Ħ	D86893 – Bodypoint 4-point padded hip belt – Size M	
			D86894 – Bodypoint 4-point padded hip belt – Size L	
		Plea	ase choose the size from the table on page 9.	
DYNAMIC H	IEAD S	UP	PORT SOLUTION	
				Price on
		D8	2746 Netti Dynamic head support C incl. head support	request
			adapter in aluminium	
U				
DYNAMIC L	EG SU	PPC	ORT SOLUTION	
-			solution is for users with an asymmetric movement pattern. It is specia	-
•			ven forces from the legs. Futhermore the Netti Dynamic leg supports a	illows
for different leg	g length			Price on
	Ţ		D82296 Dynamic leg support angle adjustable with calf supports and footboard, 100 N Std. 300 mm adjustment piece (Lower leg	request
			length 450-550 mm)	
			D82298 With 214 mm adjustment piece (Lower leg	
			length 350-450 mm)	
			D82318 Dynamic leg support angle adjustable with	
			calf supports and footboard, 100 N	
			Including extension bracket to be used by	
			uneven leg length or leg position adjusting the	
			foot board depth. Std. 300 mm adjustment	
			piece (Lower leg length 450-550 mm)	
			D82319 With 214 mm adjustment piece (Lower leg length 350-450 mm)	
			length 350-450 mm)	
Accessories for	Netti Dy	ynan	nic leg rests (for other leg support solutions please see page 5)	
-	8211		Leg support upper parts with lever instead of star wheel for	89,-
			angle adjustment	
	2296		Extra-long knee upholstery 550 mm – 3D cover	290,-
D4	5245		Reinforced automatic footboard lock - Not possible to combine with D82218/9 (extension bracket). With this lock the footboard	Price on request

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300





181,-

is not angle adjustable, but this can be offered as special adaptation.

	adaptation.	
	Bodypoint ankle huggers incl. mounting material	
RE	D44863 S (L: 170-200 mm)	242,-
4 1 4	D44864 M (L: 190-230 mm)	242,-
	D44865 L (L: 220-290 mm)	252,-
	D44904 XL (L: 280-330 mm)	272,-
D21081	Extra abduction for legrets (+50 mm) - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	431,-
D21745	Calf support bracket upholstery - pair - skai cover	63,-
D41617	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D86900	Bodypoint calf strap M	181,-

## = Standard equipment

Please send us a request for combinations with NDS options, as some combinations are only possible as special adaptions.

■ Bodypoint calf strap L

## FRAME AND ACCESSORIES

D86901

Standard <b>Standard</b>	Push bow	0,-
Standard <b>T</b>	Anti tip – swingable	0,-
Standard <b>T</b>	Frame extension including longer anti tippers	0,-
Standard	Frame brakes	0,-
D86099	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	177,-
D42177	Push bow, angle adjustable	284,-
D29474	Tilt-restrictor (no negative tilt frontwards)	42,-
D41074	Car fastening, pair	179,-
D83937	SW extension kit mounted 2 x 12 mm – only for SW 350-450 mm	167,-
Special	Arm support comfort pads (reduces SW with 2 x 15 mm) incl. a seat plate in special adaptations with cut out to allow the movement of the dynamic seat unit. Seat cushion will for the same reasons also be delivered in a smaller size.	Price on request
D21022	Easy Care cover (not available for Netti Sit °C and Ride cushion)	0,-
D45084	Bodypoint supportive universal elastic strap S (Height 80 mm - 1420 mm long, easily cut-to-length) L (Height 110 mm - 1420 mm long, easily cut-to-length) XL (Height 150 mm - 1420 mm long, easily cut-to-length)	189,-





# **BACK UNIT (for belts please see page 9)**

Standard	Back height 500 mm	0,-
D21137	Adjustable velcro back (mounting through local dealer)	294,-
D88468	Side support Basic, pair	387,-
D21338	Back cushion Netti Smart – with 120 mm side support with 3D cover – only in combination with D21137	337,-
D21335	Back cushion Netti Stabil – with 170 mm side support with 3D cover – only in combination with D21137	557,-
D21336	Back cushion Netti Super Stabil – with 170 mm reinforced side support with 3D cover – only in combination with D21137	651,-
D20630	Back cushion Netti Kyphotic with 3D/Stella cover - only in combination with D21137	746,-
	Ride Designs Back solution (See separate order form) Article number: / Accessories:	
D21084	Back wedge	189,-
D21042	Lumbar support	189,-
	NEW.	







Advanced seating and positioning management: Ride Designs - solutions (seat and back) for an even more stable posture, even more mobility/ functionality and an immense improved skin protection (decubitus prophylaxis). Please use separate order form.

## **SEAT UNIT**

Standard 🔳	Seat unit with dynamic seat plate	0,-
D21000	Seat cushion Netti Uno with 3D cover	200,-
D21048	Incontinence cover for seat cushion	242,-
D21777	Pressure relief seat cushion Netti Sit with 3D cover, incl. incontinence layer	399,-
D21017	Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	557,-
D40001	Pressure distribution and relief seat cushion Netti Precision 1	Price on
	Cover Stella +/ Easy Care + depending on the fabric for the whole chair	request
	Article number(if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)	
D40002	Pressure distribution and relief seat cushion Netti Precision 2	Price on
	Cover Stella +/ Easy Care + depending on the fabric for the whole chair  Article number	request
	(if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)	
D50000/	Ride Designs Forward seat cushion (See separate order form)	Price on
D50001	Article number:/ Accessories:	request
D50002	Ride Designs Java seat cushion (See separate order form)  Article number: / Accessories:	Price on request

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300





D27493	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,-
D27494	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,-
D27495	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,-

#### **LEG SUPPORTS** (please see page 3 for dynamic leg supports)

For the Netti Dynamic Base you have 5 different types of leg supports with various accessories. Please

#### contact us for consultation. Manually angle adjustable leg supports Standard ■ Manually angle adjustable leg supports with 0,--automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery D88211 Leg support upper parts with lever instead of star wheel for angle 89,adjustment Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) 242,-D44864 M (L: 190-230 mm) 242,-D44865 L (L: 220-290 mm) 252,-D44904 XL (L: 280-330 mm) 272,-D32296 Extra-long knee upholstery 550 mm – 3D cover 290,-D21008 Gas spring 987,-D21044 Foot board, adjustable 326,-D21041 Foot box upholstered (not approved for car transportation, if this 515,is needed, please choose the Netti Grandis solution) Calf support hinged (possible to swing underneath the chair), pair D24000 189,-D21745 Calf support bracket upholstery - pair - skai cover 63,-D41617 Calf support upholstery extra soft - pair - EC or 3D cover 221,depending on the fabric for the whole chair D23014 Foot fixation, pair 147,-D28453 Foot plate upholstery - pair - skai cover 305,-D86900 Bodypoint calf strap M 181,-D86901 Bodypoint calf strap L 181,-

#### Universal leg supports



D24005 Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. No calf supports, delivered with heel straps.

137,-






Bodypoint ankle huggers with upholstery incl. mounting kit	
D44863 S (L: 170-200 mm)	242,-
D44864 M (L: 190-230 mm)	242,-
D44865 L (L: 220-290 mm)	252,-
D44904 AL (L. 280-530 IIIIII)	273,-
D21044	326,-
D21041	515,-
D86900	181,-
D86901	181,-
letti Grandis angle adjustable leg supports	
D88600	1.098,-
complex individual configurations. Reduces pressure and shear	•
forces. For users with e.g. contractions, leg asymmetry,	
elephantiasis.	
The foot support is characterized by unique ergonomics and	
user-friendliness due to lifting handles, scale displays and conical	
extension pieces. Angle adjustable incl. angle limiter and	
adjustable calf- and foot supports.	
D88602	211
D88607	113
D21745	63
D88014	236
D88603	386
D88605	728
D21293	95
D86900	181
D86901	181
Bodypoint ankle huggers with upholstery	101
D88863 S (L: 170-200 mm)	327
D88864 M (L: 190-230 mm)	327
D88865 L (L: 220-290 mm)	337
D88866 XL (L: 280-330 mm)	360
200000 AE (E. 200 000 Hilli)	300
letti Grandis amputation support	1 053
D88618	1.053
D88619 — Amputation support right incl. Netti Grandis leg support left side	1.053
☐ Amputation support left + right − requires frame extension	1.468





D88612	☐ Netti Grandis leg supports with fixed angle for complex individual	1.098,-
333312	configurations. Reduces pressure and shear forces. For users with	1.050,
	e.g. contractions, leg asymmetry.	
	The foot support is characterized by unique ergonomics and user-	
	friendliness due to scale displays and conical extension pieces.	
	Adjustable in a fixed angle – also below 90°. Including heel strap.	
D88603	☐ Foot board, lockable and upwards swingable (without heel strap)	386,
D88605	☐ Footbox, upholstered with Skai cover (approved for car transport)	728,
	AND ACCESSORIES FOR ARM SUPPORTS  Height and depth adjustable - revelvable	
Standard	Height and depth adjustable - revolvable	0,
		0,
Standard	Height and depth adjustable - revolvable	0,
Standard Standard	Height and depth adjustable - revolvable  Arm pads 385 x 58 mm  Arm support with hand protection  Standard arm pad upholstery extra soft, EC or 3D cover depending	0, 0, 0, 116,
Standard Standard Standard	Height and depth adjustable - revolvable  Arm pads 385 x 58 mm  Arm support with hand protection	0, 0, 0,
Standard Standard Standard	Height and depth adjustable - revolvable  Arm pads 385 x 58 mm  Arm support with hand protection  Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a tray	0, 0, 0,
Standard Standard D41649	Height and depth adjustable - revolvable  Arm pads 385 x 58 mm  Arm support with hand protection  Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a tray in special adaptation)	0, 0, 0, 116,

# **HEAD SUPPORT AND ACCESSORIES** (for Dynamic head rest please see page 3)



	Α	В	С	D	Ε	F
Standard	Head support A, v	vith side suppor	t			0,-
D82025	Head support ada	pter aluminium	(incl. in Dynar	nic head suppo	ort D82746)	252,
D82567	Head support A w (Not approved for car Netti head support)		s needed, please	order an addition	al standard	359,
D82568	Extra comfort pad	s for the head b	and of D8256	7, pair		34,-
D27574	Head support B, o	val (instead of h	ead support A	۸)		0,-
D27573	Head support C, s	quare (instead c	of head suppor	t A)		0,-
D27572	Head support D, c	omfort (pressur	e distributive)			252,-
D27577	Head supports E v	vith adjustable s	ide supports			326,
D27578	Head supports F v (Not approved for car Netti head support)	• • •		order an addition	al standard	326,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300





D21064	Head support adjustment tube (horizontal) + 50 mm, length 200 mm	95,-
D21027	Head support adjustment tube (horizontal) + 100 mm, length 250 mm	95,-
D21065	Head support adjustment tube (horizontal) + 150 mm, length 250 mm	95,-
D21003	Head support adjustment tube (horizontal) + 230 mm, length 380 mm	105,-
D21028	Head support adjustment tube (nonzontal) + 230 mm, length 500 mm	95,-
D21034	Comfort cushion for head rest type C – removable with Stella cover	189,-
D23004	· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	Easy Care cover for head rest type A, B, C – removable	95,-
D23013	3D cover for head rest type A, B, C – removable	95,-
D23015	Grey head rest cushion with Stella cover	242,-
	[A] [B] [C]	
D45370	[A] Savant head support incl. headband, small – height 130 mm	Price on
	User forehead 460-560 mm	request
	User ½ circumference behind ears 150-180 mm	
	Inside distance along top support 300 mm, along middle support 180 mm (Not approved for car transport – if this is needed, please order an additional Netti	
	head support)	
D45371	[A] Savant head support incl. headband, adult – height 150 mm	Price on
	User forehead 560-610 mm	request
	User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm	
	(Not approved for car transport – if this is needed, please order an additional Netti	
	head support)	
D45373	[B] Side pads for Savant head support. For extra lateral support.	Price on
	For the upper arms of the head support. Cannot be combined with the	request
	 headband	
D45375	Head support adjustment tube (horizontal) +100 mm, length 250 mm	Price on
D4F369	[C] Avian band support retary interface, normits a lateral retation of	request Price on
D45368	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant head supports. (Not approved for car transport – if this is	request
	needed, please order an additional Netti head support)	•
D45376	Axion head support rotary interface, permits a lateral rotation of 90°.	Price on
2 .557 5	Only for Savant head supports. (Not approved for car transport – if this is	request
	needed, please order an additional Netti head support)	
D89558	[C] Axion head support rotary interface, permits a lateral rotation of	Price on
	 60°. Only for Netti head supports. (Not approved for car transport – if this is	request
	 needed, please order an additional standard Netti head support)	
D89559	Axion head support rotary interface, permits a lateral rotation of 90°.	Price on
	Only for Netti head supports. (Not approved for car transport – if this is needed,	request

please order an additional standard Netti head support)







#### **Decon E-Drive or Decon E-move**

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

#### **MAIN WHEELS**

IVIAIIV VVIILLLS		
Standard	Main wheels 24" PU incl. user brakes	0,-
INT70315	Main wheels 12" PU with drum brakes. No frame brakes. Please	384,-
	contact us for an offer of a frame brake option.	
INT70316	Main wheels 16" PU with drum brakes. No frame brakes. Please	384,-
	contact us for an offer of a frame brake option.	
D21085	Drum brakes for 24" wheels	263,-
D22006	Main wheels wide: 1 3/8 PU infill	74,-
D22008	Main wheels pneumatic – only 24 x 1 3/8 available	74,-
D22009	Hand and spoke protector - transparent, pair – for 24" (not for one hand drive)	158,-
D22013	Push rim cover, pair – for 24"	126,-
D20834	One hand drive for 24" wheels PU – left	1.239,-
	Cannot be combined with drum brakes.	
D20836	One hand drive for 24" wheels PU – right	1.239,-
	Cannot be combined with drum brakes.	
FRONT WHEELS		
Standard	Front wheels: 7" – 175 x 33 PU	0,-
D21021	Front wheels: 7" – 175 x 45 PU wheel - puncture proof - with PU	95,-
	infill (necessary for supportive engines)	
D21012	Front wheels: 7" – 175 x 45 pneumatic	95,-

## **TRAYS**

Please note that the use of a tray cannot be recommended in combination with a dynamic seat unit. A tray is static and together with a dynamic seat unit this may cause injury.

D25059	Universal tray	236,-
D21052	Upholstery for tray	126,-





## **BELT OPTIONS FROM BODYPOINT AND NETTI**

\* Please note that we only recommend these parts when the chair is equipped with a Netti III back as special adaptation. Otherwise, the optimal fastening of the belts is not possible.

#### Belts and accessories for back unit









		1		
[A]	[B]	[C]	[D]	[E]
D86890		ptor kit (recommended possible with Netti III b	• • • • • • • • • • • • • • • • • • • •	278,-
D20881	* H-belt, with u	pholstery and car belt le	ock [B]	263,-
D41645	* Belt cross har	ness [C]		200,-
D89805 D89898 D86895 D86896	XS (Shoulder wid	dth 330-410 mm)	nout zipper [D]	274,-
D89802 D89803 D86898 D86899	XS (Shoulder wid	dth 330-410 mm)		274,-

## **VARIOUS ACCESSORIES**

D21239	Tool kit	105,-
D41987	Intravenous rack	336,-
IS-D80085	Universal device basket	Price on
<b>△ ≥ ==</b>	SW 450: W: 405 mm, D: 305 mm, H: 70 mm	request
	(for other seat widths please subtract or add from SW 450 mm)	
	Max. capacity 6 kg / Combination with 12+16" wheels only in	
	special adaptation.	
	For information concerning car transport, please see the user manual of the	
	device basket on our website.	





## **NETTI CUSTOMIZED**

using the drawings underneath.

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

Reinforced aluminum footboard
Reinforced aluminum footboard
Leg support end position suspension Not possible with D82318/9 (extension bracket)
This item works only at the end of a back movement and prevent from hard touching/slamming of the leg support.
Leg support speed absorber
This item works as a speed limiter for extension and flexion movements.
It lowers the speed in both direction to prevent from hard movements
in both ways up and down.
Calf support with special bracket for fixed positioning
Footboard swingable horizontally (frontwards)
Extra long calf supports (please state length)
Calf support upholstery in special length or material
Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user
User weight:


NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by









Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width \_\_\_\_\_ mm and length \_\_\_\_ mm of the chair.


## **TECHNICAL DATA**

-8° bis +22°	
Depends on choice of the gas spring	
Seat width +180 mm (24" std. wheels)/ + 195 mm (24" DB wheels) / +170 mm (16" DB wheels)	
1130 mm with leg rests	
1100 mm	
Min. 265 mm / max. 355 mm	
App. 29 kg (without cushions)	
Silver	
3D cover	
ISO 7176-19 (Max. load is 135 kg minus weight of seating unit) - For information concerning car transport, please see the user manual on our website.	







# Seat height – WITHOUT seat cushion (measured from floor to seat plate)




Leg rest type	Min. calf length	Max. calf length	
Manual adjustable leg rests	320 mm	680 mm	
Universal leg rests	360 mm	500 mm	
Grandis leg rests	360 mm	640 mm	
Netti Grandis fixed leg rests	380 mm	550 mm	













Shoulder width		
XXS	210-240 mm	
XS	240-280 mm	
S	280-330 mm	
M	330-410 mm	
L	410-480 mm	

#### Measuring for Stayflex and PivoFit

Measure the shoulder width. If the shoulder width falls between two sizes, consider other factors such as growth, weight changes and clothing.





620 mm

#### Measuring for a hip belt

Measure hip width across the greater trochanters with the person seated. If the hip width falls between sizes on our chart, consider other factors such as growth, weight change and clothing.

#### Measurements

A Hip width/Seat width	mm
B Thigh length / seat depth	mm
C Arm rest height	mm
D Leg length / seat height	mm
E Backrest height	mm
F Trunk width	mm