

Date _____	Customer code C- _____
Invoice address _____	Contact person _____
_____	Reference _____
_____	Other delivery address _____
_____	_____

☐ Invoice address = delivery address ☐ Quote



NETTI DYNAMIC COMPLETE SYSTEM

Netti Dynamic complete system is equipped with a seat unit with dynamic seat plate, armrests with hand protection, frame extension, longer anti tippers, Bodypoint EVOFLEX pelvic stabilizer and an individually chosen gas spring for the back unit (see page 2).

☐ The chair will be used as seat for car transport.

Price on request

Seat width	D66135 <input type="checkbox"/> 350 mm	Capacity	Max. load is 135 kg minus weight of seating unit.
	D66140 <input type="checkbox"/> 400 mm	Seat height	See page 13
	D66145 <input type="checkbox"/> 450 mm	Seat depth	425-500 mm adjustable by 25 mm per step
	D66150 <input type="checkbox"/> 500 mm		

Seat depth

☐ 425 ☐ 450 ☐ 475 ☐ 500

Before using Netti Dynamic System or any of its components, a seating assessment should be carried out by a trained professional. For more information, please visit our website www.my-netti.com

DYNAMIC SEAT- AND BACKSOLUTION

Please contact us for recommendation on the choice of gas spring.

Option 1: 15° Dynamic gas spring for the back angle - cannot be blocked - incl. dynamic seat unit
Not allowed for car transportation, as the back angle cannot be blocked.

Back unit with Dynamic gas spring allows 15° trunk extension movements backwards. The standard recline is maintained and can be adjusted in any position. The Dynamic gas spring cannot be blocked. Recommended for stiffness patterns which tend to persist, spasticity, and for comfort and prevention.

- ☐ Dynamic gas spring 80 N
- ☐ Dynamic gas spring 120 N
- ☐ Dynamic gas spring 160 N



EVOFLEX pelvic stabilizer: Please choose the size from the table on page 9.

Size ☐ XS ☐ M ☐ L

Option 2: 40° Dynamic FREE gas spring for the back angle - lockable - incl. dynamic seat unit

Back unit with Dynamic Free gas spring allows up to 40° trunk extension movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. The back recline and blocking/unblocking of the dynamic back movement is done with a special dynamic release handle. The Dynamic Free gas spring is recommended for severe extension patterns, also for violent and sudden movements.

- ☐ Dynamic FREE gas spring 200 N (SW 350 - 400 mm)
- ☐ Dynamic FREE gas spring 300 N (SW 350 - 400 mm)
- ☐ Dynamic FREE gas spring 400 N (SW 350 - 400 mm)
- ☐ Dynamic FREE gas spring 500 N (SW 350 - 400 mm)
- ☐ Dynamic FREE gas spring 600 N (SW 350 - 430 mm)
- ☐ Dynamic FREE gas spring 700 N (SW 350 - 430 mm)
- ☐ Dynamic FREE gas spring 800 N (SW 350 - 430 mm)
- ☐ Dynamic FREE gas spring 900 N (SW 450 - 500 mm)
- ☐ Dynamic FREE gas spring 1000 N (SW 450 - 500 mm)
- ☐ Dynamic FREE gas spring 1100 N (SW 450 - 400 mm)
- ☐ Dynamic FREE gas spring 1200 N (SW 450 - 500 mm)
- ☐ Dynamic FREE gas spring 1300 N (SW 450 - 500 mm)



EVOFLEX pelvic stabilizer: Please choose the size from the table on page 9.

Size ☐ XS ☐ M ☐ L

D45040 ☐

Security cover for 2/4-point pelvic stabilizer (XS, M, L)

74,-

D87903	<input type="checkbox"/>	Recline limiter (possible to limit in different positions from 116° - 134°) Price on request for the Netti Dynamic Free back spring (to be mounted by the dealer)	423,-
--------	--------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------




Alternative to the 2-point pelvic stabilizer

- ☐ D86889 – Bodypoint 4-point padded hip belt – Size XS
- ☐ D86893 – Bodypoint 4-point padded hip belt – Size M
- ☐ D86894 – Bodypoint 4-point padded hip belt – Size L

Please choose the size from the table on page 9.

DYNAMIC HEAD SUPPORT SOLUTION



- D82746 ☐ Netti Dynamic head support C incl. head support adapter in aluminium

Price on request

DYNAMIC LEG SUPPORT SOLUTION

The dynamic foot support solution is for users with an asymmetric movement pattern. It is specially developed to allow for uneven forces from the legs. Furthermore the Netti Dynamic leg supports allows for different leg length.




- D82296 ☐ **Dynamic leg support** angle adjustable with calf supports and footboard, 100 N
Std. 300 mm adjustment piece (Lower leg length 450-550 mm)
- D82298 ☐ With 214 mm adjustment piece (Lower leg length 350-450 mm)
- D82318 ☐ **Dynamic leg support** angle adjustable with calf supports and footboard, 100 N
Including extension bracket to be used by uneven leg length or leg position adjusting the foot board depth. Std. 300 mm adjustment piece (Lower leg length 450-550 mm)
- D82319 ☐ With 214 mm adjustment piece (Lower leg length 350-450 mm)

Price on request

Accessories for Netti Dynamic leg rests (for other leg support solutions please see page 5)

D88211	<input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
D32296	<input type="checkbox"/>	Extra-long knee upholstery 550 mm – 3D cover	290,-
D45245	<input type="checkbox"/>	Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard	Price on request






is not angle adjustable, but this can be offered as special adaptation.

	Bodypoint ankle huggers incl. mounting material		
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	242,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	242,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	252,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	272,-
D21081	<input type="checkbox"/>	Extra abduction for legrets (+50 mm) - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	431,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	63,-
D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-

 = Standard equipment

Please send us a request for combinations with NDS options, as some combinations are only possible as special adaptations.

FRAME AND ACCESSORIES

Standard		Push bow	0,-
Standard		Anti tip – swingable	0,-
Standard		Frame extension including longer anti tippers	0,-
Standard		Frame brakes	0,-
D86099	<input type="checkbox"/>	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	177,-
D42177	<input type="checkbox"/>	Push bow, angle adjustable	284,-
D29474	<input type="checkbox"/>	Tilt-restrictor (no negative tilt frontwards)	42,-
D41074	<input type="checkbox"/>	Car fastening, pair	179,-
D83937	<input type="checkbox"/>	SW extension kit mounted 2 x 12 mm – only for SW 350-450 mm	167,-
Special	<input type="checkbox"/>	Arm support comfort pads (reduces SW with 2 x 15 mm) incl. a seat plate in special adaptations with cut out to allow the movement of the dynamic seat unit. Seat cushion will for the same reasons also be delivered in a smaller size.	Price on request
D21022	<input type="checkbox"/>	Easy Care cover (not available for Netti Sit °C and Ride cushion)	0,-
		Bodypoint supportive universal elastic strap	189,-
D45084	<input type="checkbox"/>	S (Height 80 mm - 1420 mm long, easily cut-to-length)	
D45085	<input type="checkbox"/>	L (Height 110 mm - 1420 mm long, easily cut-to-length)	
D45086	<input type="checkbox"/>	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	

BACK UNIT (for belts please see page 9)

Standard	<input checked="" type="checkbox"/>	Back height 500 mm	0,-
D21137	<input type="checkbox"/>	Adjustable velcro back (mounting through local dealer)	294,-
D88468	<input type="checkbox"/>	Side support Basic, pair	387,-
D21338	<input type="checkbox"/>	Back cushion Netti Smart – with 120 mm side support with 3D cover – only in combination with D21137	337,-
D21335	<input type="checkbox"/>	Back cushion Netti Stabil – with 170 mm side support with 3D cover – only in combination with D21137	557,-
D21336	<input type="checkbox"/>	Back cushion Netti Super Stabil – with 170 mm reinforced side support with 3D cover – only in combination with D21137	651,-
D20630	<input type="checkbox"/>	Back cushion Netti Kyphotic with 3D/Stella cover – only in combination with D21137	746,-
	<input type="checkbox"/>	Ride Designs Back solution (See separate order form) Article number: _____ / Accessories: _____	
D21084	<input type="checkbox"/>	Back wedge	189,-
D21042	<input type="checkbox"/>	Lumbar support	189,-



NEW:

Advanced seating and positioning management: Ride Designs – solutions (seat and back) for an even more stable posture, even more mobility/ functionality and an immense improved skin protection (decubitus prophylaxis). Please use separate order form.



SEAT UNIT

Standard	<input checked="" type="checkbox"/>	Seat unit with dynamic seat plate	0,-
D21000	<input type="checkbox"/>	Seat cushion Netti Uno with 3D cover	200,-
D21048	<input type="checkbox"/>	Incontinence cover for seat cushion	242,-
D21777	<input type="checkbox"/>	Pressure relief seat cushion Netti Sit with 3D cover, incl. incontinence layer	399,-
D21017	<input type="checkbox"/>	Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	557,-
	<input type="checkbox"/>	Ride Designs Seat cushion (See separate order form) Article number: _____ / Accessories: _____	
D27493	<input type="checkbox"/>	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,-
D27494	<input type="checkbox"/>	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,-
D27495	<input type="checkbox"/>	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,-



LEG SUPPORTS (please see page 3 for dynamic leg supports)

For the Netti Dynamic Base you have 5 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports



Standard		<input checked="" type="checkbox"/> Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	0,-
D88211		<input type="checkbox"/> Leg support upper parts with lever instead of star wheel for angle adjustment Bodypoint ankle huggers with upholstery <input type="checkbox"/> D44863 S (L: 170-200 mm) <input type="checkbox"/> D44864 M (L: 190-230 mm) <input type="checkbox"/> D44865 L (L: 220-290 mm) <input type="checkbox"/> D44904 XL (L: 280-330 mm)	89,- 242,- 242,- 252,- 272,-
D32296	<input type="checkbox"/>	Extra-long knee upholstery 550 mm – 3D cover	290,-
D21008	<input type="checkbox"/>	Gas spring	987,-
D21044	<input type="checkbox"/>	Foot board, adjustable	326,-
D21041	<input type="checkbox"/>	Foot box upholstered (not approved for car transportation, if this is needed, please choose the Netti Grandis solution)	515,-
D24000	<input type="checkbox"/>	Calf support hinged (possible to swing underneath the chair), pair	189,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	63,-
D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D23014	<input type="checkbox"/>	Foot fixation, pair	147,-
D28453	<input type="checkbox"/>	Foot plate upholstery - pair - skai cover	305,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-

Universal leg supports

D24005		<input type="checkbox"/> Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed	137,-
		Bodypoint ankle huggers with upholstery incl. mounting kit <input type="checkbox"/> D44863 S (L: 170-200 mm) <input type="checkbox"/> D44864 M (L: 190-230 mm) <input type="checkbox"/> D44865 L (L: 220-290 mm) <input type="checkbox"/> D44904 XL (L: 280-330 mm)	242,- 242,- 252,- 273,-
D21044	<input type="checkbox"/>	Foot board, adjustable (without calf strap)	326,-

D21041	<input type="checkbox"/>	Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-


Netti Grandis angle adjustable leg supports

D88600	<input type="checkbox"/>	Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	1.098,-
 <p>The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.</p>			
D88602	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	211,-
D88607	<input type="checkbox"/>	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	113,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	63,-
D88014	<input type="checkbox"/>	Foot fixation, pair incl. mounting kit	236,-
D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable	386,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	728,-
D21293	<input type="checkbox"/>	Calf strap	95,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-
 <p>Bodypoint ankle huggers with upholstery</p>			
	<input type="checkbox"/>	D88863 S (L: 170-200 mm)	327,-
	<input type="checkbox"/>	D88864 M (L: 190-230 mm)	327,-
	<input type="checkbox"/>	D88865 L (L: 220-290 mm)	337,-
	<input type="checkbox"/>	D88866 XL (L: 280-330 mm)	360,-

Netti Grandis amputation support

D88618	<input type="checkbox"/>	Amputation support left incl. Netti Grandis leg support right side	1.053,-
D88619	<input type="checkbox"/>	Amputation support right incl. Netti Grandis leg support left side	1.053,-
	<input type="checkbox"/>	Amputation support left + right – requires frame extension	1.468,-

Netti Grandis leg support with fixed angle

D88612	<input type="checkbox"/>	Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.	1.098,-
 <p>The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.</p>			

D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable (without heel strap)	386,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	728,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

Standard	<input checked="" type="checkbox"/>	Height and depth adjustable - revolvable	0,-
Standard	<input checked="" type="checkbox"/>	Arm pads 385 x 58 mm	0,-
Standard	<input checked="" type="checkbox"/>	Arm support with hand protection	0,-
D41649	<input type="checkbox"/>	Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a tray in special adaptation)	116,-
D23003	<input type="checkbox"/>	Hemiplegic cushion	221,-
D29459	<input type="checkbox"/>	Arm support hemiplegic, left (can only be combined with a tray in special adaptation)	336,-
D29460	<input type="checkbox"/>	Arm support hemiplegic, right (can only be combined with a tray in special adaptation)	336,-


HEAD SUPPORT AND ACCESSORIES (for Dynamic head rest please see page 3)



		A	B	C	D	E	F	
Standard	<input checked="" type="checkbox"/>	Head support A, with side support						0,-
D82025	<input type="checkbox"/>	Head support adapter aluminium (incl. in Dynamic head support D82746)						252,-
D82567	<input type="checkbox"/>	Head support A with head band (Not approved for car transport – if this is needed, please order an additional standard Netti head support)						359,-
D82568	<input type="checkbox"/>	Extra comfort pads for the head band of D82567, pair						34,-
D27574	<input type="checkbox"/>	Head support B, oval (instead of head support A)						0,-
D27573	<input type="checkbox"/>	Head support C, square (instead of head support A)						0,-
D27572	<input type="checkbox"/>	Head support D, comfort (pressure distributive)						252,-
D27577	<input type="checkbox"/>	Head supports E with adjustable side supports						326,-
D27578	<input type="checkbox"/>	Head supports F with cheek support (Not approved for car transport – if this is needed, please order an additional standard Netti head support)						326,-
D21064	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 50 mm, length 200 mm						95,-
D21027	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 100 mm, length 250 mm						95,-
D21065	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 150 mm, length 300 mm						95,-
D21028	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 230 mm, length 380 mm						105,-
D21054	<input type="checkbox"/>	Head support adjustment tube (vertical) + 100 mm, length 500 mm						95,-
D23004	<input type="checkbox"/>	Comfort cushion for head rest type C – removable with Stella cover						189,-
D23012	<input type="checkbox"/>	Easy Care cover for head rest type A, B, C – removable						95,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20

DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

D23013	<input type="checkbox"/>	3D cover for head rest type A, B, C – removable	95,-
D23015	<input type="checkbox"/>	Grey head rest cushion with Stella cover	242,-
 <div style="display: flex; justify-content: space-around; margin-top: 5px;"> [A] [B] [C] </div>			
D45370	<input type="checkbox"/>	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (Not approved for car transport – if this is needed, please order an additional Netti head support)	Price on request
D45371	<input type="checkbox"/>	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (Not approved for car transport – if this is needed, please order an additional Netti head support)	Price on request
D45373	<input type="checkbox"/>	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	<input type="checkbox"/>	Head support adjustment tube (horizontal) +100 mm, length 250 mm	Price on request
D45368	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant head supports. (Not approved for car transport – if this is needed, please order an additional Netti head support)	Price on request
D45376	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant head supports. (Not approved for car transport – if this is needed, please order an additional Netti head support)	Price on request
D89558	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti head supports. (Not approved for car transport – if this is needed, please order an additional standard Netti head support)	Price on request
D89559	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti head supports. (Not approved for car transport – if this is needed, please order an additional standard Netti head support)	Price on request



NEW:

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN WHEELS

Standard	<input checked="" type="checkbox"/>	Main wheels 24" PU incl. user brakes	0,-
M70315	<input type="checkbox"/>	Main wheels 12" PU with drum brakes (mounting through local dealer) – frame brakes are delivered with the chair but are not compatible with the 12" wheels. Please contact us for an offer of a frame brake option.	384,-
M70316	<input type="checkbox"/>	Main wheels 16" PU with drum brakes (mounting through local dealer).	384,-
D21085	<input type="checkbox"/>	Drum brakes for 24"	263,-
D22009	<input type="checkbox"/>	Hand and spoke protector - transparent, pair – for 24" (not for one hand drive)	158,-
D22013	<input type="checkbox"/>	Push rim cover, pair – for 24"	126,-
D20834	<input type="checkbox"/>	One hand drive for 24" wheels PU – left Cannot be combined with drum brakes.	1.239,-
D20836	<input type="checkbox"/>	One hand drive for 24" wheels PU – right Cannot be combined with drum brakes.	1.239,-

FRONT WHEELS

Standard	<input checked="" type="checkbox"/>	Front wheels: 7" – 175 x 33 PU	0,-
D21021	<input type="checkbox"/>	Front wheels: 7" – 175 x 45 PU wheel - puncture proof - with PU infill (necessary for supportive engines)	95,-

TRAYS




Please note that the use of a tray cannot be recommended in combination with a dynamic seat unit. A tray is static and together with a dynamic seat unit this may cause injury.

D25059	<input type="checkbox"/>	Universal tray	236,-
D21052	<input type="checkbox"/>	Upholstery for tray	126,-


BELT OPTIONS FROM BODYPOINT AND NETTI

* Please note that we only recommend these parts when the chair is equipped with a Netti III back as special adaptation. Otherwise, the optimal fastening of the belts is not possible.

Belts and accessories for back unit

					
[A]	[B]	[C]	[D]	[E]	
D86890	<input type="checkbox"/>	* H-harness adaptor kit (recommended for all upper body harnesses/ only possible with Netti III back in special adaptation) [A]			278,-
D20881	<input type="checkbox"/>	* H-belt, with upholstery and car belt lock [B]			263,-
D41645	<input type="checkbox"/>	* Belt cross harness [C]			200,-
		*Bodypoint Stayflex chest support without zipper [D]			274,-
D89805	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)			
D89898	<input type="checkbox"/>	S (Shoulder width 280-330 mm)			
D86895	<input type="checkbox"/>	M (Shoulder width 330-410 mm)			
D86896	<input type="checkbox"/>	L (Shoulder width 410-480 mm)			
		*Bodypoint Pivofit shoulder harness [E]			274,-
D89802	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)			
D89803	<input type="checkbox"/>	S (Shoulder width 280-330 mm)			
D86898	<input type="checkbox"/>	M (Shoulder width 330-410 mm)			
D86899	<input type="checkbox"/>	L (Shoulder width 410-480 mm)			

VARIOUS ACCESSORIES

D21239	<input type="checkbox"/>	Tool kit	105,-
D41987	<input type="checkbox"/>	Intravenous rack	336,-
IS-D80085	<input type="checkbox"/>	Universal device basket	Price on request
		SW 450: W: 405 mm, D: 305 mm, H: 70 mm (for other seat widths please subtract or add from SW 450 mm) Max. capacity 6 kg / Combination with 12+16" wheels only in special adaptation. For information concerning car transport, please see the user manual of the device basket on our website.	

NETTI CUSTOMIZED


Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

CUSTOM MADE – most wanted special adapted items (price on request)

☐ Reinforced aluminum footboard



☐ Leg support end position suspension
Not possible with D82318/9 (extension bracket)



This item works only at the end of a back movement and prevent from hard touching/slamming of the leg support.

☐ Leg support speed absorber

This item works as a speed limiter for extension and flexion movements. It lowers the speed in both direction to prevent from hard movements in both ways up and down.



☐ Calf support with special bracket for fixed positioning

☐ Footboard swingable horizontally (frontwards)


☐ Extra long calf supports (please state length)

☐ Calf support upholstery in special length or material

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.





Please inform us if there are any special circumstances in the living area that has an influence for the chair:
e.g. the total possible width _____ mm and length _____ mm of the chair.



TECHNICAL DATA


Tilt (seat)	-8° bis +22°
Recline (back)	Depends on choice of the gas spring
Total width of the wheelchair	Seat width +180 mm (24" std. wheels)/ + 195 mm (24" DB wheels) / +170 mm (16" DB wheels)
Total length	1130 mm with leg rests
Total height	1100 mm
Distance arm support to seat plate	Min. 265 mm / max. 355 mm
Weight of wheelchair	App. 29 kg (without cushions)
Frame colour	Silver
Cover variant	3D cover
Crashtest	ISO 7176-19 (Max. load is 135 kg minus weight of seating unit) - For information concerning car transport, please see the user manual on our website.

Seat height – WITHOUT seat cushion (measured from floor to seat plate)

Netti 4U Base <u>View side frame left</u>	Seat heights by using different rear/front wheels and different frame- and front castor positions
<p>Front wheel</p>  <p>Front wheel upper hole = Rear hole 1 24" = 465 mm Rear hole 3 16" = 460 mm Rear hole 4 12" = 460 mm</p> <p>Front wheel lower hole = Rear hole 2 24" = 500 mm Rear hole 4 16" = 510 mm</p>	<p>Frame rear side</p>  <p>Hole 1 = 24" 24" = Seat height 465 mm STD</p> <p>Hole 2 = 24" 24" = Seat height 500 mm</p> <p>Hole 3 = 16" 16" = Seat height 460 mm</p> <p>Hole 4 = 12" & 16" 12" = Seat height 460 mm 16" = Seat height 510 mm</p>

Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm






Shoulder width	
XXS	210-240 mm
XS	240-280 mm
S	280-330 mm
M	330-410 mm
L	410-480 mm

Measuring for Stayflex and PivoFit


Measure the shoulder width. If the shoulder width falls between two sizes, consider other factors such as growth, weight changes and clothing.



Ankle circumference	
S	170-200 mm
M	190-230 mm
L	220-290 mm
XL	280-330 mm

Measuring for Ankle huggers

Measure circumference above ankle.



Measuring for a hip belt

Measure hip width across the greater trochanters with the person seated. If the hip width falls between sizes on our chart, consider other factors such as growth, weight change and clothing.

Overall pad length	
XS	380 mm
M	460 mm
L	620 mm

Measurements

A Hip width/Seat width _____ mm

B Thigh length / seat depth _____ mm

C Arm rest height _____ mm

D Leg length / seat height _____ mm

E Backrest height _____ mm

F Trunk width _____ mm