

Date _____ Customer code C- _____
 Invoice address _____ Contact person _____
 _____ Reference _____
 _____ Other delivery address _____

Invoice address = delivery address Quote



NETTI DYNAMIC COMPLETE SYSTEM

Netti Dynamic complete system is equipped with a seat unit with dynamic seat plate, armrests with hand protection, frame extension, longer anti tippers, Bodypoint EVOFLEX pelvic stabilizer and an individually chosen gas spring for the back unit (see page 2).

The chair will be used as seat for car transport.

Price on request

Seat width	D66135 <input type="checkbox"/> 350 mm	Capacity	Max. load is 135 kg minus weight of seating unit.
	D66140 <input type="checkbox"/> 400 mm	Seat height	See page 13
	D66145 <input type="checkbox"/> 450 mm	Seat depth	425-500 mm adjustable by 25 mm per step
	D66150 <input type="checkbox"/> 500 mm		

Seat depth

425 450 475 500

Before using Netti Dynamic System or any of its components, a seating assessment should be carried out by a trained professional. For more information, please visit our website www.my-netti.com

DYNAMIC SEAT- AND BACKSOLUTION

Please contact us for recommendation on the choice of gas spring.

Option 1: 15° Dynamic gas spring for the back angle - cannot be blocked - incl. dynamic seat unit Not allowed for car transportation, as the back angle cannot be blocked.

Back unit with Dynamic gas spring allows 15° trunk extension movements backwards. The standard recline is maintained and can be adjusted in any position. The Dynamic gas spring cannot be blocked. Recommended for stiffness patterns which tend to persist, spasticity, and for comfort and prevention.

- Dynamic gas spring 80 N
- Dynamic gas spring 120 N
- Dynamic gas spring 160 N



EVOFLEX pelvic stabilizer: Please choose the size from the table on page 13.

Size XS M L

Option 2: 40° Dynamic FREE gas spring for the back angle - lockable - incl. dynamic seat unit

Back unit with Dynamic Free gas spring allows up to 40° trunk extension movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. The back recline and blocking/unblocking of the dynamic back movement is done with a special dynamic release handle. The Dynamic Free gas spring is recommended for severe extension patterns, also for violent and sudden movements.

- Dynamic FREE gas spring 200 N (SW 350 - 400 mm)
- Dynamic FREE gas spring 300 N (SW 350 - 400 mm)
- Dynamic FREE gas spring 400 N (SW 350 - 400 mm)
- Dynamic FREE gas spring 500 N (SW 350 - 400 mm)
- Dynamic FREE gas spring 600 N (SW 350 - 430 mm)
- Dynamic FREE gas spring 700 N (SW 350 - 430 mm)
- Dynamic FREE gas spring 800 N (SW 350 - 430 mm)
- Dynamic FREE gas spring 900 N (SW 450 - 500 mm)
- Dynamic FREE gas spring 1000 N (SW 450 - 500 mm)
- Dynamic FREE gas spring 1100 N (SW 450 - 400 mm)
- Dynamic FREE gas spring 1200 N (SW 450 - 500 mm)
- Dynamic FREE gas spring 1300 N (SW 450 - 500 mm)



EVOFLEX pelvic stabilizer: Please choose the size from the table on page 13.

Size XS M L

D45040

Security cover for 2/4-point pelvic stabilizer (XS, M, L)

76,-

D87903 <input type="checkbox"/>	Recline limiter (possible to limit in different positions from 116° - 134°) Price on request for the Netti Dynamic Free back spring (to be mounted by the dealer)	436,-
---------------------------------	---	-------




Alternative to the 2-point pelvic stabilizer

- D86889 – Bodypoint 4-point padded hip belt – Size XS
- D86893 – Bodypoint 4-point padded hip belt – Size M
- D86894 – Bodypoint 4-point padded hip belt – Size L

Please choose the size from the table on page 13.

DYNAMIC HEAD SUPPORT SOLUTION



- D82746 Netti Dynamic head support C incl. head support adapter in aluminium

Price on request

DYNAMIC LEG SUPPORT SOLUTION

The dynamic foot support solution is for users with an asymmetric movement pattern. It is specially developed to allow for uneven forces from the legs. Furthermore the Netti Dynamic leg supports allows for different leg length.




- D82296 **Dynamic leg support** angle adjustable with calf supports and footboard, 100 N Std. 300 mm adjustment piece (Lower leg length 450-550 mm)
- D82298 With 214 mm adjustment piece (Lower leg length 350-450 mm)
- D82318 **Dynamic leg support** angle adjustable with calf supports and footboard, 100 N Including extension bracket to be used by uneven leg length or leg position adjusting the foot board depth. Std. 300 mm adjustment piece (Lower leg length 450-550 mm)
- D82319 With 214 mm adjustment piece (Lower leg length 350-450 mm)

Price on request

Accessories for Netti Dynamic leg rests (for other leg support solutions please see page 5)

D88211 <input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
D32296 <input type="checkbox"/>	Extra-long knee upholstery 550 mm – 3D cover	299,-
D45245 <input type="checkbox"/>	Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard	Price on request

is not angle adjustable, but this can be offered as special adaptation.

	Bodypoint ankle huggers incl. mounting material		
<input type="checkbox"/>	D44863 S (L: 170-200 mm)		249,-
<input type="checkbox"/>	D44864 M (L: 190-230 mm)		249,-
<input type="checkbox"/>	D44865 L (L: 220-290 mm)		260,-
<input type="checkbox"/>	D44904 XL (L: 280-330 mm)		281,-
D21081	<input type="checkbox"/> Extra abduction for legrets (+50 mm) - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.		444,-
D21745	<input type="checkbox"/> Calf support bracket upholstery - pair - skai cover		65,-
D41617	<input type="checkbox"/> Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair		228,-
D86900	<input type="checkbox"/> Bodypoint calf strap M		186,-
D86901	<input type="checkbox"/> Bodypoint calf strap L		186,-

= Standard equipment

Please send us a request for combinations with NDS options, as some combinations are only possible as special adaptations.

FRAME AND ACCESSORIES

Standard	<input checked="" type="checkbox"/>	Push bow	0,-
Standard	<input checked="" type="checkbox"/>	Anti tip – swingable	0,-
Standard	<input checked="" type="checkbox"/>	Frame extension including longer anti tippers	0,-
Standard	<input checked="" type="checkbox"/>	Frame brakes	0,-
Standard	<input checked="" type="checkbox"/>	Car fasteners – if an accessory means that the wheelchair is not approved for use as seat in a car, the chair will be delivered without car fasteners.	0,-
D86099	<input type="checkbox"/>	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	182,-
D42177	<input type="checkbox"/>	Push bow, angle adjustable	293,-
D29474	<input type="checkbox"/>	Tilt-restrictor (no negative tilt frontwards)	43,-
D83937	<input type="checkbox"/>	SW extension kit mounted 2 x 12 mm – only for SW 350-450 mm	172,-
Special	<input type="checkbox"/>	Arm support comfort pads (reduces SW with 2 x 15 mm) incl. a seat plate in special adaptations with cut out to allow the movement of the dynamic seat unit. Seat cushion will for the same reasons also be delivered in a smaller size.	Price on request
D21022	<input type="checkbox"/>	Easy Care cover (not available for Netti Sit 3D/°C and Netti Kyphotic)	0,-
		Bodypoint supportive universal elastic strap	195,-
D45084	<input type="checkbox"/>	S (Height 80 mm - 1420 mm long, easily cut-to-length)	
D45085	<input type="checkbox"/>	L (Height 110 mm - 1420 mm long, easily cut-to-length)	
D45086	<input type="checkbox"/>	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	



BACK UNIT (for belts please see page 9)

Standard	<input checked="" type="checkbox"/>	Back height 500 mm	0,-
D21137	<input type="checkbox"/>	Adjustable 6-piece back cover (mounting through local dealer)	294,-
D88468	<input type="checkbox"/>	Side support Basic, pair	399,-
D21338	<input type="checkbox"/>	Back cushion Netti Smart – with 120 mm side support with 3D cover – only in combination with D21137	357,-
D21335	<input type="checkbox"/>	Back cushion Netti Stabil – with 170 mm side support with 3D cover – only in combination with D21137	574,-
D21336	<input type="checkbox"/>	Back cushion Netti Super Stabil – with 170 mm reinforced side support with 3D cover – only in combination with D21137	671,-
D20630	<input type="checkbox"/>	Back cushion Netti Kyphotic with 3D/Stella cover - only in combination with D21137	768,-
D21084	<input type="checkbox"/>	Back wedge	195,-
D21042	<input type="checkbox"/>	Lumbar support	195,-



SEAT UNIT

Standard	<input checked="" type="checkbox"/>	Seat unit with dynamic seat plate	0,-
D21000	<input type="checkbox"/>	Seat cushion Netti Uno with 3D cover	206,-
D21048	<input type="checkbox"/>	Incontinence cover for seat cushion	249,-
D21777	<input type="checkbox"/>	Pressure relief seat cushion Netti Sit with 3D cover, incl. incontinence layer	411,-
D21017	<input type="checkbox"/>	Pressure relief seat cushion Netti Sit 3D/°C with temperature regulating features and incontinence layer under the 3D cover	574,-
D40001	<input type="checkbox"/>	Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/- Easy Care + depending on the fabric for the whole chair. Article number _____ <small>(For seat width 500 with a seat depth smaller than 450 mm, ask for a special adaptation quote. If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend shorter rather than longer.)</small>	850,-
D40002	<input type="checkbox"/>	Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/- Easy Care + depending on the fabric for the whole chair. Article number _____ <small>(For seat width 500 with a seat depth smaller than 450 mm, ask for a special adaptation quote. If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend shorter rather than longer.)</small>	1050,-
D40003	<input type="checkbox"/>	Netti Precision Incontinence cover – Change of cover for D40001/D40002. Breathable, elastic and durable. Transports liquid away from the skin and collects it in watertight space, so that the surroundings are not contaminated.	0,-
D27493	<input type="checkbox"/>	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	271,-
D27494	<input type="checkbox"/>	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	271,-
D27495	<input type="checkbox"/>	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	271,-



LEG SUPPORTS (please see page 3 for dynamic leg supports)

For the Netti Dynamic Base you have 5 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports



Standard	<input checked="" type="checkbox"/>	Manually angle adjustable leg supports with	0,-
		-automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	
D88211	<input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
		Bodypoint ankle huggers with upholstery	
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	249,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	249,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	260,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	281,-
D32296	<input type="checkbox"/>	Extra-long knee upholstery 550 mm – 3D cover	299,-
D21008	<input type="checkbox"/>	Gas spring	1.017,-
D21044	<input type="checkbox"/>	Foot board, adjustable	336,-
D21041	<input type="checkbox"/>	Foot box upholstered (not approved for car transportation, if this is needed, please choose the Netti Grandis solution)	530,-
D24000	<input type="checkbox"/>	Calf support hinged (possible to swing underneath the chair), pair	195,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	65,-
D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	228,-
D23014	<input type="checkbox"/>	Foot fixation, pair	151,-
D28453	<input type="checkbox"/>	Foot plate upholstery - pair - skai cover	314,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	186,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	186,-

Universal leg supports

	D24005	<input type="checkbox"/>	Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. No calf supports, delivered with heel straps.	141,-
			Bodypoint ankle huggers with upholstery incl. mounting kit	
		<input type="checkbox"/>	D44863 S (L: 170-200 mm)	249,-
		<input type="checkbox"/>	D44864 M (L: 190-230 mm)	249,-
		<input type="checkbox"/>	D44865 L (L: 220-290 mm)	260,-
		<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	281,-
	D21044	<input type="checkbox"/>	Foot board, adjustable (without calf strap)	336,-

D21041	<input type="checkbox"/>	Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	530,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	186,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	186,-


Netti Grandis angle adjustable leg supports

D88600	<input type="checkbox"/>	Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	1.131,-
		The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	
D88602	<input type="checkbox"/>	Calf support upholstery extra soft - pair (3D or EC cover depending on the fabric for the whole chair)	217,-
D88607	<input type="checkbox"/>	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	116,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	65,-
D88014	<input type="checkbox"/>	Foot fixation, pair incl. mounting kit	243,-
D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable	398,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	750,-
D21293	<input type="checkbox"/>	Calf strap	98,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	186,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	186,-
		Bodypoint ankle huggers with upholstery	
	<input type="checkbox"/>	D88863 S (L: 170-200 mm)	337,-
	<input type="checkbox"/>	D88864 M (L: 190-230 mm)	337,-
	<input type="checkbox"/>	D88865 L (L: 220-290 mm)	347,-
	<input type="checkbox"/>	D88866 XL (L: 280-330 mm)	371,-

Netti Grandis amputation support

D88618	<input type="checkbox"/>	Amputation support left incl. Netti Grandis leg support right side	1.085,-
D88619	<input type="checkbox"/>	Amputation support right incl. Netti Grandis leg support left side	1.085,-
D800	<input type="checkbox"/>	Amputation support left + right – requires frame extension	1.513,-

Netti Grandis leg support with fixed angle

D88612	<input type="checkbox"/>	Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.	1.131,-
			

		The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	
D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable (without heel strap)	398,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	750,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS





Standard	<input checked="" type="checkbox"/>	Height and depth adjustable - revolvable	0,-
Standard	<input checked="" type="checkbox"/>	Arm pads 385 x 58 mm	0,-
Standard	<input checked="" type="checkbox"/>	Arm support with hand protection	0,-
D41649	<input type="checkbox"/>	Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a tray in special adaptation)	119,-
D23003	<input type="checkbox"/>	Hemiplegic cushion	228,-
D29459	<input type="checkbox"/>	Arm support hemiplegic, left (can only be combined with a tray in special adaptation)	346,-
D29460	<input type="checkbox"/>	Arm support hemiplegic, right (can only be combined with a tray in special adaptation)	346,-

HEAD SUPPORT AND ACCESSORIES (for Dynamic head rest please see page 3)



		A	B	C	D	E	F	
Standard	<input checked="" type="checkbox"/>	Head support A, with side support						0,-
D82025	<input type="checkbox"/>	Head support adapter aluminium (incl. in Dynamic head support D82746)						260,-
D82567	<input type="checkbox"/>	Head support A with head band (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)						370,-
D82568	<input type="checkbox"/>	Extra comfort pads for the head band of D82567, pair						35,-
D27574	<input type="checkbox"/>	Head support B, oval (instead of head support A)						0,-
D27573	<input type="checkbox"/>	Head support C, square (instead of head support A)						0,-
D27572	<input type="checkbox"/>	Head support D, comfort (pressure distributive)						260,-
D27577	<input type="checkbox"/>	Head supports E with adjustable side supports						336,-
D27578	<input type="checkbox"/>	Head supports F with cheek support (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)						336,-
D21064	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 50 mm, length 200 mm						98,-
D21027	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 100 mm, length 250 mm						98,-
D21065	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 150 mm, length 300 mm						98,-
D21028	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 230 mm, length 380 mm						108,-
D21054	<input type="checkbox"/>	Head support adjustment tube (vertical) + 100 mm, length 500 mm						98,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

D23004	<input type="checkbox"/>	Comfort cushion for head rest type C – removable with Stella cover	195,-
D23012	<input type="checkbox"/>	Easy Care cover for head rest type A, B, C – removable	98,-
D23013	<input type="checkbox"/>	3D cover for head rest type A, B, C – removable	98,-
D23015	<input type="checkbox"/>	Grey head rest cushion with Stella cover	249,-
D26677	<input type="checkbox"/>	<p>MYSeat head support (3 joints)</p> <p>Easy to adjust – Takes little space – Crash tested</p> <p>Artificial leather or textile cover depending on fabric choice for the whole chair. Multifunctional head support with adjustable sides. Horizontal, vertical and angle adjustable. Width 250 mm.</p>	562,-
			
D90034	<input type="checkbox"/>	Extra joint for MYSeat head support extension.	87,-
		  	
		[A] [B] [C]	
D45370	<input type="checkbox"/>	<p>[A] Savant head support incl. headband, small – height 130 mm</p> <p>User forehead 460-560 mm</p> <p>User ½ circumference behind ears 150-180 mm</p> <p>Inside distance along top support 300 mm, along middle support 180 mm</p> <p>(if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)</p>	Price on request
D45371	<input type="checkbox"/>	<p>[A] Savant head support incl. headband, adult – height 150 mm</p> <p>User forehead 560-610 mm</p> <p>User ½ circumference behind ears 200-300 mm</p> <p>Inside distance along top support 360 mm, along middle support 200 mm</p> <p>(if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)</p>	Price on request
D45373	<input type="checkbox"/>	<p>[B] Side pads for Savant head support. For extra lateral support.</p> <p>For the upper arms of the head support. Cannot be combined with the headband</p>	Price on request
D45375	<input type="checkbox"/>	Head support adjustment tube (horizontal) +100 mm, length 250 mm	Price on request
D45368	<input type="checkbox"/>	<p>[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant head supports. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)</p>	Price on request
D45376	<input type="checkbox"/>	<p>Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant head supports. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)</p>	Price on request
D89558	<input type="checkbox"/>	<p>[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti head supports. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)</p>	Price on request
D89559	<input type="checkbox"/>	<p>Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti head supports. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)</p>	Price on request



Decon E-Drive or Decon E-move

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN WHEELS

Standard	<input checked="" type="checkbox"/>	Main wheels 24" PU incl. user brakes	0,-
INT70315	<input type="checkbox"/>	Main wheels 12" PU with drum brakes. No frame brakes. Please contact us for an offer of a frame brake option.	475,-
INT70316	<input type="checkbox"/>	Main wheels 16" PU with drum brakes. No frame brakes. Please contact us for an offer of a frame brake option.	475,-
D21085	<input type="checkbox"/>	Drum brakes for 24" wheels	271,-
D22006	<input type="checkbox"/>	Main wheels wide: 1 3/8 PU infill	76,-
D22008	<input type="checkbox"/>	Main wheels pneumatic – only 24 x 1 3/8 available	76,-
D22009	<input type="checkbox"/>	Hand and spoke protector - transparent, pair – for 24" (not for one hand drive)	163,-
D22013	<input type="checkbox"/>	Push rim cover, pair – for 24"	130,-
D20834	<input type="checkbox"/>	One hand drive for 24" wheels PU – left (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)	1.276,-
D20836	<input type="checkbox"/>	One hand drive for 24" wheels PU – right (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)	1.276,-

FRONT WHEELS

Standard	<input checked="" type="checkbox"/>	Front wheels: 7" – 175 x 33 PU	0,-
D21021	<input type="checkbox"/>	Front wheels: 7" – 175 x 45 PU wheel - puncture proof - with PU infill (necessary for supportive engines)	98,-
D21012	<input type="checkbox"/>	Front wheels: 7" – 175 x 45 pneumatic	98,-

TRAYS

Please note that the use of a tray cannot be recommended in combination with a dynamic seat unit. A tray is static and together with a dynamic seat unit this may cause injury.

D25059	<input type="checkbox"/>	Universal tray	243,-
D21052	<input type="checkbox"/>	Upholstery for tray	130,-

VARIOUS ACCESSORIES

D21239	<input type="checkbox"/>	Tool kit	108,-
D41987	<input type="checkbox"/>	Intravenous rack	346,-
IS-D80085	<input type="checkbox"/>	Universal device basket SW 450: W: 405 mm, D: 305 mm, H: 70 mm (for other seat widths please subtract or add from SW 450 mm) Max. capacity 6 kg / Combination with 12+16" wheels only in special adaptation. For information concerning car transport, please see the user manual of the device basket on our website.	Price on request



NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

See examples and more about our special solutions online.



CUSTOM MADE – most wanted special adapted items (price on request)

Reinforced aluminum footboard



Leg support end position suspension
Not possible with D82318/9 (extension bracket)



This item works only at the end of a back movement and prevent from hard touching/slamming of the leg support.

Leg support speed absorber

This item works as a speed limiter for extension and flexion movements. It lowers the speed in both direction to prevent from hard movements in both ways up and down.



Calf support with special bracket for fixed positioning

Footboard swingable horizontally (frontwards)


Extra long calf supports (please state length)

Calf support upholstery in special length or material

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.




Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length _____ mm of the chair.


TECHNICAL DATA

Tilt (seat)	-8° bis +22°
Recline (back)	Depends on choice of the gas spring
Total width of the wheelchair	Seat width +180 mm (24" std. wheels)/ + 195 mm (24" DB wheels) / +170 mm (16" DB wheels)
Total length	1130 mm with leg rests
Total height	1100 mm
Distance arm support to seat plate	Min. 265 mm / max. 355 mm
Weight of wheelchair	App. 29 kg (without cushions)
Frame colour	Silver
Cover variant	3D cover
Crashtest	ISO 7176-19 (Max. load is 135 kg minus weight of seating unit) - For information concerning car transport, please see the user manual on our website.

Seat height – WITHOUT seat cushion (measured from floor to seat plate)




Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



Measurements


- A Hip width/Seat width _____ mm
- B Thigh length / seat depth _____ mm
- C Arm rest height _____ mm
- D Leg length / seat height _____ mm
- E Backrest height _____ mm
- F Trunk width _____ mm



Measuring for a hip belt

Measure hip width across the greater trochanters with the person seated. If the hip width falls between sizes on our chart, consider other factors such as growth, weight change and clothing.

Overall pad length	
XS	380 mm
M	460 mm
L	620 mm



Measuring for Ankle huggers

Measure circumference above ankle.

Ankle circumference	
S	170-200 mm
M	190-230 mm
L	220-290 mm
XL	280-330 mm