

Date _____

Customer code C- _____

Invoice address _____

Contact person _____

Reference _____

Other delivery address _____

☐ Invoice address = delivery address

☐ Quote



NETTI DYNAMIC COMPLETE SYSTEM

Netti Dynamic complete system is equipped with a seat unit with dynamic seat plate, armrests with hand protection, frame extension, longer anti tippers, Bodypoint EVOFLEX pelvic stabilizer and an individually chosen gas spring for the back unit (see page 2).

☐ The chair will be used as seat for car transport.

Price on request

CED (long seat depth/capacity 135 kg)

Seat width :

- D65135 ☐ 350 mm
- D65140 ☐ 400 mm
- D65143 ☐ 430 mm
- D65145 ☐ 450 mm
- D65150 ☐ 500 mm

Seat depth adjustable from 425-500 mm

Seat depth adjustment CED:

- ☐ 425 ☐ 450 ☐ 475 ☐ 500

Seat height – see page 13

CEDS (short seat depth/capacity 135 kg)

Seat width:

- D65135S ☐ 350 mm
- D65140S ☐ 400 mm
- D65143S ☐ 430 mm

Seat depth adjustable from 375-450 mm

Seat depth adjustment CEDS:

- ☐ 375 ☐ 400 ☐ 425 ☐ 450

Seat height – see page 13

Before using Netti Dynamic System or any of its components, a seating assessment should be carried out by a trained professional. For more information, please visit our website www.my-netti.com

DYNAMIC SEAT- AND BACKSOLUTION

Please contact us for recommendation on the choice of gas spring.

Option 1: 15° Dynamic gas spring for the back angle - cannot be blocked - incl. dynamic seat unit

Not allowed for car transportation, as the back angle cannot be blocked.

Back unit with Dynamic gas spring allows 15° trunk extension movements backwards. The standard recline is maintained and can be adjusted in any position. The Dynamic gas spring cannot be blocked. Recommended for stiffness patterns which tend to persist, spasticity, and for comfort and prevention.

- ☐ Dynamic gas spring 80 N
- ☐ Dynamic gas spring 120 N
- ☐ Dynamic gas spring 160 N



EVOFLEX pelvic stabiliser: Please choose the size from the table on page 14.

Size ☐ XS ☐ M ☐ L

Option 2: 40° Dynamic FREE gas spring for the back angle - lockable - incl. dynamic seat unit

Back unit with Dynamic Free gas spring allows up to 40° trunk extension movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. The back recline and blocking/unblocking of the dynamic back movement is done with a special dynamic release handle. The Dynamic Free gas spring is recommended for severe extension patterns, also for violent and sudden movements.


- ☐ Dynamic FREE gas spring 200 N (SW 350 - 400 mm)
- ☐ Dynamic FREE gas spring 300 N (SW 350 - 400 mm)
- ☐ Dynamic FREE gas spring 400 N (SW 350 - 400 mm)
- ☐ Dynamic FREE gas spring 500 N (SW 350 - 400 mm)
- ☐ Dynamic FREE gas spring 600 N (SW 350 - 430 mm)
- ☐ Dynamic FREE gas spring 700 N (SW 350 - 430 mm)
- ☐ Dynamic FREE gas spring 800 N (SW 350 - 430 mm)
- ☐ Dynamic FREE gas spring 900 N (SW 450 - 500 mm)
- ☐ Dynamic FREE gas spring 1000 N (SW 450 - 500 mm)
- ☐ Dynamic FREE gas spring 1100 N (SW 450 - 400 mm)
- ☐ Dynamic FREE gas spring 1200 N (SW 450 - 500 mm)
- ☐ Dynamic FREE gas spring 1300 N (SW 450 - 500 mm)




EVOFLEX pelvic stabiliser: Please choose the size from the table on page 14.

Size ☐ XS ☐ M ☐ L

D45040	<input type="checkbox"/>	Security cover for 2/4-point pelvic stabilizer (XS, M, L)	74,-
D87903	<input type="checkbox"/>	Recline limiter (possible to limit in different positions from 116° - 134°) for the Netti Dynamic Free back spring (to be mounted by the dealer)	Price on request

Alternative to the 2-point pelvic stabiliser		423,-
	<input type="checkbox"/> D86889 – Bodypoint 4-point padded hip belt – Size XS	
	<input type="checkbox"/> D86893 – Bodypoint 4-point padded hip belt – Size M	
	<input type="checkbox"/> D86894 – Bodypoint 4-point padded hip belt – Size L	
Please choose the size from the table on page 14.		

DYNAMIC HEAD SUPPORT SOLUTION



- D82746 ☐ **Netti Dynamic head support C incl. head support adapter in aluminium**

Price on request

DYNAMIC LEG SUPPORT SOLUTION

The dynamic leg support solution is for users with an asymmetric movement pattern. It is specially developed to allow for uneven forces from the legs. Furthermore the Netti Dynamic leg supports allows for different leg length.



- D82296 ☐ **Dynamic leg support** angle adjustable with calf supports and footboard, 100 N
Std. 300 mm adjustment piece
(Lower leg length 450-550 mm)


Price on request

- D82298 ☐ With 214 mm adjustment piece
(Lower leg length 350-450 mm)

- D82318 ☐ **Dynamic leg support** angle adjustable with calf supports and footboard, 100 N
Including extension bracket to be used by uneven leg length or leg position adjusting the foot board depth.
Std. 300 mm adjustment piece
(Lower leg length 450-550 mm)

- D82319 ☐ With 214 mm adjustment piece
(Lower leg length 350-450 mm)

Accessories for Netti Dynamic leg rests (for other leg support solutions please see page 6)

D88211	<input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
D32296	<input type="checkbox"/>	Extra-long knee upholstery 550 mm – 3D cover	290,-
D45245	<input type="checkbox"/>	Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
Bodypoint ankle huggers incl. mounting material			
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	242,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	242,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	252,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	273,-

D21081	<input type="checkbox"/>	Extra abduction for legrets (+50 mm, not for SW 430 mm) - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	431,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	63,-
D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-

☒ = Standard equipment

Please send us a request for combinations with NDS options, as some combinations are only possible as special adaptations.

FRAME + ACCESSORIES

Item nr.		Description	Price in €
Standard	<input checked="" type="checkbox"/>	Angle adjustable push bow	0,-
Standard	<input checked="" type="checkbox"/>	Anti tip, swingable	0,-
Standard	<input checked="" type="checkbox"/>	User brake	0,-
Standard	<input checked="" type="checkbox"/>	Frame extension including longer anti tippers	0,-
Standard	<input checked="" type="checkbox"/>	Car fasteners – if an accessory means that the wheelchair is not approved for use as seat in a car, the chair will be delivered without car fasteners.	0,-
D86099	<input type="checkbox"/>	Brake lever extension + 70 mm – length 200 mm (to be mounted by dealer)	177,-
D21755	<input type="checkbox"/>	Push handles 300 mm, height adjustable and swingable (please note: the armrests will then not be revolvable)	252,-
D29474	<input type="checkbox"/>	Tilt-restrictor (no negative tilt frontwards)	42,-
D21022	<input type="checkbox"/>	Easy Care cover (not available for Netti Sit °C or Ride cushion)	0,-
D21076	<input type="checkbox"/>	Configuration for car transportation for users higher than 185 cm incl.: D41006 Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm) D21054 Vertical tube for head support - 500 mm D82025 Head support adapter in aluminium	588,-
D83937	<input type="checkbox"/>	SW extension kit mounted 2 x 12 mm – only for SW 350-450 mm	167,-
Special	<input type="checkbox"/>	Side upholstery (reduces SW with 2 x 25 mm); incl. a special adaptation of the seat plate with cuts to allow the Dynamic movements. Seat cushion will for the same reasons also be delivered in a smaller size.	Price on request
		Bodypoint supportive universal elastic strap	189,-
D45084	<input type="checkbox"/>	S (Height 80 mm - 1420 mm long, easily cut-to-length)	
D45085	<input type="checkbox"/>	L (Height 110 mm - 1420 mm long, easily cut-to-length)	
D45086	<input type="checkbox"/>	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	



BACK UNIT (for belts please see page 11)

Standard	<input checked="" type="checkbox"/>	Back cushion Netti Uno – with 100 mm side support with 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Back height 500 mm (incl. adjustable velcro back)	0,-
D41006	<input type="checkbox"/>	Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	233,-
D44992	<input type="checkbox"/>	Adjustable velcro with cut for side supports	263,-
D21338	<input type="checkbox"/>	Back cushion Netti Smart – with 120 mm side support – 3D cover	347,-
D27374	<input type="checkbox"/>	Side support Correction with upholstery left – for Netti Uno and Smart	221,-
D27375	<input type="checkbox"/>	Side support Correction with upholstery right – for Netti Uno and Smart	221,-
D21333	<input type="checkbox"/>	Back cushion Netti Stabil – with 170 mm side support - 3D cover	557,-
D21334	<input type="checkbox"/>	Back cushion Netti Super Stabil – with 170 mm reinforced side support - 3D cover	651,-
D20630	<input type="checkbox"/>	Back cushion Netti Kyphotic - 3D/Stella cover - only back height 500 mm	746,-
	<input type="checkbox"/>	Ride Designs Back solution (See separate order form) Article number: _____ / Accessories: _____	
D26831	<input type="checkbox"/>	Side support Stable left - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	252,-
D26844	<input type="checkbox"/>	Side support Stable right - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	252,-
D27541	<input type="checkbox"/>	Side support upholstery Stable, pair	158,-
D27700	<input type="checkbox"/>	Firm back in aluminium, back height 500 mm	378,-
D27708	<input type="checkbox"/>	Firm back in aluminium, back height 600 mm (incl. D41006 back extender - only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	620,-
D21084	<input type="checkbox"/>	Back wedge	189,-
D21042	<input type="checkbox"/>	Lumbar support	189,-

SEAT UNIT

Standard	<input checked="" type="checkbox"/>	Seat cushion Netti Uno – 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Dynamic seat plate	0,-
D21048	<input type="checkbox"/>	Incontinence cover for seat cushion	242,-
D21007	<input type="checkbox"/>	Pressure relief seat cushion Netti Sit – 3D cover incl. incontinence layer	399,-
D21017	<input type="checkbox"/>	Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	557,-
D40001	<input type="checkbox"/>	Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ (if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)	Price on request
D40002	<input type="checkbox"/>	Pressure distribution and relief seat cushion Netti Precision 2	Price on request

Cover Stella +/- Easy Care + depending on the fabric for the whole chair

Article number _____



(if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)

D50000/ D50001	<input type="checkbox"/>	Ride Designs Forward seat cushion (See separate order form) Article number: _____ / Accessories: _____	Price on request
D50002	<input type="checkbox"/>	Ride Designs Java seat cushion (See separate order form) Article number: _____ / Accessories: _____	Price on request
D27493	<input type="checkbox"/>	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,-
D27494	<input type="checkbox"/>	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,-
D27495	<input type="checkbox"/>	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,-



LEG SUPPORTS (please see page 3 for dynamic leg supports)

For the Netti Dynamic CED you have 5 different types of leg supports with various accessories. Please contact us for consultation.



Manually angle adjustable leg supports

Standard			<input checked="" type="checkbox"/> Manually angle adjustable leg supports with	0,-
			-automatic length adjustment	
			-angle adjustable foot plates	
			-calf supports and knee upholstery	
D88211	<input type="checkbox"/>		Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
			Bodypoint ankle huggers with upholstery	
			<input type="checkbox"/> D44863 S (L: 170-200 mm)	242,-
			<input type="checkbox"/> D44864 M (L: 190-230 mm)	242,-
			<input type="checkbox"/> D44865 L (L: 220-290 mm)	252,-
			<input type="checkbox"/> D44904 XL (L: 280-330 mm)	273,-
D32296	<input type="checkbox"/>		Extra-long knee upholstery 550 mm – 3D cover	290,-
D21008	<input type="checkbox"/>		Gas spring	987,-
D21044	<input type="checkbox"/>		Foot board, adjustable	326,-
D21041	<input type="checkbox"/>		Foot box upholstered (not approved for car transportation, if this is needed, please choose the Netti Grandis solution)	515,-
D24000	<input type="checkbox"/>		Calf support hinged (possible to swing underneath the chair), pair	189,-
D21745	<input type="checkbox"/>		Calf support bracket upholstery - pair - skai cover	63,-
D41617	<input type="checkbox"/>		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D23014	<input type="checkbox"/>		Foot fixation, pair	147,-
D28453	<input type="checkbox"/>		Foot plate upholstery - pair - skai cover	305,-
D86900	<input type="checkbox"/>		Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>		Bodypoint calf strap L	181,-

Universal leg supports

D24005		<input type="checkbox"/> Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. No calf support, delivered with heel straps.	137,-
		Bodypoint ankle huggers with upholstery incl. mounting kit	
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	242,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	242,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	252,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	273,-
D21044	<input type="checkbox"/>	Foot board, adjustable (without heel straps)	326,-
D21041	<input type="checkbox"/>	Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-

Netti Grandis angle adjustable leg supports

D88600		<input type="checkbox"/> Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	1.098,-
		The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	
D88602	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	211,-
D88607	<input type="checkbox"/>	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	113,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	63,-
D88014	<input type="checkbox"/>	Foot fixation, pair incl. mounting kit	236,-
D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable	368,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	728,-
D21293	<input type="checkbox"/>	Calf strap	95,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-
		Bodypoint ankle huggers with upholstery	
	<input type="checkbox"/>	D88863 S (L: 170-200 mm)	327,-
	<input type="checkbox"/>	D88864 M (L: 190-230 mm)	327,-

<input type="checkbox"/>	D88865 L (L: 220-290 mm)	337,-
<input type="checkbox"/>	D88866 XL (L: 280-330 mm)	360,-

Netti Grandis amputation support

D88618	<input type="checkbox"/> Amputation support left incl. Netti Grandis leg support right side	1.053,-
D88619	<input type="checkbox"/> Amputation support right incl. Netti Grandis leg support left side	1.053,-
	<input type="checkbox"/> Amputation support left + right	1.468,-

Netti Grandis leg support with fixed angle



D88612	<input type="checkbox"/> Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	1.098,-
D88603	<input type="checkbox"/> Foot board, lockable and upwards swingable (without heel straps)	386,-
D88605	<input type="checkbox"/> Footbox, upholstered with Skai cover (approved for car transport)	728,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

Standard	<input checked="" type="checkbox"/>	Arm supports height and depth adjustable, revolvable	0,-
Standard	<input checked="" type="checkbox"/>	Arm pads 385 x 58 mm	0,-
D21077	<input type="checkbox"/>	Arm pads 420 x 80 mm	126,-
D41649	<input type="checkbox"/>	Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	116,-
D41650	<input type="checkbox"/>	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	137,-
D23003	<input type="checkbox"/>	Hemiplegic cushion	221,-
D29459	<input type="checkbox"/>	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	336,-
D29460	<input type="checkbox"/>	Arm support hemiplegic right (can only be combined with a tray in special adaptation)	336,-

MAIN AND FRONT WHEELS

Standard	<input checked="" type="checkbox"/>	24 x 1" PU + 7" 175 x 33 PU	0,-
D22085	<input type="checkbox"/>	Drum Brakes	263,-
D22006	<input type="checkbox"/>	Main wheels wide: 1 3/8 PU infill	74,-

D22008	<input type="checkbox"/>	Main wheels pneumatic – only 24 x 1 3/8 available	74,-
D22007	<input type="checkbox"/>	Main wheel 22 x 1" PU + front wheel 6" 150 x 30 PU	147,-
D21021	<input type="checkbox"/>	Front wheel 7" - 175 x 45 PU wheel - puncture proof - with PU infill (necessary for supportive engines)	95,-
D21012	<input type="checkbox"/>	Front wheels: 7" – 175 x 45 pneumatic	95,-
D20834	<input type="checkbox"/>	One hand drive for 24" wheels PU – left Cannot be combined with drum brakes.	1.239,-
D20836	<input type="checkbox"/>	One hand drive for 24" wheels PU – right Cannot be combined with drum brakes.	1.239,-
INT70315	<input type="checkbox"/>	Main wheels 12½" PU with drum brakes. No frame brakes. Please contact us for an offer of a frame brake option.	384,-
INT70316	<input type="checkbox"/>	Main wheels 16" PU with drum brakes. No frame brakes. Please contact us for an offer of a frame brake option.	384,-
D22009	<input type="checkbox"/>	Hand and spoke protector - transparent, pair (not for one hand drive)	158,-
D22013	<input type="checkbox"/>	Push rim cover, pair	126,-

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS (please also see page 3)



		A	B	C	D	E	F	
Standard	<input checked="" type="checkbox"/>	Head support A, with side support						0,-
D82025	<input type="checkbox"/>	Head support adapter aluminium						252,-
D82567	<input type="checkbox"/>	Head support A with head band (Not approved for car transport – if this is needed, please order an additional Netti head support)						359,-
D82568	<input type="checkbox"/>	Extra comfort pads for the head band of D82567, pair						34,-
D27574	<input type="checkbox"/>	Head support B, small, oval						0,-
D27573	<input type="checkbox"/>	Head support C, large, square						0,-
D27572	<input type="checkbox"/>	Head support D, comfort (pressure distributive)						252,-
D27577	<input type="checkbox"/>	Head support E with adjustable side supports						326,-
D27578	<input type="checkbox"/>	Head support F with cheek support (Not approved for car transport – if this is needed, please order an additional Netti head support)						326,-
D21064	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 50 mm, length 200 mm						95,-
D21027	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 100 mm, length 250 mm						95,-
D21065	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 150 mm, length 300 mm						95,-
D21028	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 230 mm, length 380 mm						105,-


D21054	<input type="checkbox"/>	Head support adjustment tube (vertical) + 100 mm, length 500 mm	95,-
D23004	<input type="checkbox"/>	Comfort cushion for head rest type C – removable with Stella cover	189,-
D23012	<input type="checkbox"/>	Easy Care cover for head rest type A, B, C – removable	95,-
D23013	<input type="checkbox"/>	3D cover for head rest type A, B, C – removable	95,-
D23015	<input type="checkbox"/>	Grey head rest cushion with Stella cover	242,-
D26677	<input type="checkbox"/>	Meylife head support (3 joints) Easy to adjust – Takes little space – Crash tested Artificial leather or textile cover depending on fabric choice for the whole chair. Multifunctional head support with adjustable sides. Horizontal, vertical and angle adjustable. Width 250 mm.	546,-
D90034	<input type="checkbox"/>	Extra joint for Meylife head support extension – needed for back height 600 mm.	84,-
			
D45370	<input type="checkbox"/>	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (Not approved for car transport – if this is needed, please order an additional Netti head support)	Price on request
D45371	<input type="checkbox"/>	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (Not approved for car transport – if this is needed, please order an additional Netti head support)	Price on request
D45373	<input type="checkbox"/>	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request
D45368	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant head supports. (Not approved for car transport – if this is needed, please order an additional Netti head support)	Price on request
D45376	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant head supports. (Not approved for car transport – if this is needed, please order an additional Netti head support)	Price on request
D89558	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti head supports. (Not approved for car transport – if this is needed, please order an additional standard Netti head support)	Price on request
D89559	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti head supports. (Not approved for car transport – if this is needed, please order an additional standard Netti head support)	Price on request

TRAYS

Please note that the use of a tray cannot be recommended in combination with a dynamic seat unit. A tray is static and together with a dynamic seat unit this may cause injury.

D25059	<input type="checkbox"/>	Universal tray	236,-
D21052	<input type="checkbox"/>	Upholstery for tray	126,-
D28826	<input type="checkbox"/>	Tray swingable	273,-
D28828	<input type="checkbox"/>	Tray lockable	273,-
D93316	<input type="checkbox"/>	Tray spacer for swingable or lockable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	20,-

VARIOUS ACCESSORIES

D21087	<input type="checkbox"/>	Clinic-kit (tools and star wheels) only for angle adjustable leg rests	126,-
D21239	<input type="checkbox"/>	Tool kit	105,-
IS-D80085	<input type="checkbox"/>	Universal device basket SW 450: W: 405 mm, D: 305, H: 70 mm (for other seat widths please subtract or add from SW 450 mm) Max. capacity 6 kg / Combination with 12+16" wheels only in special adaptation. For information concerning car transport, please see the user manual of the device basket on our website.	Price on request
			
D41987	<input type="checkbox"/>	Intravenous rack	336,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for back unit

			
[A]			
D86890	<input type="checkbox"/>	H-harness adaptor kit (recommended for all upper body harnesses) [A]	278,-
D20881	<input type="checkbox"/>	H-belt, with upholstery and car belt lock [B]	263,-
D41645	<input type="checkbox"/>	Belt cross harness [C]	200,-
			
			
			
			
[C]			
[D]			
[E]			
D89805	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)	274,-
D89898	<input type="checkbox"/>	S (Shoulder width 280-330 mm)	
D86895	<input type="checkbox"/>	M (Shoulder width 330-410 mm)	
D86896	<input type="checkbox"/>	L (Shoulder width 410-480 mm)	
D89802	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)	274,-
D89803	<input type="checkbox"/>	S (Shoulder width 280-330 mm)	
D86898	<input type="checkbox"/>	M (Shoulder width 330-410 mm)	
D86899	<input type="checkbox"/>	L (Shoulder width 410-480 mm)	

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution. See examples and more about our special solutions online.



CUSTOM MADE – most wanted special adapted items (price on request)

- ☐ Extra-long calf supports. Please state length
- ☐ Calf support upholstery in special length or material
- ☐ Special bracket maintaining the calf supports in a fixed position
- ☐ Footboard swingable horizontally (frontwards)

- ☐ Reinforced aluminium footboard




- ☐ Leg support end position suspension
Not possible with D82318/9 (extension bracket)
This item works only at the end of a back movement and prevent from hard touching/slamming of the leg support.



- ☐ Leg support speed absorber


This item works as a speed limiter for extension and flexion movements.
It lowers the speed in both directions to prevent from hard movements, in both ways up and down.



Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.




Please inform us if there are any special circumstances in the living area that has an influence for the chair:
e.g. the total possible width _____ mm and length _____ mm of the chair.


TECHNICAL DATA

Tilt (seat)	-5° to +20°
Recline (back)	Depends on which gas spring is chosen
Total width of the wheelchair	Seat width + 180 mm (std. wheels)/ + 195 mm (DB wheels) / +170 mm (12"+ 16" DB wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seat plate	Min. 265 mm / max. 355 mm
Weight of wheelchair	App. 30 kg (without cushions)
Frame colour	Grey
Cover variant	3D cover (optional Easy Care cover with D21022)
Crash test	ISO 7176-19 (135 kg)

Seat height – WITHOUT seat cushion (measured from floor to seat plate)




Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



Measurements


A Hip width/Seat width	_____ mm
B Thigh length / seat depth	_____ mm
C Arm rest height	_____ mm
D Leg length / seat height	_____ mm
E Backrest height	_____ mm
F Trunk width	_____ mm



Measuring for Ankle huggers

Measure circumference above ankle.


Ankle circumference	
S	170-200 mm
M	190-230 mm
L	220-290 mm
XL	280-330 mm



Measuring for Stayflex and PivoFit

Measure the shoulder width. If the shoulder width falls between two sizes, consider other factors such as growth, weight changes and clothing.

Shoulder width	
XXS	210-240 mm
XS	240-280 mm
S	280-330 mm
M	330-410 mm
L	410-480 mm



Measuring for a hip belt

Measure hip width across the greater trochanters with the person seated. If the hip width falls between sizes on our chart, consider other factors such as growth, weight change and clothing.

Overall pad length	
XS	380 mm
M	460 mm
L	620 mm