

Seat height – see page 13



Date	Customer code C
Invoice address	Contact person
	Reference
	Other delivery address
Invoice address = delivery address	S Quote
☐ The chair will be used as seat for car transp	NETTI DYNAMIC COMPLETE SYSTEM Netti Dynamic complete system is equipped with a seat unit with dynamic seat plate, armrests with hand protection, frame extension, longer anti tippers, Bodypoint EVOFLEX pelvic stabilizer and an individually chosen gas spring for the back unit (see page 2).
Price on request	
CED (long seat depth/capacity 135 kg)	CEDS (short seat depth/capacity 135 kg)
Seat width: D65135	Seat width: D65135S □ 350 mm D65140S □ 400 mm D65143S □ 430 mm
Seat depth adjustable from 425-500 mm Seat depth adjustment CED: 425 450 475 500	Seat depth adjustable from 375-450 mm Seat depth adjustment CEDS: 375 400 425 450

Before using Netti Dynamic System or any of its components, a seating assessment should be carried out by a trained professional. For more information, please visit our website www.my-netti.com

Seat height – see page 13





DYNAMIC SEAT- AND BACKSOLUTION

Please contact us for recommendation on the choice of gas spring.

•	nic gas spring for the back angle - cannot be blocked - incl. dynamic seat unit transportation, as the back angle cannot be blocked.	
is maintained and	mic gas spring allows 15° trunk extension movements backwards. The standard recan be adjusted in any position. The Dynamic gas spring cannot be blo tiffness patterns which tend to persist, spasticity, and for comfort and prevention	cked.
•••••	Dynamic gas spring 80 N Dynamic gas spring 120 N Dynamic gas spring 160 N	
	EVOFLEX pelvic stabiliser: Please choose the size from the table on page 14. Size XS M L	
Back unit with Dynar standard back recline which can be appropr dynamic back movem recommended for several sev	ic FREE gas spring for the back angle - lockable - incl. dynamic seat unit mic Free gas spring allows up to 40° trunk extension movements backwards. can be locked in any position as the dynamic movement is blocked simultaneous interpretate during transport or positioning. The back recline and blocking/unblocking of ment is done with a special dynamic release handle. The Dynamic Free gas spring vere extension patterns, also for violent and sudden movements. Dynamic FREE gas spring 200 N (SW 350 - 400 mm) Dynamic FREE gas spring 300 N (SW 350 - 400 mm) Dynamic FREE gas spring 400 N (SW 350 - 400 mm) Dynamic FREE gas spring 500 N (SW 350 - 430 mm) Dynamic FREE gas spring 600 N (SW 350 - 430 mm) Dynamic FREE gas spring 700 N (SW 350 - 430 mm) Dynamic FREE gas spring 800 N (SW 350 - 430 mm) Dynamic FREE gas spring 900 N (SW 450 - 500 mm) Dynamic FREE gas spring 1000 N (SW 450 - 500 mm) Dynamic FREE gas spring 1200 N (SW 450 - 500 mm) Dynamic FREE gas spring 1300 N (SW 450 - 500 mm) Dynamic FREE gas spring 1300 N (SW 450 - 500 mm) EVOFLEX pelvic stabiliser: Please choose the size from the table on page 14.	usly, f the
D45040	Security cover for 2/4-point pelvic stabilizer (XS, M, L)	74,-
D87903	Recline limiter (possible to limit in different positions from 116° - 134°) Price on re for the Netti Dynamic Free back spring (to be mounted by the dealer)	





		the 2-point pelvic stabiliser	423,-
		Bodypoint 4-point padded hip belt – Size XS	
		Bodypoint 4-point padded hip belt – Size M	
	□ D86894 – E	Bodypoint 4-point padded hip belt – Size L	
	Please choose	the size from the table on page 14.	
DYNAMIC HEAD SUPP	ORT SOLUTION		
A .00			Price on
	D82746	Netti Dynamic head support C incl. head support	request
		adapter in aluminium	
U			
DYNAMIC LEG SUPPO	RT SOLUTION		
The dynamic leg supp	ort solution is fo	r users with an asymmetric movement pattern. It is spe	cially
developed to allow fo	r uneven forces	from the legs. Futhermore the Netti Dynamic leg suppo	rts allows
for different leg length	າ.		
	D82296	Dynamic leg support angle adjustable with calf	Price
		supports and footboard, 100 N	on
		Std. 300 mm adjustment piece	request
		(Lower leg length 450-550 mm)	
	D82298	With 214 mm adjustment piece	
	_	(Lower leg length 350-450 mm)	
	_		
	D82318	Dynamic leg support angle adjustable with calf	
		supports and footboard, 100 N	
		Including extension bracket to be used by uneven leg	
		length or leg position adjusting the foot board depth.	
		Std. 300 mm adjustment piece	
		(Lower leg length 450-550 mm)	
	D82319	With 214 mm adjustment piece	
		(Lower leg length 350-450 mm)	
Accessories for Notti D	vanamia laa vaate	(for other less commont solutions places see page ()	
		s (for other leg support solutions please see page 6)	
D88211	•	rt upper parts with lever instead of star wheel for	89,-
D32296	angle adju Extra-long	knee upholstery 550 mm – 3D cover	290,-
		d automatic footboard lock - Not possible to combine	Price on
D45245		18/9 (extension bracket). With this lock the footboard	
		le adjustable, but this can be offered as special	request
	adaptation	•	
		ankle huggers incl. mounting material	
	□ D44863	S (L: 170-200 mm)	242,-
	□ D44864	M (L: 190-230 mm)	242,- 242,-
1413	D44864	,	
·		L (L: 220-290 mm)	252,- 272
	□ D44904	XL (L: 280-330 mm)	273,-





Extra abduction for legrets (+50 mm, not for SW 430 mm) - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	431,-
Calf support bracket upholstery - pair - skai cover	63,-
Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
Bodypoint calf strap M	181,-
Bodypoint calf strap L	181,-
	 adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service. Calf support bracket upholstery - pair - skai cover Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair Bodypoint calf strap M

= Standard equipment

Please send us a request for combinations with NDS options, as some combinations are only possible as special adaptions.

FRAME + ACCESSORIES

Item nr.	Description	Price in €
Standard 	Angle adjustable push bow	0,-
Standard 	Anti tip, swingable	0,-
Standard	User brake	0,-
Standard	Frame extension including longer anti tippers	0,-
D86099	Brake lever extension + 70 mm – length 200 mm (to be mounted be dealer)	y 177,-
D21755	Push handles 300 mm, height adjustable and swingable (please note: the armrests will then not be revolvable)	252,-
D29474	Tilt-restrictor (no negative tilt frontwards)	42,-
D41074	Car fastening, pair	179,-
D21022	Easy Care cover (not available for Netti Sit °C or Ride cushion)	0,-
D21076	Configuration for car transportation for users higher than 185 cm incl.: D41006 Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm) D21054 Vertical tube for head support - 500 mm D82025 Head support adapter in aluminium	588,-
D83937	SW extension kit mounted 2 x 12 mm – only for SW 350-450 mm	167,-
Special	Side upholstery (reduces SW with 2 x 25 mm); incl. a special adaptation of the seat plate with cuts to allow the Dynamic movements. Seat cushion will for the same reasons also be delivered in a smaller size.	Price on request
D45084 D45085 D45086	189,-	





BACK UNIT (for belts please see page 11)

Standard 	Back cushion Netti Uno – with 100 mm side support with 3D cover	0,-
Standard	Back height 500 mm (incl. adjustable velcro back)	0,-
D41006	Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	233,-
D44992	Adjustable velcro with cut for side supports	263,-
D21338	Back cushion Netti Smart – with 120 mm side support – 3D cover	347,-
D27374	Side support Correction with upholstery left – for Netti Uno and Smart	221,-
D27375	Side support Correction with upholstery right – for Netti Uno and Smart	221,-
D21333	Back cushion Netti Stabil – with 170 mm side support - 3D cover	557,-
D21334	Back cushion Netti Super Stabil – with 170 mm reinforced side support - 3D cover	651,-
D20630	Back cushion Netti Kyphotic - 3D/Stella cover - only back height 500 mm	746,-
	Ride Designs Back solution (See separate order form) Article number: / Accessories:	
D26831	Side support Stable left - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	252,-
D26844	Side support Stable right - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	252,-
D27541	Side support upholstery Stable, pair	158,-
D27700	Firm back in aluminium, back height 500 mm	378,-
D27708	Firm back in aluminium, back height 600 mm (incl. D41006 back extender - only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	620,-
D21084	Back wedge	189,-
D21042	Lumbar support	189,-







NEW:

Advanced seating and positioning management: Ride Designs – solutions (seat and back) for an even more stable posture, even more mobility/ functionality and an immense improved skin protection (decubitus prophylaxis). Please use separate order form.

SEAT UNIT

Standard T	Seat cushion Netti Uno – 3D cover	0,-
Standard Standard	Dynamic seat plate	0,-
D21048	Incontinence cover for seat cushion	242,-
D21007	Pressure relief seat cushion Netti Sit – 3D cover incl. incontinence layer	399,-





189,-

	_		
D21017	_	essure relief seat cushion Netti Sit °C with temperature gulating features and incontinence layer under the 3D	557,·
		yer	
D40001 F		essure distribution and relief seat cushion Netti Precision 1	Duice or
D40001		over Stella +/ Easy Care + depending on the fabric for the	Price or reques
		hole chair	reques
		ticle number	
		nothing stated, Netti will supply the best fitting size based on seat width and seat	
		pth)	
D40002		essure distribution and relief seat cushion Netti Precision 2	Price or
		over Stella +/ Easy Care + depending on the fabric for the	reques
		hole chair	
		rticle numbernothing stated, Netti will supply the best fitting size based on seat width and seat	
		pth)	
D50000/	Ri	de Designs Forward seat cushion (See separate order form)	Price o
D50001	Ar	ticle number:/ Accessories:	reques -
D50002	Ri	de Designs Java seat cushion (See separate order form)	Price o
	Ar	ticle number:/ Accessories:	reques
D27493	AŁ	oduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,
D27494	AŁ	oduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,
D27495	AŁ	oduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,
-	please	see page 3 for dynamic leg supports)	
the Netti Dynami	please	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I	
the Netti Dynami act us for consul	please ic CED tation.	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I	
the Netti Dynami act us for consul nually angle adj	please ic CED tation. justab	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports	Please
the Netti Dynami act us for consul	please ic CED tation. justab	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with	Please
the Netti Dynami act us for consul nually angle adj	please ic CED tation. justab	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment	Please
the Netti Dynami act us for consul nually angle adj	please ic CED tation. justab	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates	Please
the Netti Dynami act us for consul nually angle adj	please ic CED tation. justab	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment	Please
the Netti Dynami act us for consul nually angle adj	please ic CED tation. justab	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates	Please
the Netti Dynami fact us for consul nually angle adj Standare	please ic CED tation. justab d	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	Please 0,
the Netti Dynami act us for consul nually angle adj	please ic CED tation. justab	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery Leg support upper parts with lever instead of star wheel for angle	Please 0,
the Netti Dynami fact us for consul nually angle adj Standare	please ic CED tation. justab d	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery Leg support upper parts with lever instead of star wheel for angle adjustment	Please 0,
the Netti Dynami fact us for consul nually angle adj Standare	please ic CED tation. justab d	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery Leg support upper parts with lever instead of star wheel for angle adjustment Bodypoint ankle huggers with upholstery	Please 0, 89,
the Netti Dynami fact us for consul nually angle adj Standare	please ic CED tation. justab d	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery Leg support upper parts with lever instead of star wheel for angle adjustment	Please 0, 89, 242,
the Netti Dynami fact us for consul nually angle adj Standare	please ic CED tation. justab d	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery Leg support upper parts with lever instead of star wheel for angle adjustment Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm)	Please 0, 89, 242, 242,
the Netti Dynami fact us for consul nually angle adj Standare	please ic CED tation. justab d	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery Leg support upper parts with lever instead of star wheel for angle adjustment Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm)	Please 0, 89, 242, 242, 252,
the Netti Dynami fact us for consul nually angle adj Standare	please ic CED tation. justab d	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery Leg support upper parts with lever instead of star wheel for angle adjustment Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm)	Please 0, 89, 242, 242, 252, 273,
D88211	please ic CED tation. justab d	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery Leg support upper parts with lever instead of star wheel for angle adjustment Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm)	Please 0, 89, 242, 242, 252, 273, 290,
D32296	please ic CED tation. justab d	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery Leg support upper parts with lever instead of star wheel for angle adjustment Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm) Extra-long knee upholstery 550 mm — 3D cover	·
D88211 D32296 D21008 D21044	please ic CED tation. justab d	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery Leg support upper parts with lever instead of star wheel for angle adjustment Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm) Extra-long knee upholstery 550 mm — 3D cover Gas spring Foot board, adjustable	Please 0, 89, 242, 242, 252, 273, 290, 987, 326,
D32296	please ic CED tation. justab d	see page 3 for dynamic leg supports) you have 5 different types of leg supports with various accessories. I le leg supports Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery Leg support upper parts with lever instead of star wheel for angle adjustment Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm) Extra-long knee upholstery 550 mm – 3D cover Gas spring	Please 0, 242, 242, 252, 273, 290, 987,

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

Calf support hinged (possible to swing underneath the chair),

D24000

pair





368,-

728,-

D21745		Calf support bracket upholstery - pair - skai cover	63,-
D41617		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D23014		Foot fixation, pair	147,-
D28453		Foot plate upholstery - pair - skai cover	305,-
D86900		Bodypoint calf strap M	181,-
D86901	$\overline{}$	Bodypoint calf strap L	
			181,-
Jniversal leg suppor	rts		
D24005		Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. No calf support, delivered with heel straps.	137,-
		Bodypoint ankle huggers with upholstery incl. mounting kit	
		D44863 S (L: 170-200 mm)	242,-
र प्र		D44864 M (L: 190-230 mm)	242,-
		D44865 L (L: 220-290 mm)	252,-
		D44904 XL (L: 280-330 mm)	273,-
D21044		Foot board, adjustable (without heel straps)	326,-
D21041		Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D86900		Bodypoint calf strap M	181,-
D86901		Bodypoint calf strap L	181,-
1.44: C	!:	deble les enners de	
letti Grandis angle			4 000
D88600		Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	1.098,-
		The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	
D88602		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	211
D88607		Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	113
D21745		Calf support bracket upholstery - pair - skai cover	63
D88014		Foot fixation, pair incl. mounting kit	236

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

☐ Footbox, upholstered with Skai cover (approved for car transport)

☐ Foot board, lockable and upwards swingable

D88603

D88605





		Calf strap	95,	
D86900		Bodypoint calf strap M	181,	
D86901		Bodypoint calf strap L	181,	
		Bodypoint ankle huggers with upholstery		
		D88863 S (L: 170-200 mm)	327,	
3	□	D88864 M (L: 190-230 mm)	327,	
114		D88865 L (L: 220-290 mm)	337,	
		D88866 XL (L: 280-330 mm)	360,	
i Grandis ampu	utation	n support		
D88618		Amputation support left incl. Netti Grandis leg support right side		
D88619		Amputation support right incl. Netti Grandis leg support left side	1.053,- 1.053,-	
		Amputation support left + right	1.468,-	
	upport	t with fixed angle		
D88612		Netti Grandis leg supports with fixed angle for complex individual	1.098,	
		configurations. Reduces pressure and shear forces. For users with		
		e.g. contractions, leg asymmetry.		
1		The feet support is about attained by unique organization and uses		
-		The foot support is characterized by unique ergonomics and user-		
		friendliness due to scale displays and conical sytemsian pieces		
		friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90° Including heel stran		
D88603		Adjustable in a fixed angle – also below 90°. Including heel strap.	386	
D88603 D88605		· · · · · · · · · · · · · · · · · · ·		
·		Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps)		
D88605 M SUPPORTS	AND	Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps) Footbox, upholstered with Skai cover (approved for car transport) ACCESSORIES FOR ARM SUPPORTS	728,	
D88605 ### SUPPORTS Standard	AND	Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps) Footbox, upholstered with Skai cover (approved for car transport) ACCESSORIES FOR ARM SUPPORTS Arm supports height and depth adjustable, revolvable	728,	
D88605 ### SUPPORTS Standard Standard	AND A	Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps) Footbox, upholstered with Skai cover (approved for car transport) ACCESSORIES FOR ARM SUPPORTS Arm supports height and depth adjustable, revolvable Arm pads 385 x 58 mm	728, 0,- 0,-	
D88605 ## SUPPORTS Standard Standard D21077	AND A	Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps) Footbox, upholstered with Skai cover (approved for car transport) ACCESSORIES FOR ARM SUPPORTS Arm supports height and depth adjustable, revolvable Arm pads 385 x 58 mm Arm pads 420 x 80 mm	0,- 0,- 126,-	
D88605 ### SUPPORTS Standard Standard	AND AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps) Footbox, upholstered with Skai cover (approved for car transport) ACCESSORIES FOR ARM SUPPORTS Arm supports height and depth adjustable, revolvable Arm pads 385 x 58 mm Arm pads 420 x 80 mm Standard arm pad upholstery extra soft, EC or 3D cover	728, 0,- 0,-	
D88605 ## SUPPORTS Standard Standard D21077	AND A A A A A A A A A A A A A A	Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps) Footbox, upholstered with Skai cover (approved for car transport) ACCESSORIES FOR ARM SUPPORTS Arm supports height and depth adjustable, revolvable Arm pads 385 x 58 mm Arm pads 420 x 80 mm Standard arm pad upholstery extra soft, EC or 3D cover Repending on the fabric for the whole chair (can only be	0,- 0,- 126,-	
D88605 ## SUPPORTS Standard Standard D21077	AND AA AA AA AA AA AA C	Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps) Footbox, upholstered with Skai cover (approved for car transport) ACCESSORIES FOR ARM SUPPORTS Arm supports height and depth adjustable, revolvable Arm pads 385 x 58 mm Arm pads 420 x 80 mm Standard arm pad upholstery extra soft, EC or 3D cover Repending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray	0,- 0,- 126,-	
D88605 ## SUPPORTS Standard Standard D21077 D41649	AND AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps) Footbox, upholstered with Skai cover (approved for car transport) ACCESSORIES FOR ARM SUPPORTS Arm supports height and depth adjustable, revolvable Arm pads 385 x 58 mm Arm pads 420 x 80 mm Standard arm pad upholstery extra soft, EC or 3D cover Repending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray pacers)	0,- 0,- 126,- 116,-	
D88605 ## SUPPORTS Standard Standard D21077	AND AA	Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps) Footbox, upholstered with Skai cover (approved for car transport) ACCESSORIES FOR ARM SUPPORTS Arm supports height and depth adjustable, revolvable Arm pads 385 x 58 mm Arm pads 420 x 80 mm Standard arm pad upholstery extra soft, EC or 3D cover Repending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray pacers) Arm pad upholstery extra soft for D21077, EC or 3D cover	0,- 0,- 126,-	
D88605 ## SUPPORTS Standard Standard D21077 D41649	AND AA	Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps) Footbox, upholstered with Skai cover (approved for car transport) ACCESSORIES FOR ARM SUPPORTS Arm supports height and depth adjustable, revolvable Arm pads 385 x 58 mm Arm pads 420 x 80 mm Attandard arm pad upholstery extra soft, EC or 3D cover Repending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray pacers) Arm pad upholstery extra soft for D21077, EC or 3D cover Repending on the fabric for the whole chair (can only be	0,- 0,- 126,- 116,-	
D88605 ## SUPPORTS Standard Standard D21077 D41649	AND AA AA AA AA AA AA CC SC AA CC	Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps) Footbox, upholstered with Skai cover (approved for car transport) ACCESSORIES FOR ARM SUPPORTS Arm supports height and depth adjustable, revolvable Arm pads 385 x 58 mm Arm pads 420 x 80 mm Standard arm pad upholstery extra soft, EC or 3D cover Repending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray pacers) Arm pad upholstery extra soft for D21077, EC or 3D cover Repending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray	0,- 0,- 126,- 116,-	
D88605 A SUPPORTS Standard Standard D21077 D41649 D41650	AND AA AA AA AA C S AA C S A C S	Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps) Footbox, upholstered with Skai cover (approved for car transport) ACCESSORIES FOR ARM SUPPORTS Arm supports height and depth adjustable, revolvable Arm pads 385 x 58 mm Arm pads 420 x 80 mm Attandard arm pad upholstery extra soft, EC or 3D cover Repending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray pacers) Arm pad upholstery extra soft for D21077, EC or 3D cover Repending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray pacers)	728, 0,- 0,- 126,- 116,-	
D88605 A SUPPORTS Standard Standard D21077 D41649 D41650 D23003	AND AA AA AA AA CC SA CC SA AA CC SA CC SA AA CC SA	Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps) Footbox, upholstered with Skai cover (approved for car transport) ACCESSORIES FOR ARM SUPPORTS Arm supports height and depth adjustable, revolvable Arm pads 385 x 58 mm Arm pads 420 x 80 mm Standard arm pad upholstery extra soft, EC or 3D cover Repending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray pacers) Arm pad upholstery extra soft for D21077, EC or 3D cover Repending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray pacers) Remiplegic cushion	728, 0,- 0,- 126,- 116,-	
D88605 A SUPPORTS Standard Standard D21077 D41649 D41650	AND AA	Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps) Footbox, upholstered with Skai cover (approved for car transport) ACCESSORIES FOR ARM SUPPORTS Arm supports height and depth adjustable, revolvable Arm pads 385 x 58 mm Arm pads 420 x 80 mm Arm pads 420 x 80 mm Attandard arm pad upholstery extra soft, EC or 3D cover Repending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray pacers) Arm pad upholstery extra soft for D21077, EC or 3D cover Repending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray pacers) Remiplegic cushion Arm support hemiplegic left (can only be combined with a tray	0,- 0,- 126,- 116,-	
D88605 A SUPPORTS Standard Standard D21077 D41649 D41650 D23003	AND AA	Adjustable in a fixed angle – also below 90°. Including heel strap. Foot board, lockable and upwards swingable (without heel straps) Footbox, upholstered with Skai cover (approved for car transport) ACCESSORIES FOR ARM SUPPORTS Arm supports height and depth adjustable, revolvable Arm pads 385 x 58 mm Arm pads 420 x 80 mm Standard arm pad upholstery extra soft, EC or 3D cover Repending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray pacers) Arm pad upholstery extra soft for D21077, EC or 3D cover Repending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray pacers) Remiplegic cushion	0,- 126,- 116,- 137,-	





MAIN AND FRONT WHEELS

Standard S	24 x 1" PU + 7" 175 x 33 PU	0,-
D22085	Drum Brakes	263,-
D22006	Main wheels wide: 1 3/8 PU infill	74,-
D22008	Main wheels pneumatic – only 24 x 1 3/8 available	74,-
D22007	Main wheel 22 x 1" PU + front wheel 6" 150 x 30 PU	147,-
D21021	Front wheel 7" - 175 x 45 PU wheel - puncture proof - with PU infill (necessary for supportive engines)	95,-
D21012	Front wheels: 7" – 175 x 45 pneumatic	95,-
D20834	One hand drive for 24" wheels PU – left Cannot be combined with drum brakes.	1.239,-
D20836	One hand drive for 24" wheels PU – right Cannot be combined with drum brakes.	1.239,-
INT70315 🔲	Main wheels 12½" PU with drum brakes. No frame brakes. Please contact us for an offer of a frame brake option.	384,-
INT70316	Main wheels 16" PU with drum brakes. No frame brakes. Please contact us for an offer of a frame brake option.	384,-
D22009	Hand and spoke protector - transparent, pair (not for one hand drive)	158,-
D22013	Push rim cover, pair	126,-

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS (please also see page 3)



	Α	В	С	D	Е	F	
Standard 	Head support A	, with side sup	port		·		0,-
D82025	Head support a	dapter alumin	ium				252,-
D82567	Head support A (Not approved for Netti head support	car transport – if t		ease order an a	dditional		359,-
D82568	Extra comfort p	ads for the he	ad band of D8	2567, pair			34,-
D27574	Head support B	, small, oval					0,-
D27573	Head support C	, large, square					0,-
D27572	Head support D	, comfort (pre	ssure distribu	tive)			252,-
D27577	Head support E	with adjustab	le side suppor	ts	·		326,-
D27578	Head support F (Not approved for Netti head support	car transport – if t	•	ease order an a	dditional		326,-
D21064	Head support a mm	djustment tub	e (horizontal)	+ 50 mm, lei	ngth 200		95,-
D21027	Head support a mm	djustment tub	e (horizontal)	+ 100 mm, lo	ength 250		95,-





D21065	Head support adjustment tube (horizontal) + 150 mm, length 300 mm	95,-
D21028	Head support adjustment tube (horizontal) + 230 mm, length 380 mm	105,-
D21054	Head support adjustment tube (vertical) + 100 mm, length 500 mm	95,-
D23004	Comfort cushion for head rest type C – removable with Stella cover	189,-
D23012	Easy Care cover for head rest type A, B, C – removable	95,-
D23013	3D cover for head rest type A, B, C – removable	95,-
D23015	Grey head rest cushion with Stella cover	242,-
	[A] [B] [C]	
D45370	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (Not approved for car transport – if this is needed, please order an additional Netti head support)	Price on request
D45371	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (Not approved for car transport – if this is needed, please order an additional Netti head support)	Price on request
D45373	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	
D45375	Head support adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request
D45368	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant head supports. (Not approved for car transport – if this is needed, please order an additional Netti head support)	
D45376	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant head supports. (Not approved for car transport – if this is needed, please order an additional Netti head support)	
D89558	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti head supports. (Not approved for car transport – if this is needed, please order an additional standard Netti head support)	
D89559	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti head supports. (Not approved for car transport – if this is needed, please order an additional standard Netti head support)	Price on request





TRAYS

Please note that the use of a tray cannot be recommended in combination with a dynamic seat unit. A tray is static and together with a dynamic seat unit this may cause injury.

D25059	Universal tray	236,-
D21052	Upholstery for tray	126,-
D28826	Tray swingable	273,-
D93316	Tray spacer for swingable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	30,-
D28828	Tray lockable	273,-
D93315	Tray spacer for lockable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	20,-

VARIOUS ACCESSORIES

VAILIOUS ACCESS	SINES .	
D21087	Clinic-kit (tools and star wheels) only for angle adjustable leg rests	126,-
D21239	Tool kit	105,-
IS-D80085	Universal device basket	Price on
	SW 450: W: 405 mm, D: 305, H: 70 mm (for other seat widths please subtract or add from SW 450 mm) Max. capacity 6 kg / Combination with 12+16" wheels only in special adaptation. For information concerning car transport, please see the user manual of the device basket on our website.	request
D41987	Intravenous rack	336,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for back unit [D] [A] [C] D86890 H-harness adaptor kit (recommended for all upper body harnesses) 278,-D20881 H-belt, with upholstery and car belt lock [B] 263,-D41645 Belt cross harness [C] 200,-Bodypoint Stayflex chest support without zipper [D] 274,-D89805 XS (Shoulder width 240-280 mm) D89898 S (Shoulder width 280-330 mm) D86895 M (Shoulder width 330-410 mm) L (Shoulder width 410-480 mm) D86896 Bodypoint Pivofit shoulder harness [E] 274,-D89802 XS (Shoulder width 240-280 mm)






D89803	S (Shoulder width 280-330 mm)
D86898 D86899	M (Shoulder width 330-410 mm) L (Shoulder width 410-480 mm)
NETTI CUSTO	
concerning your i	ears of experience in developing customized solutions. Feel free to contact us for a quote ndividual solution. DE — most wanted special adapted items (price on request)
Ex	ktra-long calf supports. Please state length
Ca	alf support upholstery in special length or material
□ St	pecial bracket maintaining the calf supports in a fixed position
Fr	potboard swingable horizontally (frontwards)
	einforced aluminium footboard
Le	eg support end position suspension
N ₁	ot possible with D82318/9 (extension bracket)
	nis item works only at the end of a back movement and prevent
	om hard touching/slamming of the leg support.
Le	eg support speed absorber
TI	ais item works as a speed limiter for extension and flevion
	nis item works as a speed limiter for extension and flexion povements.
	lowers the speed in both directions to prevent from hard
	novements, in both ways up and down.
material, we wou	our current case and how a possible solution could look. If you have any picture or video ld also like to see this. To offer the best solution, please describe the user in the best such as any given diagnosis, user weight and/or the exact pattern movement of the user
User weight:	
Please write the e	exact measurements and draw the wished solution for the requested accessories e.g. by










Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length ____ mm of the chair.

TECHNICAL DATA

-5° to +20°
Depends on which gas spring is chosen
Seat width + 180 mm (std. wheels)/ + 195 mm (DB wheels) / +170 mm (12"+ 16 " DB wheels)
1020 mm with leg rests
1050 mm
Min. 265 mm / max. 355 mm
App. 30 kg (without cushions)
Grey
3D cover (optional Easy Care cover with D21022)
ISO 7176-19 (135 kg)


Seat height – WITHOUT seat cushion (measured from floor to seat plate)









Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm






Measurements

A Hip width/Seat width	mm
B Thigh length / seat depth	mm
C Arm rest height	mm
D Leg length / seat height	mm
E Backrest height	mm
F Trunk width	mm






Shoulder width		
XXS	210-240 mm	
XS	240-280 mm	
S	280-330 mm	
M	330-410 mm	
L	410-480 mm	

Measuring for Stayflex and PivoFit

Measure the shoulder width. If the shoulder width falls between two sizes, consider other factors such as growth, weight changes and clothing.



Overall pa	d length
XS	380 mm
M	460 mm
L	620 mm

Measuring for a hip belt

Measure hip width across the greater trochanters with the person seated. If the hip width falls between sizes on our chart, consider other factors such as growth, weight change and clothing.