



Date Invoice address Invoice address = deliv		Contact person	on	
The chair will be used	as seat for car tran	sport		
		Netti Dyr complete seat plate and an in	namic AdaptF system with a e, Bodypoint E	OMPLETE SYSTEM Pro is equipped with a a seat unit with dynamic EVOFLEX pelvic stabilizer osen gas spring strength age 2).
Price on reques	st			
Seat width	D30135 D30138 D30140	350 mm S 380 mm 400 mm	E	
Seat width	D30143 D30145	430 mm S	eat depth A E C E	3 430 mm* C 455 mm D 480 mm

Capacity Max. 135 kg Seat height See page 7

* *Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°.

= Standard equipment





Before using Netti Dynamic System or any of its components, a seating assessment should be carried out by a trained professional. For more information, please visit our website www.My-Netti.com

DYNAMIC BACK A	AND SEAT UNIT			
	Standard		Dynamic seat plate with pressure reduction properties. The seat will adjust to the user's extension movements. Possible to lock e.g., during transport.	0,-
	Standard		Cross bar for sidewards frame stabilization	0,-
	Standard		Dynamic gas spring for back angle. Allows up to 30° trunk movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning.	ed
	D300NA D450NA D600NA D750NA		300N 450N 600N 750N	
	Standard		Including Bodypoint Evoflex pelvic stabilizer 2-point belt: Please choose size: XS M L	0,-
	D45040		Security cover for 2/4-point pelvic stabilizer (XS, M, L)	7,-
	5		Alternative to the 2-point pelvic stabilizer D36889 – Bodypoint 4-point padded hip belt – Size XS D36893 – Bodypoint 4-point padded hip belt – Size M D36894 – Bodypoint 4-point padded hip belt – Size L	395,-
DYNAMIC LEG SU	PPORT SOLUTIO	N		
developed to allow	w for uneven for	ces f	r users with an asymmetric movement pattern. It is speciall from the legs. Futhermore the Netti Dynamic leg supports agle adustable upper parts with 100N cylinders, calf support For lower leg length 450-550 mm (300 mm extension piece).	allows for
	D82298		For lower leg length 350-450 mm (214 mm extension piece).	Price on request
	D82318		For lower leg length 450-550 mm (300 mm extension piece). Including extension bracket to be used by uneven leg length or leg position adjusting the foot board depth.	Price on request
	D82319		For lower leg length 350-450 mm (214 mm extension piece). Including extension bracket to be used by uneven leg length or leg position adjusting the foot board depth.	Price on request





1000000110011011	D88211		supports (for other leg support solutions, please see page 5) Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
	D45245		Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
			Bodypoint ankle huggers incl. mounting material	
			D44863 S (L: 170-200 mm)	242,-
	TAP		D44864 M (L: 190-230 mm)	242,-
	\$ 1 x		D44865 L (L: 220-290 mm)	252,-
			D44904 XL (L: 280-330 mm)	273,-
	D32296		Extra-long knee upholstery 550 mm – 3D cover	290,-
	D21745		Calf support bracket upholstery - pair - skai cover	63,-
	D41617		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
	D86900		Bodypoint calf strap M	181,-
	D86901		Bodypoint calf strap L	181,-
IETTI DYNAMIC	HEAD SUP	PORT (for other head support solutions, please see page 6)	
	D32746		Netti Dynamic head support C (horizontal bar 150 mm / vertical bar 300 mm) — If combined with other options, please send us a request, as some solutions are only possible as special adaptations. For more information, feel free to contact us.	Price on request

FRAME

Item nr.	Description	Price in €
Standard	Wheel footprint – frame length and anti-tippers adjust automatically when chair is tilted	0,-
Standard	Push bow height adjustable and foldable	0,-
Standard	Anti-tippers with pedal	0,-
Standard	Car fastener	0,-
Standard	User brake	0,-
Standard	Drum brakes	0,-
D30824	Frame extension bracket for 24" main wheels (main wheels moved 60 mm backwards)	305,-
D21022	Easy Care cover for seat and back – wipeable (not available for Netti Sit °C, Kyphotic, Ride cushions and Relaxo head support)	0,-





BACK UNIT

<i>-,</i>		
Standard	Back height 500 (incl. adjustable velcro back)	0,-
Standard	Built-it back extender for back height 610 mm (longer cushion to be ordered separately)	0,-
Standard	Back cushion Netti Smart - side support 120 mm - 3D cover in black	0,-
D37376	Side support correction with upholstery left - for Netti Smart	247,-
D37378	Side support correction with upholstery right - for Netti Smart	247,-
D21023BO	Back cushion Netti Stabil - with 170 mm side support and 3D cover in black/orange	557,-
D21123BO	Back cushion Netti Super Stabil – with 170 mm reinforced side support and 3D cover in black/orange	651,-
D26830	Side support stable left – for Netti Stabil, Super Stabil & Kyphotic Please note: Can only be used when back extender is in top position or removed. The arm support will not be fully swingable behind the back when mounted.	252,-
D26843	Side support stable right – for Netti Stabil, Super Stabil & Kyphotic Please note: Can only be used when back extender is in top position or removed. The arm support will not be fully swingable behind the back when mounted.	252,-
D31006	Back cushion delivered in back height 600 mm – according to cushion choice: Netti Smart, Stabil or Super Stabil delivered with black 3D cover	142,-
D20630	Back cushion Netti Kyphotic- black 3D/Stella cover - only back height 500 mm (back height 600 mm in special adaptation)	746,-
	Ride Designs Back solution (See separate order form) Article number:/ Accessories:	
D21042	Lumbar support	189,-
D21084	Back wedge	189,-
SEAT UNIT		
Standard	Dynamic seat plate with pressure reduction properties. The seat plate will adjust to the user's extension movements. Possible to lock, e.g., during transport.	0,-
Standard	Rail for mounting of pelvic belts	0,-
Standard	Seat cushion Netti Sit – pressure relief seat cushion with incontinence layer under the 3D cover	0,-
D21017	Seat cushion cover °C for Netti Sit cushion with temperature regulating features – only 3D cover	557,-
D40001	Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/ Easy Care + depending on the fabric for the whole chair Article number (if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)	Price on request
D40002	Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/ Easy Care + depending on the fabric for the whole chair Article number (if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)	Price on request





D50000/ [D50001	Ride Designs Forward seat cushion (See separate order form– please choose a width 20 mm smaller than seat width for perfect fit)	Price on request
	Article number:/ Accessories:	
D50002	Ride Designs Java seat cushion (See separate order form— please choose a width 20 mm smaller than seat width for perfect fit)	Price on request
	Article number:/ Accessories:	
D21048	Incontinence cover for seat cushion	242,-
D37490	Abduction block small	263,-
D37491	Abduction block medium	263,-
D37492	Abduction block large	263,-

LEG SUPPORTS (please see page 2 for Netti Dynamic leg supports)

Netti Grandis angle a	djus	table leg support	
Standard		Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g., contractions, leg asymmetry, elephantiasis. The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calfand foot supports.	0,-
D88602		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	211,-
D88607		Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	113,-
D21745		Calf support bracket upholstery - pair - skai cover	63,-
D88014		Foot fixation, pair incl. mounting kit	236,-
D88603		Foot board, lockable and upwards swingable	386,-
D88605		Footbox, upholstered with Skai cover (approved for car transport)	728,-
D21293		Calf strap	95,-
D86900		Bodypoint calf strap M	181,-
D86901		Bodypoint calf strap L	181,-
		Bodypoint ankle huggers with upholstery D88863 S (L: 170-200 mm) D88864 M (L: 190-230 mm) D88865 L (L: 220-290 mm) D88866 XL (L: 280-330 mm)	327,- 327,- 337,- 360,-





D88609		Netti Grandis leg supports with fixed angle for complex	130,-
		individual configurations. Reduces pressure and shear forces. For	,
41		users with e.g. contractions, leg asymmetry.	
		The foot support is characterized by unique ergonomics and	
		user-friendliness due to scale displays and conical extension	
		pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	
D88603		Foot board, lockable and upwards swingable	386,-
D88605		Footbox, upholstered with Skai cover (approved for car transport)	728,-
lly angle adju	ıstabl	e leg supports	
D21111		Manually angle adjustable leg supports with	137,-
		-automatic length adjustment	
Tr_		-angle adjustable foot plates	
		-calf supports and knee upholstery	
D88211		Leg support upper parts with lever instead of star wheel for	89,-
		angle adjustment	
		Bodypoint ankle huggers with upholstery	
RA		D44863 S (L: 170-200 mm)	242,
4 1 -		D44864 M (L: 190-230 mm)	242,
		D44865 L (L: 220-290 mm)	252,
		D44904 XL (L: 280-330 mm)	273,
D21008		Gas spring	987,-
D21044		Foot board, adjustable	326,-
D21041		Foot box upholstered (not approved for car transport, if this is	515,-
		needed please use the Netti Grandis solution which is approved)	
D24000		Calf support, swingable, pair	189,-
D21745		Calf support bracket upholstery - pair - skai cover	63,-
D41617		Calf support upholstery extra soft - pair - EC or 3D cover	221,-
		depending on the fabric for the whole chair	
D28453		Foot plate upholstery - pair - skai cover	305,-
D86900		Bodypoint calf strap M	181,-
D86901		Bodypoint calf strap L	181,-





Jniversal leg suppo	orts	
D24006	☐ Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. Without calf supports, delivered with heel straps.	137,-
	Bodypoint ankle huggers with upholstery incl. mounting kit	
	☐ D44863 S (L: 170-200 mm)	242,-
	D44864 M (L: 190-230 mm)	242,-
1363	D44865 L (L: 220-290 mm)	252,-
44.	D44304 AL (L. 200-330 IIIIII)	273,-
D21044	☐ Foot board, adjustable without heel strap	326,-
D21041	Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D86900	☐ Bodypoint calf strap M	181,-
D86901	☐ Bodypoint calf strap L	181,-
Standard	Arm supports height and depth adjustable with tools	0,
Standard	Arm support swingable to the back for easy side transfer	0,
Standard	Arm support hinged at the wheelchair back	0,
Standard	Arm pads 385 x 58 mm	0,
D21077	Arm pads 420 x 80 mm	126,
D21078	Arm pads 445 x 70 mm	126,
D41649	Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	116,
D41650	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	137,
D23003	Hemiplegic cushion	221,
AAIN AND FROM	NT WHEEL	
Standard Standard	Main wheels 24 x 1 PU black edition with drum brakes	0,
Standard Standard	Front wheels: 7" 175 x 33 PU – black edition Seat height 417 mm 447 mm	0,
D21021	Front wheels: 7" – 175 x 45 PU (necessary for supportive engines) – grey edition Seat height 417 mm 447 mm	95,
D32035		
	Main wheels 16" PU + front wheels 6" PU – grey edition Seat height: 410 mm	589,
D22009	- ·	589, 158,





HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS (please see page 3 for Netti Dynamic head support)

		-						
₹	+05		1	TU				
	A	В	С	_ D	E	F		
D30572	Head support Rel	Head support Relaxo, only available with 3D cover – vertical bar 300 mm						
D30575	Head support A, v	with side support	: (H: 150 mm/ V:	300 mm)*		320,		
D30566		Head support A with side support and head band (H: 150 mm/ V: 300 mm)* (not approved for car transport – if this is needed please order an additional Netti headrest)						
D82568	Extra comfort page	ds for the head b	and of D8256	6, pair	·	34,		
D30574	Head support B, s	small, oval (H: 150	mm/ V: 300 mm)*		320,		
D30573	Head support C, I	arge, square (H: 1	50 mm/ V: 300 n	nm)*		320,		
D30576	Head support D, o	comfort (pressure	e distributive)	(H: 150 mm/ V: 3	00 mm)*	404,		
D37575	Head support E w	vith adjustable sid	de supports (H	: 150 mm/ V: 300	mm)*	488,		
D37576	Head support F w (not approved for car headrest)				l Netti	642,		
D21064	Headrest adjustmavailable for head		ntal) + 50 mm	, length 200 m	m (not	95,		
D21027		Headrest adjustment tube (horizontal) + 100 mm, length 250 mm (not available for head support Relaxo						
D21065		Headrest adjustment tube (horizontal) + 150 mm, length 300 mm (not available for head support Relaxo						
D23004	Comfort cushion	for head rest typ	e C – removak	ole with Stella	cover	189,		
D23012	Easy Care cover for	or head rest type	A, B, C – rem	ovable		95,		
D23013	3D cover for head	d rest type A, B, C	– removable			95,		
D23015	Grey head rest cu	ishion with Stella	cover			242,		
	* Horizontal bar 150	mm / vertical bar 30	0 mm					
		739						
	[A]	[B]		[C]				
D35372	[A] Savant head s User forehead 460-56 User ½ circumference Inside distance along (not approved for car headrest)	50 mm e behind ears 150-18 top support 300 mm	0 mm n, along middle si	upport 180 mm		Price or reques		
D35374	[A] Savant head s User forehead 560-62 User ½ circumference	10 mm	·	height 150 mr	n	Price or reques		

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

Inside distance along top support 360 mm, along middle support 200 mm



D45086



	(not approved for car transport – if this is needed please order an additional Netti headrest)	
D45373	[B] Side pads for Savant head support. For extra lateral support.	Price on
2 3373	For the upper arms of the head support. Cannot be combined with the headband	request
D45375	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request
TRAYS		
	use of a tray cannot be recommended in combination with a dynamic seat urether with a dynamic seat unit this may cause injury.	nit. A
D28826	Tray swingable	273,-
D28828	Tray lockable	273,-
D93316	Tray spacer for swingable or lockable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	20,-
D21059	Universal tray (Please note: Depending on how far on the armrest the table is set, a conflict between the table and wheels may occur when the chair is tilted.	236,-)
D21052	Upholstery for tray	126,-
VARIOUS ACCES	SORIES	
D21239	Tool kit	105,-
BELT OPTIONS F Belts and accessori	ROM BODYPOINT AND NETTI es for seat unit	
•		
[A]	[B] [C]	
Standard I	Rail for mounting of pelvic belts	0,-
Standard	BodyPoint 2-point pelvic stabilizer Evoflex (choose size on page 2) [A]	
	Bodypoint supportive universal elastic strap [C]	189,-
D45084	S (Height 80 mm - 1420 mm long, easily cut-to-length)	
D45085	L (Height 110 mm - 1420 mm long, easily cut-to-length)	

XL (Height 150 mm - 1420 mm long, easily cut-to-length)





Belts and accessories for back unit



	7 1	_		(
[B]	[C]	[D]	[E]	
H-harness adaptor kit ((recommended for	all upper body ha	rnesses) [A]	326,-
H-belt, with upholstery	and car belt lock [B]		263,
Belt cross harness [C]				200,
Bodypoint Stayflex che	st support without	zipper [D]		274,
XS (Shoulder width 240	0-280 mm)			
S (Shoulder width 280-	·330 mm)			
M (Shoulder width 330)-410 mm)			
L (Shoulder width 410-	480 mm)			
Bodypoint Pivofit shou	lder harness [E]			274,
XS (Shoulder width 240	0-280 mm)			
S (Shoulder width 280-	·330 mm)			
M (Shoulder width 330)-410 mm)			
L (Shoulder width 410-	480 mm)			
	H-harness adaptor kit (H-belt, with upholstery Belt cross harness [C] Bodypoint Stayflex che XS (Shoulder width 240 S (Shoulder width 330 L (Shoulder width 410- Bodypoint Pivofit shou XS (Shoulder width 240 S (Shoulder width 240 S (Shoulder width 280- M (Shoulder width 330 M (Shoulder width 330	H-harness adaptor kit (recommended for H-belt, with upholstery and car belt lock [Belt cross harness [C]	H-harness adaptor kit (recommended for all upper body ha H-belt, with upholstery and car belt lock [B] Belt cross harness [C] Bodypoint Stayflex chest support without zipper [D] XS (Shoulder width 240-280 mm) S (Shoulder width 280-330 mm) M (Shoulder width 330-410 mm) L (Shoulder width 410-480 mm) Bodypoint Pivofit shoulder harness [E] XS (Shoulder width 240-280 mm) S (Shoulder width 280-330 mm) M (Shoulder width 330-410 mm)	H-harness adaptor kit (recommended for all upper body harnesses) [A] H-belt, with upholstery and car belt lock [B] Belt cross harness [C] Bodypoint Stayflex chest support without zipper [D] XS (Shoulder width 240-280 mm) S (Shoulder width 280-330 mm) M (Shoulder width 330-410 mm) L (Shoulder width 410-480 mm) Bodypoint Pivofit shoulder harness [E] XS (Shoulder width 240-280 mm) S (Shoulder width 280-330 mm) M (Shoulder width 330-410 mm)

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

See examples and more about our special solutions online.



CUSTOM MADE – most wanted special adapted items (price on request)

Hemiplegic armrest right
Hemiplegic armrest left
Decon E-Drive with attendant control

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:	






Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length ____ mm of the chair.

TECHNICAL DATA

Tilt (seat)	0° to +30°
Recline (back)	87° to 133°
Total width of the wheelchair	Seat width +232 mm
Total length	Min: 1280 mm with vertical leg support, vertical push bow and horizontal seat. Max. with 30° tilt is 1600 mm.
Distance arm support to seat plate	Min: 265 mm/ max. 377 mm
Weight of wheelchair	SW 450 – app. 53 kg incl. wheels, cushions, and head support
Frame colour	Pearl orange and black
Cover variants	Stretchable & flexible cover 3D
	Easy Care antibacterial cover, washable
Crash test	ISO 7176-19 (135 kg)

Leg supports	Min. calf length	Max. calf length
Manual adjustable leg support	320 mm	680 mm
Universal leg support	360 mm	500 mm
Netti Grandis leg support	360 mm	640 mm
Netti Grandis fixed leg support	380 mm	550 mm
Netti Dynamic leg support	350 (450) mm	450 (550) mm



Measurements

A Hip width/Seat width _____mm

B Thigh length / seat depth ____mm

C Arm rest height ____mm

D Leg length / seat height ____mm

E Backrest height ____mm

F Trunk width ____mm