

Date _____

Customer code C- _____

Invoice address _____

Contact person _____

Reference _____

Other delivery address _____

☐ Invoice address = delivery address

☐ Quote

☐ The chair will be used as seat for car transport


NETTI DYNAMIC COMPLETE SYSTEM

Netti Dynamic AdaptPro is equipped with a complete system with a seat unit with dynamic seat plate, Bodypoint EVOFLEX pelvic stabilizer and an individually chosen gas spring strength for the back unit (see page 2).

Price on request

Seat width	D30135	<input type="checkbox"/>	350 mm	Seat depth	A	<input type="checkbox"/>	355 mm*
	D30138	<input type="checkbox"/>	380 mm		B	<input type="checkbox"/>	480 mm*
	D30140	<input type="checkbox"/>	400 mm		C	<input type="checkbox"/>	405 mm
					D	<input type="checkbox"/>	430 mm
					E	<input type="checkbox"/>	455 mm

Seat width	D30143	<input type="checkbox"/>	430 mm	Seat depth	A	<input type="checkbox"/>	405 mm*
	D30145	<input type="checkbox"/>	450 mm		B	<input type="checkbox"/>	430 mm*
					C	<input type="checkbox"/>	455 mm
					D	<input type="checkbox"/>	480 mm
					E	<input type="checkbox"/>	505 mm

Capacity Max. 135 kg

Seat height See page 7

* *Please take note of the possible conflict between the Netti Grandis leg support and front castors when the seat plate is horizontal and the leg supports are adjusted in 90°.



☒ = Standard equipment

☒ = included in campaign offer

Special
offer


NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

Before using Netti Dynamic System or any of its components, a seating assessment should be carried out by a trained professional. For more information, please visit our website www.My-Netti.com

DYNAMIC BACK AND SEAT UNIT			
	Standard	<input checked="" type="checkbox"/>	Dynamic seat plate with pressure reduction properties. The seat will adjust to the user's extension movements. Possible to lock e.g., during transport. 0,-
	Standard	<input checked="" type="checkbox"/>	Cross bar for sideways frame stabilization 0,-
	Standard	<input checked="" type="checkbox"/>	Dynamic gas spring for back angle. Allows up to 30° trunk movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. 0,-
	D300NA	<input type="checkbox"/>	300N
	D450NA	<input type="checkbox"/>	450N
	D600NA	<input type="checkbox"/>	600N
	D750NA	<input type="checkbox"/>	750N
	Standard	<input checked="" type="checkbox"/>	Including Bodypoint Evoflex pelvic stabilizer 2-point belt: Please choose size: XS <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> 0,-
	D45040	<input type="checkbox"/>	Security cover for 2/4-point pelvic stabilizer (XS, M, L) 7,-
		<input type="checkbox"/>	Alternative to the 2-point pelvic stabilizer 395,-
		<input type="checkbox"/>	D36889 – Bodypoint 4-point padded hip belt – Size XS
		<input type="checkbox"/>	D36893 – Bodypoint 4-point padded hip belt – Size M
		<input type="checkbox"/>	D36894 – Bodypoint 4-point padded hip belt – Size L


DYNAMIC LEG SUPPORT SOLUTION

The dynamic leg support solution is for users with an asymmetric movement pattern. It is specially developed to allow for uneven forces from the legs. Furthermore the Netti Dynamic leg supports allows for different leg length. Delivered with angle adjustable upper parts with 100N cylinders, calf supports and footboard.


	D82296	<input checked="" type="checkbox"/>	For lower leg length 450-550 mm (300 mm extension piece). 0,-
	D82298	<input type="checkbox"/>	For lower leg length 350-450 mm (214 mm extension piece). Price on request
	D82318	<input type="checkbox"/>	For lower leg length 450-550 mm (300 mm extension piece). Including extension bracket to be used by uneven leg length or leg position adjusting the foot board depth. Price on request

D82319	<input type="checkbox"/>	For lower leg length 350-450 mm (214 mm extension piece). Including extension bracket to be used by uneven leg length or leg position adjusting the foot board depth.	Price on request
--------	--------------------------	--	------------------







Accessories for Netti Dynamic leg supports (for other leg support solutions, please see page 5)

D88211	<input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
D45245	<input type="checkbox"/>	Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
	<input type="checkbox"/>	Bodypoint ankle huggers incl. mounting material	
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	242,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	242,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	252,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	273,-
D32296	<input type="checkbox"/>	Extra-long knee upholstery 550 mm – 3D cover	290,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	63,-
D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-

NETTI DYNAMIC HEAD SUPPORT (for other head support solutions, please see page 6)

	D32746	<input type="checkbox"/>	Netti Dynamic head support C (horizontal bar 150 mm / vertical bar 300 mm) – If combined with other options, please send us a request, as some solutions are only possible as special adaptations. For more information, feel free to contact us.	Price on request
---	--------	--------------------------	--	------------------

FRAME

Item nr.		Description	Price in €
Standard		Wheel footprint – frame length and anti-tippers adjust automatically when chair is tilted	0,-
Standard		Push bow height adjustable and foldable	0,-
Standard		Anti-tippers with pedal	0,-
Standard		Car fastener	0,-
Standard		User brake	0,-
Standard		Drum brakes	0,-
D30824	<input type="checkbox"/>	Frame extension bracket for 24" main wheels (main wheels moved 60 mm backwards)	305,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

D21022	<input type="checkbox"/>	Easy Care cover for seat and back – wipeable (not available for Netti Sit °C, Kyphotic, Ride cushions and Relaxo head support)	0,-
--------	--------------------------	--	-----

BACK UNIT

Standard	<input checked="" type="checkbox"/>	Back height 500 (incl. adjustable velcro back)	0,-
Standard	<input checked="" type="checkbox"/>	Built-in back extender for back height 610 mm (longer cushion to be ordered separately)	0,-
Standard	<input checked="" type="checkbox"/>	Back cushion Netti Smart - side support 120 mm - 3D cover in black	0,-
D37376	<input type="checkbox"/>	Side support correction with upholstery left - for Netti Smart	247,-
D37378	<input type="checkbox"/>	Side support correction with upholstery right - for Netti Smart	247,-
D21023BO	<input checked="" type="checkbox"/>	Back cushion Netti Stabil - with 170 mm side support and 3D cover in black/orange (value 557,-)	0,-
D21123BO	<input type="checkbox"/>	Back cushion Netti Super Stabil – with 170 mm reinforced side support and 3D cover in black/orange (black version available now)	651,-
D26830	<input type="checkbox"/>	Side support stable left – for Netti Stabil, Super Stabil & Kyphotic Please note: Can only be used when back extender is in top position or removed.	252,-
D26843	<input type="checkbox"/>	Side support stable right – for Netti Stabil, Super Stabil & Kyphotic Please note: Can only be used when back extender is in top position or removed.	252,-
D31006	<input type="checkbox"/>	Back cushion delivered in back height 600 mm – according to cushion choice: Netti Smart, Stabil or Super Stabil delivered with black 3D cover	142,-
D20630	<input type="checkbox"/>	Back cushion Netti Kyphotic- black 3D/Stella cover - only back height 500 mm (back height 600 mm in special adaptation)	746,-
	<input type="checkbox"/>	Ride Designs Back solution (See separate order form) Article number: _____ / Accessories: _____	
D21042	<input type="checkbox"/>	Lumbar support	189,-
D21084	<input type="checkbox"/>	Back wedge	189,-

SEAT UNIT


Standard	<input checked="" type="checkbox"/>	Dynamic seat plate with pressure reduction properties. The seat plate will adjust to the user's extension movements. Possible to lock, e.g., during transport.	0,-
Standard	<input checked="" type="checkbox"/>	Rail for mounting of pelvic belts	0,-
Standard	<input checked="" type="checkbox"/>	Seat cushion Netti Sit – pressure relief seat cushion with incontinence layer under the 3D cover	0,-
D21017	<input type="checkbox"/>	Seat cushion cover °C for Netti Sit cushion with temperature regulating features – only 3D cover	557,-
D40001	<input type="checkbox"/>	Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ (if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)	Price on request

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

D40002	<input type="checkbox"/>	Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ (if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)	Price on request
D50000/ D50001	<input type="checkbox"/>	Ride Designs Forward seat cushion (See separate order form– please choose a width 20 mm smaller than seat width for perfect fit) Article number: _____ / Accessories: _____	Price on request
D50002	<input type="checkbox"/>	Ride Designs Java seat cushion (See separate order form– please choose a width 20 mm smaller than seat width for perfect fit) Article number: _____ / Accessories: _____	Price on request
D21048	<input type="checkbox"/>	Incontinence cover for seat cushion	242,-
D37490	<input type="checkbox"/>	Abduction block small	263,-
D37491	<input type="checkbox"/>	Abduction block medium	263,-
D37492	<input type="checkbox"/>	Abduction block large	263,-

LEG SUPPORTS (please see page 2 for Netti Dynamic leg supports)


Netti Grandis angle adjustable leg support

Standard	<input checked="" type="checkbox"/>	Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g., contractions, leg asymmetry, elephantiasis. The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	0,-
			
D88602	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	211,-
D88607	<input type="checkbox"/>	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	113,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	63,-
D88014	<input type="checkbox"/>	Foot fixation, pair incl. mounting kit	236,-
D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable	386,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	728,-
D21293	<input type="checkbox"/>	Calf strap	95,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	181,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	181,-
		Bodypoint ankle huggers with upholstery	
	<input type="checkbox"/>	D88863 S (L: 170-200 mm)	327,-
	<input type="checkbox"/>	D88864 M (L: 190-230 mm)	327,-
	<input type="checkbox"/>	D88865 L (L: 220-290 mm)	337,-
	<input type="checkbox"/>	D88866 XL (L: 280-330 mm)	360,-



NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20

DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300



Netti Grandis leg support with fixed angle

	D88609	<input type="checkbox"/> Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.	130,-
		The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	
	D88603	<input type="checkbox"/> Foot board, lockable and upwards swingable	386,-
	D88605	<input type="checkbox"/> Footbox, upholstered with Skai cover (approved for car transport)	728,-





Manually angle adjustable leg supports

	D21111	<input type="checkbox"/> Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	137,-
	D88211	<input type="checkbox"/> Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
		Bodypoint ankle huggers with upholstery	
		<input type="checkbox"/> D44863 S (L: 170-200 mm)	242,-
		<input type="checkbox"/> D44864 M (L: 190-230 mm)	242,-
		<input type="checkbox"/> D44865 L (L: 220-290 mm)	252,-
		<input type="checkbox"/> D44904 XL (L: 280-330 mm)	273,-
	D21008	<input type="checkbox"/> Gas spring	987,-
	D21044	<input type="checkbox"/> Foot board, adjustable	326,-
	D21041	<input type="checkbox"/> Foot box upholstered (not approved for car transport, if this is needed please use the Netti Grandis solution which is approved)	515,-
	D24000	<input type="checkbox"/> Calf support, swingable, pair	189,-
	D21745	<input type="checkbox"/> Calf support bracket upholstery - pair - skai cover	63,-
	D41617	<input type="checkbox"/> Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
	D28453	<input type="checkbox"/> Foot plate upholstery - pair - skai cover	305,-
	D86900	<input type="checkbox"/> Bodypoint calf strap M	181,-
	D86901	<input type="checkbox"/> Bodypoint calf strap L	181,-



Universal leg supports

D24006		<input type="checkbox"/> Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. Without calf supports, delivered with heel straps.	137,-
		Bodypoint ankle huggers with upholstery incl. mounting kit	
		<input type="checkbox"/> D44863 S (L: 170-200 mm)	242,-
		<input type="checkbox"/> D44864 M (L: 190-230 mm)	242,-
		<input type="checkbox"/> D44865 L (L: 220-290 mm)	252,-
		<input type="checkbox"/> D44904 XL (L: 280-330 mm)	273,-
D21044		<input type="checkbox"/> Foot board, adjustable without heel strap	326,-
D21041		<input type="checkbox"/> Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D86900		<input type="checkbox"/> Bodypoint calf strap M	181,-
D86901		<input type="checkbox"/> Bodypoint calf strap L	181,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

















Standard		Arm support swingable to the back for easy side transfer	0,-
Standard		Arm supports height and depth adjustable with tools	0,-
Standard		Arm support hinged at the wheelchair back	0,-
Standard		Arm pads 385 x 58 mm	0,-
D21077	<input type="checkbox"/>	Arm pads 420 x 80 mm	126,-
D21078	<input type="checkbox"/>	Arm pads 445 x 70 mm	126,-
D41649	<input type="checkbox"/>	Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	116,-
D41650	<input type="checkbox"/>	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	137,-
D23003	<input type="checkbox"/>	Hemiplegic cushion	221,-

MAIN AND FRONT WHEEL

Standard		Main wheels 24 x 1 PU black edition with drum brakes	0,-
Standard		Front wheels: 7" 175 x 33 PU – black edition Seat height <input type="checkbox"/> 417 mm <input type="checkbox"/> 447 mm	0,-
D21021	<input type="checkbox"/>	Front wheels: 7" – 175 x 45 PU (necessary for supportive engines) – grey edition Seat height <input type="checkbox"/> 417 mm <input type="checkbox"/> 447 mm	95,-
D32035	<input type="checkbox"/>	Main wheels 16" PU + front wheels 6" PU – grey edition Seat height: 410 mm	589,-
D22009	<input type="checkbox"/>	Hand and spoke protectors for 24" wheels, transparent, pair	158,-
D22013	<input type="checkbox"/>	Push rim cover for 24" wheels, pair	126,-

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS (please see page 3 for Netti Dynamic head support)



	A	B	C	D	E	F	
D30572		Head support Relaxo, only available with 3D cover (value 477,-) – vertical bar 300 mm					0,-
D30575		Head support A, with side support (H: 150 mm/ V: 300 mm)*					320,-
D30566		Head support A with side support and head band (H: 150 mm/ V: 300 mm)* (not approved for car transport – if this is needed please order an additional Netti headrest)					477,-
D82568		Extra comfort pads for the head band of D82566, pair					34,-
D30574		Head support B, small, oval (H: 150 mm/ V: 300 mm)*					320,-
D30573		Head support C, large, square (H: 150 mm/ V: 300 mm)*					320,-
D30576		Head support D, comfort (pressure distributive) (H: 150 mm/ V: 300 mm)*					404,-
D37575		Head support E with adjustable side supports (H: 150 mm/ V: 300 mm)*					488,-
D37576		Head support F with cheek support (H: 150 mm/ V: 300 mm)* (not approved for car transport – if this is needed please order an additional Netti headrest)					642,-
D21064		Headrest adjustment tube (horizontal) + 50 mm, length 200 mm (not available for head support Relaxo					95,-
D21027		Headrest adjustment tube (horizontal) + 100 mm, length 250 mm (not available for head support Relaxo					95,-
D21065		Headrest adjustment tube (horizontal) + 150 mm, length 300 mm (not available for head support Relaxo					95,-
D23004		Comfort cushion for head rest type C – removable with Stella cover					189,-
D23012		Easy Care cover for head rest type A, B, C – removable					95,-
D23013		3D cover for head rest type A, B, C – removable					95,-
D23015		Grey head rest cushion with Stella cover					242,-
* Horizontal bar 150 mm / vertical bar 300 mm							



D35372	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D35374	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm	Price on request

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

		(not approved for car transport – if this is needed please order an additional Netti headrest)	
D45373	<input type="checkbox"/>	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	<input type="checkbox"/>	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request

TRAYS

Please note that the use of a tray cannot be recommended in combination with a dynamic seat unit. A tray is static and together with a dynamic seat unit this may cause injury.


D28826	<input type="checkbox"/>	Tray swingable	273,-
D93316	<input type="checkbox"/>	Tray spacer for swingable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	30,-
D28828	<input type="checkbox"/>	Tray lockable	273,-
D93315	<input type="checkbox"/>	Tray spacer for lockable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	20,-
D21059	<input type="checkbox"/>	Universal tray (Please note: Depending on how far on the armrest the table is set, a conflict between the table and wheels may occur when the chair is tilted.)	236,-
D21052	<input type="checkbox"/>	Upholstery for tray	126,-

VARIOUS ACCESSORIES

D21239	<input type="checkbox"/>	Tool kit	105,-
--------	--------------------------	----------	-------

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit



Standard	<input checked="" type="checkbox"/>	Rail for mounting of pelvic belts	0,-
Standard	<input checked="" type="checkbox"/>	BodyPoint 2-point pelvic stabilizer Evoflex (choose size on page 2) [A]	
		Bodypoint supportive universal elastic strap [C]	189,-
D45084	<input type="checkbox"/>	S (Height 80 mm - 1420 mm long, easily cut-to-length)	
D45085	<input type="checkbox"/>	L (Height 110 mm - 1420 mm long, easily cut-to-length)	
D45086	<input type="checkbox"/>	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	

Belts and accessories for back unit



[A]



[B]



[C]



[D]



[E]

D36890	<input type="checkbox"/>	H-harness adaptor kit (recommended for all upper body harnesses) [A]	326,-
D20881	<input type="checkbox"/>	H-belt, with upholstery and car belt lock [B]	263,-
D41645	<input type="checkbox"/>	Belt cross harness [C]	200,-
		Bodypoint Stayflex chest support without zipper [D]	274,-
D89805	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)	
D89898	<input type="checkbox"/>	S (Shoulder width 280-330 mm)	
D86895	<input type="checkbox"/>	M (Shoulder width 330-410 mm)	
D86896	<input type="checkbox"/>	L (Shoulder width 410-480 mm)	
		Bodypoint Pivofit shoulder harness [E]	274,-
D89802	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)	
D89803	<input type="checkbox"/>	S (Shoulder width 280-330 mm)	
D86898	<input type="checkbox"/>	M (Shoulder width 330-410 mm)	
D86899	<input type="checkbox"/>	L (Shoulder width 410-480 mm)	

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

CUSTOM MADE – most wanted special adapted items (price on request)

<input type="checkbox"/>	Hemiplegic armrest right
<input type="checkbox"/>	Hemiplegic armrest left
<input type="checkbox"/>	Decon E-Drive with attendant control

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:



Please inform us if there are any special circumstances in the living area that has an influence for the chair:
e.g. the total possible width _____ mm and length _____ mm of the chair.

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

TECHNICAL DATA

Tilt (seat)	0° to +30°
Recline (back)	87° to 133°
Total width of the wheelchair	Seat width +232 mm
Total length	Min: 1280 mm with vertical leg support, vertical push bow and horizontal seat. Max. with 30° tilt is 1600 mm.
Distance arm support to seat plate	Min: 265 mm/ max. 377 mm
Weight of wheelchair	SW 450 – app. 53 kg incl. wheels, cushions, and head support
Frame colour	Pearl orange and black
Cover variants	Stretchable & flexible cover 3D Easy Care antibacterial cover, washable
Crash test	ISO 7176-19 (135 kg)

Leg supports	Min. calf length	Max. calf length
Manual adjustable leg support	320 mm	680 mm
Universal leg support	360 mm	500 mm
Netti Grandis leg support	360 mm	640 mm
Netti Grandis fixed leg support	380 mm	550 mm
Netti Dynamic leg support	350 (450) mm	450 (550) mm



Measurements

A Hip width/Seat width	_____ mm
B Thigh length / seat depth	_____ mm
C Arm rest height	_____ mm
D Leg length / seat height	_____ mm
E Backrest height	_____ mm
F Trunk width	_____ mm