

Date _____

Customer code C- _____

Invoice address _____

Contact person _____

Reference _____

Other delivery address _____

Invoice address = delivery address

Quote



NETTI DYNAMIC COMPLETE SYSTEM

Netti Dynamic complete system is equipped with a seat unit with dynamic seat plate, armrests with hand protection, frame extension, longer antitippers, Bodypoint EVOFLEX pelvic stabilizer and an individually chosen gas spring for the back unit (see page 2).

The chair will be used as seat for car transport.

Price on request

Seat width

D20135HD	<input type="checkbox"/>	350 mm
D20138HD	<input type="checkbox"/>	380 mm
D20140HD	<input type="checkbox"/>	400 mm
D20143HD	<input type="checkbox"/>	430 mm
D20145HD	<input type="checkbox"/>	450 mm
D20150HD	<input type="checkbox"/>	500 mm

Seat depth

<input type="checkbox"/>	500 mm
<input type="checkbox"/>	475 mm
<input type="checkbox"/>	450 mm
<input type="checkbox"/>	425 mm
<input type="checkbox"/>	400 mm

For seat depth above 500 mm, see page 4

Capacity Max. 135 kg

Seat height See page 14

Before using Netti Dynamic System or any of its components, a seating assessment should be carried out by a trained professional. For more information please visit our website www.my-netti.com

DYNAMIC SEAT- AND BACKSOLUTION

Please contact us for recommendation on the choice of gas spring.

Option 1: 15° Dynamic gas spring for the back angle - cannot be blocked - incl. dynamic seat unit
Not allowed for car transportation, as the back angle cannot be blocked.

Back unit with Dynamic gas spring allows 15° trunk extension movements backwards. The standard recline is maintained and can be adjusted in any position. The Dynamic gas spring cannot be blocked. Recommended for stiffness patterns which tend to persist, spasticity, and also for comfort and prevention.

- Dynamic gas spring 80 N
- Dynamic gas spring 120 N
- Dynamic gas spring 160 N



EVOFLEX pelvic stabiliser: Please choose the size from the table on page 14.

Size XS M L

Option 2: 40° Dynamic FREE gas spring for the back angle - lockable - incl. dynamic seat unit

Back unit with Dynamic Free gas spring allows up to 40° trunk extension movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. The back recline and blocking/unblocking of the dynamic back movement is done with a special dynamic release handle. The Dynamic Free gas spring is recommended for severe extension patterns, also for violent and sudden movements.

- Dynamic FREE gas spring 200 N (SW 350 - 400 mm)
- Dynamic FREE gas spring 300 N (SW 350 - 400 mm)
- Dynamic FREE gas spring 400 N (SW 350 - 400 mm)
- Dynamic FREE gas spring 500 N (SW 350 - 400 mm)
- Dynamic FREE gas spring 600 N (SW 350 - 430 mm)
- Dynamic FREE gas spring 700 N (SW 350 - 430 mm)
- Dynamic FREE gas spring 800 N (SW 350 - 430 mm)
- Dynamic FREE gas spring 900 N (SW 450 - 500 mm)
- Dynamic FREE gas spring 1000 N (SW 450 - 500 mm)
- Dynamic FREE gas spring 1100 N (SW 450 - 400 mm)
- Dynamic FREE gas spring 1200 N (SW 450 - 500 mm)
- Dynamic FREE gas spring 1300 N (SW 450 - 500 mm)



EVOFLEX pelvic stabiliser: Please choose the size from the table on page 14.

Size XS M L

D45040	<input type="checkbox"/>	Security cover for 2/4-point pelvic stabilizer (XS, M, L)	76,-
D87903	<input type="checkbox"/>	Recline limiter (possible to limit in different positions from 116° - 134°)	Price on request

for the Netti Dynamic Free back spring (to be mounted by the dealer)




Alternative to the 2-point pelvic stabilizer

436,-

- D86889 – Bodypoint 4-point padded hip belt – Size XS
- D86893 – Bodypoint 4-point padded hip belt – Size M
- D86894 – Bodypoint 4-point padded hip belt – Size L

Please choose the size from the table on page 14.

DYNAMIC HEAD SUPPORT SOLUTION



- D82746 Netti Dynamic head support C incl. head support adapter in aluminium

Price on request

DYNAMIC LEG SUPPORT SOLUTION


The dynamic leg support solution is for users with an asymmetric movement pattern. It is specially developed to allow for uneven forces from the legs. Furthermore the Netti Dynamic leg supports allows for different leg length.



- D82296 **Dynamic leg support** angle adjustable with calf supports and footboard, 100 N
Std. 300 mm adjustment piece (Lower leg length 450-550 mm)
- D82298 With 214 mm adjustment piece (Lower leg length 350-450 mm)
- D82318 **Dynamic leg support** angle adjustable with calf supports and footboard, 100 N
Including extension bracket to be used by uneven leg length or leg position adjusting the foot board depth.
Std. 300 mm adjustment piece (Lower leg length 450-550 mm)
- D82319 With 214 mm adjustment piece (Lower leg length 350-450 mm)

Price on request

Accessories for Netti Dynamic leg rests (for other leg support solutions please see page 6)

D88211	<input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
D32296	<input type="checkbox"/>	Extra-long knee upholstery 550 mm – 3D cover	299,-
D45245	<input type="checkbox"/>	Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
		Bodypoint ankle huggers incl. mounting material	
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	249,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	249,-

	<input type="checkbox"/>	D44865	L (L: 220-290 mm)	260,-
	<input type="checkbox"/>	D44904	XL (L: 280-330 mm)	281,-
D21081	<input type="checkbox"/>	Extra abduction for legrets (+50 mm, not for SW 430 mm) - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.		444,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover		65,-
D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair		228,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M		186,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L		186,-

= Standard equipment

Please send us a request for combinations with NDS options, as some combinations are only possible as special adaptations.

FRAME + ACCESSORIES

Item nr.		Description	Price in €
Standard	<input checked="" type="checkbox"/>	Push handles 300 mm, height adjustable and swingable	0,-
Standard	<input checked="" type="checkbox"/>	Anti tip w/ pedal	0,-
Standard	<input checked="" type="checkbox"/>	Car fasteners – if an accessory means that the wheelchair is not approved for use as seat in a car, the chair will be delivered without car fasteners.	0,-
Standard	<input checked="" type="checkbox"/>	Frame extension incl. brakes on lower frame tube	0,-
D21808	<input type="checkbox"/>	Push handles 500 mm, height adjustable and swingable	216,-
D81740	<input type="checkbox"/>	Push bow – height and angle adjustable	389,-
D21032	<input type="checkbox"/>	Tilt-restrictor (no neg. tilt frontwards)	65,-
D43032	<input type="checkbox"/>	Tilt lock (stepless locking of tilt angle)	368,-
D21075	<input type="checkbox"/>	Configuration for car transportation for users higher than 185 cm incl.: D21006 back height 600 mm D21054 vertical tube for head support - 500 mm D82025 head support adapter in aluminium	692,-
SPECIAL		Special seat depth above 500 mm – must always be requested and will be quoted with necessary special adaptation: <input type="checkbox"/> 525 mm <input type="checkbox"/> 550 mm <input type="checkbox"/> 575 mm	Price on request
D21022	<input type="checkbox"/>	Easy Care cover for seat and back, washable (not available for Netti Sit 3D/°C and Netti Kyphotic)	0,-
D40501	<input type="checkbox"/>	SW extension: 12 mm per side for standard wheels (only SW 350-450 mm)	692,-

D40502	<input type="checkbox"/>	SW extension: 12 mm per side for DB-wheels (only SW 350-450 mm)	692,-
SPECIAL	<input type="checkbox"/>	Side upholstery (reduces SW with 2 x 25 mm); incl. a special adaptation of the seat plate with cuts to allow for the dynamic movements. Seat cushion will for the same reasons also be delivered in a smaller size.	Price on request
D45084	<input type="checkbox"/>	Bodypoint supportive universal elastic strap S (Height 80 mm - 1420 mm long, easily cut-to-length)	195,-
D45085	<input type="checkbox"/>	L (Height 110 mm - 1420 mm long, easily cut-to-length)	
D45086	<input type="checkbox"/>	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	



SOLUTIONS FOR RESPIRATION MACHINES AND OTHER MEDICAL DEVICES

D21186	<input type="checkbox"/>	Universal device holder D: 348 mm / W: SW minus 36 mm / Max. capacity 10kg If the wheelchair user is being pushed a lot, we recommend a push handle with a longer horizontal bar as a special solution for better ergonomics for the companion. For information concerning car transport, please see the user manual of the device holder on our website.	1.947,-
D21187	<input type="checkbox"/>	Cover plate for universal device – add. level (only with D21186) D: 193 mm / W: SW minus 37 mm / H (free area): 237 mm	519,-
D42900	<input type="checkbox"/>	Extra set of 4 mounting brackets, incl. screws	271,-

BRAKES

Standard	<input checked="" type="checkbox"/>	User brake, brake lever 240 mm	0,-
D21010	<input type="checkbox"/>	Drum brakes	296,-
D27282	<input type="checkbox"/>	One-hand-brake, right (only in combination with drum brake)	389,-
D27283	<input type="checkbox"/>	One-hand-brake, left (only in combination with drum brake)	389,-

BACK UNIT (for belts please see page 12)

Standard	<input checked="" type="checkbox"/>	Back cushion Netti Smart - side support 120 mm - 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Back height 500 mm (incl. adjustable 6-piece back cover)	0,-
D21006	<input type="checkbox"/>	Back height 600 mm (incl. back extender + longer cushion)	346,-
D44992	<input type="checkbox"/>	Adjustable 6-piece back cover with cut for side supports	271,-
D27376	<input type="checkbox"/>	Side support correction with upholstery left – for Netti Smart	228,-
D27378	<input type="checkbox"/>	Side support correction with upholstery right – for Netti Smart	228,-
D21023	<input type="checkbox"/>	Back cushion Netti Stabil - with 170 mm side support with 3D cover	574,-
D21123	<input type="checkbox"/>	Back cushion Netti Super Stabil – with 170 mm reinforced side support, 3D cover	671,-
D20630	<input type="checkbox"/>	Back cushion Netti Kyphotic – 3D/Stella cover – only back height 500 mm and SW 350-500 mm	768,-
D26831	<input type="checkbox"/>	Side support stable left – for Netti Stabil, Super Stabil & Kyphotic	260,-
D26844	<input type="checkbox"/>	Side support stable right – for Netti Stabil, Super Stabil & Kyphotic	260,-
D27541	<input type="checkbox"/>	Upholstery for side support stable, pair	163,-

D27700	<input type="checkbox"/>	Firm back in aluminium, back height 500 mm	389,-
D27701	<input type="checkbox"/>	Firm back in aluminium, back height 600 mm, incl. D21006	800,-
D21042	<input type="checkbox"/>	Lumbar support	195,-
D21084	<input type="checkbox"/>	Back wedge	195,-



SEAT UNIT (for belts please see page 2)

Standard	<input checked="" type="checkbox"/>	Seat cushion Netti Uno – 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Dynamic seat plate	0,-
D21048	<input type="checkbox"/>	Incontinence cover for seat cushion	249,-
D21007	<input type="checkbox"/>	Netti Sit - Pressure relief seat cushion with incontinence layer under the 3D cover	411,-
D21017	<input type="checkbox"/>	Pressure relief seat cushion Netti Sit 3D/°C with temperature regulating features and incontinence layer under the 3D cover	574,-
D40001	<input type="checkbox"/>	Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ <small>(For seat width 500 with a seat depth smaller than 450 mm, ask for a special adaptation quote. If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend shorter rather than longer.)</small>	850,-
D40002	<input type="checkbox"/>	Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ <small>(For seat width 500 with a seat depth smaller than 450 mm, ask for a special adaptation quote. If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend shorter rather than longer.)</small>	1050,-
D40003	<input type="checkbox"/>	Netti Precision Incontinence cover – Change of cover for D40001/D40002. Breathable, elastic and durable. Transports liquid away from the skin and collects it in watertight space, so that the surroundings are not contaminated.	0,-
D27490	<input type="checkbox"/>	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	271,-
D27491	<input type="checkbox"/>	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	271,-
D27492	<input type="checkbox"/>	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	271,-



LEG SUPPORTS (please see page 3 for dynamic leg supports)

For the Netti Dynamic III HD you have 5 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports



	Standard	<input checked="" type="checkbox"/> Manually angle adjustable leg supports with	0,-
		-automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	
D88211	<input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
		Bodypoint ankle huggers with upholstery	
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	249,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	249,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	260,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	281,-
D32296	<input type="checkbox"/>	Extra-long knee upholstery 550 mm – 3D cover	299,-
D21008	<input type="checkbox"/>	Gas spring	1.017,-
D21044	<input type="checkbox"/>	Foot board, adjustable	336,-
D21041	<input type="checkbox"/>	Foot box upholstered (not approved for car transportation, if this is needed, please choose the Netti Grandis solution)	530,-
D24000	<input type="checkbox"/>	Calf support hinged (possible to swing underneath the chair), pair	195,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	65,-
D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	228,-
D23014	<input type="checkbox"/>	Foot fixation, pair	151,-
D28453	<input type="checkbox"/>	Foot plate upholstery - pair - skai cover	314,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	186,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	186,-

Universal leg supports

D24006	<input type="checkbox"/>	Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. No calf supports, delivered with heel straps.	141,-
			
		Bodypoint ankle huggers with upholstery incl. mounting kit	
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	249,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	249,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	260,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	281,-
D21044	<input type="checkbox"/>	Foot board, adjustable (without heel strap)	336,-

D21041	<input type="checkbox"/>	Foot box upholstered (not approved for car transport, if this is needed please use the Netti Grandis solution which is approved)	530,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	186,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	186,-


Netti Grandis angle adjustable leg supports

D88600	<input type="checkbox"/>	Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	1.131,-
		The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	
D88602	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	217,-
D88608	<input type="checkbox"/>	Extra Abduction (+ 50 mm), not for SW 430 mm - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	432,-
D88607	<input type="checkbox"/>	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	116,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	65,-
D88014	<input type="checkbox"/>	Foot fixation, pair incl. mounting kit	243,-
D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable	398,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	750,-
D21293	<input type="checkbox"/>	Calf strap	98,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	186,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	186,-
		Bodypoint ankle huggers with upholstery	
	<input type="checkbox"/>	D88863 S (L: 170-200 mm)	337,-
	<input type="checkbox"/>	D88864 M (L: 190-230 mm)	337,-
	<input type="checkbox"/>	D88865 L (L: 220-290 mm)	347,-
	<input type="checkbox"/>	D88866 XL (L: 280-330 mm)	371,-

Netti Grandis amputation support

D88618	<input type="checkbox"/>	Amputation support left incl. Netti Grandis leg support right side	1.085,-
D88619	<input type="checkbox"/>	Amputation support right incl. Netti Grandis leg support left side	1.085,-
D800	<input type="checkbox"/>	Amputation support left + right – requires frame extension	1.468,-

Netti Grandis leg support with fixed angle

D88612	<input type="checkbox"/>	Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.	1.131,-
		The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	
D88608	<input type="checkbox"/>	Extra Abduction (+ 50 mm), not for SW 430 mm - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	432,-
D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable (without heel strap)	398,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	750,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

Standard	<input checked="" type="checkbox"/>	Arm supports height and depth adjustable (395 mm)	0,-
Standard	<input checked="" type="checkbox"/>	For SW 350-500 mm: Arm pads 385 x 58 mm	0,-
Standard	<input checked="" type="checkbox"/>	Armrests with hand protection	0,-
D21077	<input type="checkbox"/>	Arm pads 420 x 80 mm for SW 350-500 mm	130,-
D21078	<input type="checkbox"/>	Arm pads 445 x 70 mm	130,-
D21079	<input type="checkbox"/>	Arm pads 525 x 80 mm	130,-
D29398	<input type="checkbox"/>	Reinforced arm support brackets (not to be combined with SW extension/ for SW 350+380 mm only as special adaptation)	293,-
D41649	<input type="checkbox"/>	Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	119,-
D41650	<input type="checkbox"/>	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	141,-
D23003	<input type="checkbox"/>	Hemiplegic cushion	228,-
D22185	<input type="checkbox"/>	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	346,-
D22186	<input type="checkbox"/>	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	346,-



Decon E-Drive or Decon E-move

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN WHEEL

Standard	<input checked="" type="checkbox"/>	Main wheels 24 x 1 3/8" PU Possible front wheels	SH1 <input type="checkbox"/> 460 mm 7"	SH2 <input type="checkbox"/> 490 mm 7 & 8"	0,-
D20831	<input type="checkbox"/>	Main wheel w/one hand drive (24x1 3/8 DB) - left (if mounted, the chair is not approved as seat for car transport)			1.947,-
D20832	<input type="checkbox"/>	Main wheel w/one hand drive (24x1 3/8 DB) – right (if mounted, the chair is not approved as seat for car transport)			1.947,-
D20834	<input type="checkbox"/>	One hand drive for 24" wheels PU – left (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)			1.276,-
D20836	<input type="checkbox"/>	One hand drive for 24" wheels PU – right (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)			1.276,-
D20837	<input type="checkbox"/>	One hand drive for 22" wheels PU – left (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)			1.276,-
D20838	<input type="checkbox"/>	One hand drive for 22" wheels PU – right (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)			1.276,-
D22008	<input type="checkbox"/>	Main wheels pneumatic – only 24 x 1 3/8 available			76,-
D81006	<input type="checkbox"/>	Main wheels 24 x 1 3/8 Heavy duty wheels			476,-
D22007	<input type="checkbox"/>	Main wheels 22 x 1 3/8" PU Possible front wheels		SH2 <input type="checkbox"/> 465 mm 7, 8"	151,-
D21035	<input type="checkbox"/>	DB wheels 12½" flexel** Possible front wheels		SH2 <input type="checkbox"/> 500 mm 7, 8"	401,-
D22035	<input type="checkbox"/>	DB wheels 16" PU Possible front wheels	SH1 <input type="checkbox"/> 485 mm 7"		401,-
D22010	<input type="checkbox"/>	Main wheels 26 x 1 3/8" PU Possible front wheels (Max. capacity 145 kg)	SH1 <input type="checkbox"/> 490/500 mm 7"/8"	SH2 <input type="checkbox"/> 530 mm 8"	163,-
D22009	<input type="checkbox"/>	Hand and spoke protector, transparent, pair (not for one hand drive standard)			163,-
D22013	<input type="checkbox"/>	Push rim cover, pair (cannot be combined with D81006)			130,-


** Without frame brakes - Please contact us for an offer of a frame brake option.

FRONT WHEELS

Standard	<input checked="" type="checkbox"/>	Front wheels: 7" – 175 x 45 PU			0,-
D21012	<input type="checkbox"/>	Front wheels: 7" – 175 x 45 pneumatic			98,-
D21026	<input type="checkbox"/>	Front wheels: 8" – 200 x 50 PU			98,-
D20664	<input type="checkbox"/>	Front wheel distance busher to simplify foot propelling (ideal in combination with D24005)			184,-

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS



	A	B	C	D	E	F	
D82025	<input type="checkbox"/>	Head support adapter aluminium (can only be combined with head support stabilizer in special adaptation)					260,-
D20575	<input type="checkbox"/>	Head support A, with side support					249,-
D82566	<input type="checkbox"/>	Head support A with side support and head band (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)					370,-
D82568	<input type="checkbox"/>	Extra comfort pads for the head band of D82566, pair					35,-
D20574	<input type="checkbox"/>	Head support B, small, oval					249,-
D20573	<input type="checkbox"/>	Head support C, large, square					249,-
D20576	<input type="checkbox"/>	Head support D, comfort (pressure distributive)					314,-
D27575	<input type="checkbox"/>	Head support E with adjustable side supports					379,-
D27576	<input type="checkbox"/>	Head support F with cheek support (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)					497,-
D21064	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 50 mm, length 200 mm					98,-
D21027	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 100 mm, length 250 mm					98,-
D21065	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 150 mm, length 300 mm					98,-
D21028	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 230 mm, length 380 mm					108,-
D21054	<input type="checkbox"/>	Head support adjustment tube (vertical) + 100 mm, length 500 mm					98,-
D23004	<input type="checkbox"/>	Comfort cushion for head rest type C – removable with Stella cover					195,-
D23012	<input type="checkbox"/>	Easy Care cover for head rest type A, B, C – removable					98,-
D23013	<input type="checkbox"/>	3D cover for head rest type A, B, C – removable					98,-
D23015	<input type="checkbox"/>	Grey head rest cushion with Stella cover					249,-
D23017	<input type="checkbox"/>	Stabilizer for head support and back (can only be combined with aluminium head support adapter in special adaptation)					303,-
D26677	<input type="checkbox"/>	MYSeat head support (3 joints) Easy to adjust – Takes little space – Crash tested Artificial leather or textile cover depending on fabric choice for the whole chair. Multifunctional head support with adjustable sides. Horizontal, vertical and angle adjustable. Width 250 mm.					562,-
D90034	<input type="checkbox"/>	Extra joint for MYSeat head support extension – needed for back height 600 mm.					87,-



D45372	<input type="checkbox"/>	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45374	<input type="checkbox"/>	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45373	<input type="checkbox"/>	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request
D45368	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant head supports. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant head supports. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti head supports. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89559	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti head supports. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request

TRAYS

Please note that the use of a tray cannot be recommended in combination with a dynamic seat unit. A tray is static and together with a dynamic seat unit this may cause injury.

D21059	<input type="checkbox"/>	Universal tray for SW 350-500 mm (for SW 500 and arm pad D21077, D21079 or D21927, please choose tray D21063)	243,-
D21063	<input type="checkbox"/>	Universal tray for SW 550 + 600 mm (necessary for SW 500 with arm pad D21077, D21079 or D21927)	303,-
D21050	<input type="checkbox"/>	Tray reinforced for SW 350-500 mm (not possible for SW 500 if combined with D21077, D21079 or D21927)	411,-
D24001	<input type="checkbox"/>	Tray swingable for SW 350-500 mm (not possible for SW 500 if combined with D21077, D21079 or D21927)	281,-
D24002	<input type="checkbox"/>	Tray lockable for SW 350-500 mm (not possible for SW 500 if combined with D21077, D21079 or D21927)	281,-
D93316	<input type="checkbox"/>	Tray spacer for swingable and lockable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	21,-

D21052	<input type="checkbox"/>	Upholstery for tray	130,-
D23006	<input type="checkbox"/>	Half tray, upholstered, left	444,-
D23005	<input type="checkbox"/>	Half tray, upholstered, right	444,-

VARIOUS ACCESSORIES

D21087	<input type="checkbox"/>	Clinic-Kit (tools and star wheels) only for angle adjustable legrests	130,-
D21239	<input type="checkbox"/>	Tool kit	108,-
D41987	<input type="checkbox"/>	Intravenous rack	346,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for back unit

				
[A]	[B]	[C]	[D]	[E]
D86890	<input type="checkbox"/>	H-harness adaptor kit (recommended for all upper body harnesses) [A]		286,-
D20881	<input type="checkbox"/>	H-belt, with upholstery and car belt lock [B]		271,-
D41645	<input type="checkbox"/>	Belt cross harness [C]		206,-
		Bodypoint Stayflex chest support without zipper [D]		282,-
D89805	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)		
D89898	<input type="checkbox"/>	S (Shoulder width 280-330 mm)		
D86895	<input type="checkbox"/>	M (Shoulder width 330-410 mm)		
D86896	<input type="checkbox"/>	L (Shoulder width 410-480 mm)		
		Bodypoint Pivofit shoulder harness [E]		282,-
D89802	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)		
D89803	<input type="checkbox"/>	S (Shoulder width 280-330 mm)		
D86898	<input type="checkbox"/>	M (Shoulder width 330-410 mm)		
D86899	<input type="checkbox"/>	L (Shoulder width 410-480 mm)		

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution. See examples and more about our special solutions online.



CUSTOM MADE – most wanted special adapted items (price on request)

- Extra-long calf supports (Please state length)
- Push handles with longer horizontal bar (standard is 200 mm)
- Calf support upholstery in special length or material
- Special bracket maintaining the calf supports in a fixed position
- Footboard swingable horizontally (frontwards)

- Reinforced aluminum footboard



- Leg support end position suspension
Not possible with D82318/9 (extension bracket)
This item works only at the end of a back movement and prevent from hard touching/slamming of the leg support.



- Leg support speed absorber

This item works as a speed limiter for extension and flexion movements.

It lowers the speed in both direction to prevent from hard movements, in both ways up and down.




Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length _____ mm of the chair.

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.



TECHNICAL DATA

Tilt (seat)	-9° to +16° with double gas spring
Recline (back)	Depends on which gas spring is chosen
Total width of the wheelchair	Seat width + 220 mm (std. wheels/DB-wheels) Seat width +210 mm (12" + 16" DB wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seatplate	Min: 280 mm/ max. 310 mm
Weight of wheelchair	App. 36 kg (without cushion)
Frame colour	Silver
Cover variants	Stretchable & flexible cover 3D Easy Care antibacterial cover, washable
Crash test	ISO 7176-19 (135 kg)



Seat height – WITHOUT seat cushion (measured from floor to seat plate)

Main wheel	12 1/2"		16"		22"		24"		26" (max. capacity 145 kg)	
Upper position/front wheel size			485 mm	7"			460 mm	7"	490 mm 500 mm	7" 8"
Lower position/front wheel size	480 mm	7 & 8"			465 mm	7 & 8"	490 mm	7 & 8"	530 mm	8"

	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm

Measurements


- A Hip width/Seat width _____ mm
- B Thigh length / seat depth _____ mm
- C Arm rest height _____ mm
- D Leg length / seat height _____ mm
- E Backrest height _____ mm
- F Trunk width _____ mm



Shoulder width	
XXS	210-240 mm
XS	240-280 mm
S	280-330 mm
M	330-410 mm
L	410-480 mm

Measuring for Stayflex and PivoFit


Measure the shoulder width. If the shoulder width falls between two sizes, consider other factors such as growth, weight changes and clothing.



Measuring for a hip belt

Measure hip width across the greater trochanters with the person seated. If the hip width falls between sizes on our chart, consider other factors such as growth, weight change and clothing.

Overall pad length	
XS	380 mm
M	460 mm
L	620 mm



Ankle circumference	
S	170-200 mm
M	190-230 mm
L	220-290 mm
XL	280-330 mm

Measuring for Ankle huggers

Measure circumference above ankle.