



Date _____

Customer code C- _____

Invoice address _____

Contact person _____

Reference _____

Other delivery address _____

☐ Invoice address = delivery address

☐ Quote

☐ The chair will be used as seat for car transport

Basic price 8.487,- €

Excl. VAT

Seat width

X20050 ☐ 500 mm
X20055 ☐ 550 mm
X20060 ☐ 600 mm

Seat depth

A ☐ 500 mm
B ☒ 475 mm
C ☐ 450 mm
D ☐ 425 mm
E ☐ 400 mm

Capacity

Max. 200 kg

Seat height

See page 9

D22149 ☐ Side upholstery (reduces SW with 2 x 25 mm)

151,- €

☒ = Standard equipment

Netti Customized individual adapted
FRAME

Item nr.	Description	Price in €
Standard	☒ Push handles 300 mm, height adjustable and swingable	0,-
Standard	☒ Anti tip w/ pedal	0,-
Standard	☒ Car fasteners – if an accessory means that the wheelchair is not approved for use as seat in a car, the chair will be delivered without car fasteners.	0,-
D21808	☐ Push handles 500 mm, height adjustable and swingable	216,-
D81740	☐ Push bow – height and angle adjustable	389,-
D20824	☐ Frame extension incl. brakes on lower frame tube	314,-
X21022	☐ Easy Care cover for seat and back, washable (not available for Netti Sit 3D/°C)	339,-

SOLUTIONS FOR RESPIRATION MACHINES AND OTHER MEDICAL DEVICES

D21186	☐	Universal device holder (incl. frame extender D20824) D: 348 mm / W: SW minus 36 mm / Max. capacity 10kg If the wheelchair user is being pushed a lot, we recommend a push handle with a longer horizontal bar as a special solution for better ergonomics for the companion. For information concerning car transport, please see the user manual of the device holder on our website.	1.947,-
D21187	☐	Cover plate for universal device – add. Level (only with D21186) / Max. capacity 4 kg D: 193 mm / W: SW minus 37 mm / H (free area): 237 mm	519,-
D42900	☐	Extra set of 4 mounting brackets, incl. screws	271,-

BRAKES

Standard	☒	User brake, brake lever 90 mm	0,-
D21010	☐	Drum brakes	271,-
D21029	☐	Brake lever extension + 60 mm, length: 150 mm	98,-
D21031	☐	Brake lever extension + 160 mm, length: 250 mm	108,-

BACK UNIT (for belts please see page 7)

Standard	☒	Back cushion Netti Stabil - side support 170 mm - 3D cover	0,-
Standard	☒	Back height 500 mm (incl. adjustable 6-piece back cover)	0,-
D21006	☐	Back height 600 mm (incl. back extender + longer cushion)	346,-
D44992	☐	Adjustable 6-piece back cover with cut for side supports for SW 500	271,-
D44993	☐	Adjustable 6-piece back cover with cut for side supports for SW 550-600 mm	314,-
D21123	☐	Back cushion Netti Super Stabil – with 170 mm reinforced side support - 3D cover	671,-
D26830	☐	Side support stable left – for Netti Stabil and Super Stabil	260,-
D26843	☐	Side support stable right – for Netti Stabil and Super Stabil	260,-
D27541	☐	Upholstery for side support stable, pair	163,-
D27700	☐	Firm back in aluminium, back height 500 mm	389,-
D27701	☐	Firm back in aluminium, back height 600 mm, incl. D21006	800,-
D21042	☐	Lumbar support	195,-
D21084	☐	Back wedge	195,-

SEAT UNIT (for belts please see page 7)

Standard	☒	Netti Sit - Pressure relief seat cushion with incontinence layer under the 3D cover	0,-
Standard	☒	Reinforced seat plate	0,-
D21048	☐	Incontinence cover for seat cushion	249,-

D21017	☐	Pressure relief seat cushion Netti Sit 3D/°C with temperature regulating features and incontinence layer under the 3D cover	574,-
D40001	☐	Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ Max. user weight 160 kg (For seat depth smaller than 475, ask for a special adaptation quote. If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer rather than shorter.)	850,-
D40002	☐	Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ Max. user weight 160 kg (For seat depth smaller than 475, ask for a special adaptation quote. If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer rather than shorter.)	1050,-
D40003	☐	Netti Precision Incontinence cover – Change of cover for D40001/D40002. Breathable, elastic and durable. Transports liquid away from the skin and collects it in watertight space, so that the surroundings are not contaminated.	0,-
D27490	☐	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	271,-
D27491	☐	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	271,-
D27492	☐	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	271,-
D20830		Removable knee and thigh support ☐ 1 piece ☐ 2 pieces	216,-

LEG SUPPORTS

For the Netti III XHD 500-600 mm you have 3 different types of leg supports with various accessories. Please contact us for consultation.

Netti Grandis angle adjustable leg support

Standard



Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.

The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.

0,-

D88608	☐	Extra Abduction (+ 50 mm), for SW 600 mm only with footboard - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	432,-
D88602	☐	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	217,-
		Bodypoint ankle huggers with upholstery incl. mounting kit	
		☐ D88863 S (L: 170-200 mm)	337,-
		☐ D88864 M (L: 190-230 mm)	337,-
		☐ D88865 L (L: 220-290 mm)	347,-
		☐ D88866 XL (L: 280-330 mm)	371,-
D88607	☐	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	116,-
D21745	☐	Calf support bracket upholstery - pair - skai cover	65,-

D88014	☐	Foot fixation, pair incl. mounting kit	243,-
D88603	☐	Foot board, lockable and upwards swingable	398,-
D88605	☐	Footbox, upholstered with Skai cover (approved for car transport)	750,-
D21293	☐	Calf strap	98,-
D86900	☐	Bodypoint calf strap M	186,-
D86901	☐	Bodypoint calf strap L	186,-

Netti Grandis amputation support

D88611		Amputation support left (amputation support on both sides only together with frame extension D20824)	519,-
D88610		Amputation support right (amputation support on both sides only together with frame extension D20824)	519,-

Netti Grandis leg support with fixed angle

D88609	☐	Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.  The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	134,-
D88608	☐	Extra Abduction (+ 50 mm), for SW 600 mm only with footboard. Not approved for car transport – if needed, please contact customer service.	432,-
D88603	☐	Foot board, lockable and upwards swingable	398,-
D88605	☐	Footbox, upholstered with Skai cover (approved for car transport)	750,-

Netti Dynamic angle adjustable leg rests

		Netti Dynamic angle adjustable leg rests with calf supports and footboard, 100N.	Price on request
D82296	☐	Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
D82298	☐	Adjustment piece 214 mm (lower leg length 350-450 mm)	
		<u>Adjustable for different thigh lengths.</u>	
D82318	☐	Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
D82319	☐	Adjustment piece 214 mm (lower leg length 350-450 mm)	
D32296	☐	Extra-long knee upholstery 550 mm – 3D cover	299,-
D45245	☐	Reinforced automatic footboard lock. Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
D88211	☐	Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
		Bodypoint ankle huggers with upholstery	
	☐	D44863 S (L: 170-200 mm)	249,-
	☐	D44864 M (L: 190-230 mm)	249,-
	☐	D44865 L (L: 220-290 mm)	260,-

	☐	D44904 XL (L: 280-330 mm)	281,-
D21081	☐	Extra abduction for leg rests (+50 mm, not for SW 600 mm) - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	444,-
D21745	☐	Calf support bracket upholstery - pair - skai cover	65,-
D41617	☐	Calf support upholstery extra soft	228,-
D86900	☐	Bodypoint calf strap M	186,-
D86901	☐	Bodypoint calf strap L	186,-

ARM SUPPORTS AND ACCESSORIES

Standard	☒	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm)	0,-
Standard	☒	Arm pads 420 x 80 mm	0,-
Standard	☒	Reinforced arm support brackets	0,-
D21015	☐	Arm supports extended with 100 mm (495 mm)	444,-
D21078	☐	Arm pads 445 x 70 mm	130,-
D21079	☐	Arm pads 525 x 80 mm	130,-
D21927	☐	Arm pads curved at the back 525 x 80 mm	173,-
D23003	☐	Hemiplegic cushion	228,-
D41650	☐	Arm pad upholstery extra soft for arm pad 420 x 80 mm, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a tray in special adaptation)	141,-
D22185	☐	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	346,-
D22186	☐	Arm support hemiplegic right (can only be combined with a tray in special adaptation)	346,-

MAIN AND FRONT WHEELS


Standard	☒	Main wheels 24 x 1 3/8" HD Flexel	0,-
Standard	☒	Reinforced Fork with front wheels: 8" – 200 x 50 PU wheel - puncture proof - with PU infill	0,-
X21035	☐	Main wheels 12 1/2" with DB Flexel + 7" – 175 x 45 PU wheel – puncture proof – with PU infill. Without frame brakes - Please contact us for an offer of a frame brake option.	396,-

HEAD SUPPORTS & ACCESSORIES



Standard	☒	Stabilizer for head support	0,-
----------	-------------------------------------	-----------------------------	-----

D20575	☐	Head rest A, with side support	249,-
D82566	☐	Head rest A with side support and head band (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	370,-
D82568	☐	Extra comfort pads for the head band of D82566, pair	35,-
D20574	☐	Head rest B, small, oval	249,-
D20573	☐	Head rest C, large, square	249,-
D20576	☐	Head rest D, comfort (pressure distributive) – only with 3D cover	314,-
D27575	☐	Head support E with adjustable side supports	379,-
D27576	☐	Head support F with cheek support (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	497,-
D21064	☐	Headrest adjustment tube (horizontal) + 50 mm, length 200 mm	98,-
D21027	☐	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	98,-
D21065	☐	Headrest adjustment tube (horizontal) + 150 mm, length 300 mm	98,-
D21028	☐	Headrest adjustment tube (horizontal) + 230 mm, length 380 mm	108,-
D21054	☐	Headrest adjustment tube (vertical) + 100 mm, length 500 mm	98,-
D23004	☐	Comfort cushion for head rest type C – removable with Stella cover	195,-
D23012	☐	Easy Care cover for head rest type A, B, C – removable	98,-
D23013	☐	3D cover for head rest type A, B, C – removable	98,-
D23015	☐	Grey head rest cushion with Stella cover	249,-
D26677	☐	MYSeat head support (3 joints) Easy to adjust – Takes little space – Crash tested Artificial leather or textile cover depending on fabric choice for the whole chair. Multifunctional head support with adjustable sides. Horizontal, vertical and angle adjustable. Width 250 mm.	562,-
D90034	☐	Extra joint for MYSeat head support extension – needed for back height 600 mm.	87,-



D45372	☐	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45374	☐	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request

D45373	☐	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	☐	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request
D45368	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89559	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request

TRAYS

D21063	☐	Universal tray	303,-
D21052	☐	Upholstery for tray	130,-

VARIOUS ACCESSORIES

D21239	☐	Tool kit	108,-
D41987	☐	Intravenous rack	346,-

BELT OPTIONS FROM BODYPOINT AND NETTI


Belts and accessories for seat unit



D86282	☐	Belt bracket kit – seat [A]	112,-
D20845	☐	Hip belt, with upholstery and car belt lock [B]	130,-
D86892	☐	Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting kit [C] L (overall pad length: 620 mm)	288,-
D45040	☐	Security cover for type [C] and [D] L	76,-
D45276	☐	Bodypoint 2-point pelvic stabiliser for SW 550-650 mm (overall pad length: 820 mm) incl. mounting kit [F]	379,-

D86894	☐	Bodypoint 4-point pelvic stabiliser incl. mounting kit [D] L (overall pad length: 620 mm)	436,-
D60001	☐	Abduction belt [E]	574,-
		Bodypoint supportive universal elastic strap	195,-
D45084	☐	S (Height 80 mm - 1420 mm long, easily cut-to-length)	
D45085	☐	L (Height 110 mm - 1420 mm long, easily cut-to-length)	
D45086	☐	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	

Belts and accessories for back unit

				
[A]	[B]	[C]	[D]	[E]
D86890	☐	H-harness adaptor kit [A] For optimal ergonomics, position the h-belt adapter so the belt goes horizontally from fixation point over the top of the shoulders. This helps to maintain an optimal position (not being pushed down) and prevents shoulder strain. The push handles cannot be adjusted higher than the H-belt adapter itself, therefore, the H-belt adapter cannot be combined with push handles 500mm.	286,-	
D20881	☐	H-belt, with upholstery and car belt lock [B]	271,-	
D41645	☐	Belt cross harness [C]	206,-	
		Bodypoint Stayflex chest support without zipper [D]	282,-	
D86895	☐	M (Shoulder width 330-410 mm)		
D86896	☐	L (Shoulder width 410-480 mm)		
		Bodypoint Pivofit shoulder harness [E]	282,-	
D86898	☐	M (Shoulder width 330-410 mm)		
D86899	☐	L (Shoulder width 410-480 mm)		

CUSTOM MADE – most wanted special adapted items (price on request)

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution. See examples and more about our special solutions online.



A




B

☐	Reinforced footboard in aluminium
☐	Extra long calf supports (please state length) (A)
☐	Calf support upholstery in special length or material
☐	Back cushion with special side support (see drawing page 9) (B)
☐	Push handles with longer horizontal bar (standard is 200 mm)

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.



Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length _____ mm of the chair.

TECHNICAL DATA

Tilt (seat)	-9° to +16° with double gas spring
Recline (back)	86° to 133° with double gas spring
Total width of the wheelchair	Seat width + 240 mm (std. wheels/DB-wheels) / +210 mm (12" DB-wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seat plate	Min: 185 mm/ max. 325 mm
Weight of wheelchair	App. 36 kg (without cushion)
Frame colour	Silver
Cover variants	Stretchable & flexible cover 3D Easy Care antibacterial cover, washable


Crash test

Netti III HD - is crash tested with max user weight 160 kg.
Netti III XHD & XXHD is a reinforced configuration of Netti III HD and approved for use as seat in car with max user weight 160 kg.

Seat height – WITHOUT seat cushion (measured from floor to seat plate)

Main wheel	12 1/2"		24"	
Seat height/ front wheel	450 mm	7"	475 mm	8"

Leg rests	Min. calf length	Max. calf length
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



Measurements

A Hip width/Seat width	_____ mm
B Thigh length / seat depth	_____ mm
C Arm rest height	_____ mm
D Leg length / seat height	_____ mm
E Backrest height	_____ mm
F Trunk width	_____ mm