



Date _____ Customer code C- _____

Invoice address _____ Contact person _____

_____ Reference _____

_____ Other delivery address _____

Invoice address = delivery address Quote

The chair will be used as seat for car transport

Basic price 8.487,- €

Excl. VAT

Seat width

X20050 500 mm
X20055 550 mm
X20060 600 mm

Seat depth A

500 mm
B 475 mm
C 450 mm
D 425 mm
E 400 mm

Capacity

Max. 200 kg

Seat height

See page 9

D22149 Side upholstery (reduces SW with 2 x 25 mm) 151,- €

= Standard equipment

Netti Customized individual adapted

FRAME

Item nr.	Description	Price in €
Standard <input checked="" type="checkbox"/>	Push handles 300 mm, height adjustable and swingable	0,-
Standard <input checked="" type="checkbox"/>	Anti tip w/ pedal	0,-
Standard <input checked="" type="checkbox"/>	Car fasteners – if an accessory means that the wheelchair is not approved for use as seat in a car, the chair will be delivered without car fasteners.	0,-
D21808 <input type="checkbox"/>	Push handles 500 mm, height adjustable and swingable	216,-
D81740 <input type="checkbox"/>	Push bow – height and angle adjustable	389,-
D20824 <input type="checkbox"/>	Frame extension incl. brakes on lower frame tube	314,-
X21022 <input type="checkbox"/>	Easy Care cover for seat and back, washable (not available for Netti Sit 3D/°C)	339,-

SOLUTIONS FOR RESPIRATION MACHINES AND OTHER MEDICAL DEVICES

D21186	<input type="checkbox"/>	Universal device holder (incl. frame extender D20824) D: 348 mm / W: SW minus 36 mm / Max. capacity 10kg If the wheelchair user is being pushed a lot, we recommend a push handle with a longer horizontal bar as a special solution for better ergonomics for the companion. For information concerning car transport, please see the user manual of the device holder on our website.	1.947,-
D21187	<input type="checkbox"/>	Cover plate for universal device – add. Level (only with D21186) / Max. capacity 4 kg D: 193 mm / W: SW minus 37 mm / H (free area): 237 mm	519,-
D42900	<input type="checkbox"/>	Extra set of 4 mounting brackets, incl. screws	271,-

BRAKES

Standard	<input checked="" type="checkbox"/>	User brake, brake lever 90 mm	0,-
D21010	<input type="checkbox"/>	Drum brakes	271,-
D21029	<input type="checkbox"/>	Brake lever extension + 60 mm, length: 150 mm	98,-
D21031	<input type="checkbox"/>	Brake lever extension + 160 mm, length: 250 mm	108,-

BACK UNIT (for belts please see page 7)

Standard	<input checked="" type="checkbox"/>	Back cushion Netti Stabil - side support 170 mm - 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Back height 500 mm (incl. adjustable 6-piece back cover)	0,-
D21006	<input type="checkbox"/>	Back height 600 mm (incl. back extender + longer cushion)	346,-
D44992	<input type="checkbox"/>	Adjustable 6-piece back cover with cut for side supports for SW 500	271,-
D44993	<input type="checkbox"/>	Adjustable 6-piece back cover with cut for side supports for SW 550-600 mm	314,-
D21123	<input type="checkbox"/>	Back cushion Netti Super Stabil – with 170 mm reinforced side support - 3D cover	671,-
D26830	<input type="checkbox"/>	Side support stable left – for Netti Stabil and Super Stabil	260,-
D26843	<input type="checkbox"/>	Side support stable right – for Netti Stabil and Super Stabil	260,-
D27541	<input type="checkbox"/>	Upholstery for side support stable, pair	163,-
D27700	<input type="checkbox"/>	Firm back in aluminium, back height 500 mm	389,-
D27701	<input type="checkbox"/>	Firm back in aluminium, back height 600 mm, incl. D21006	800,-
D21042	<input type="checkbox"/>	Lumbar support	195,-
D21084	<input type="checkbox"/>	Back wedge	195,-

SEAT UNIT (for belts please see page 7)



Standard	<input checked="" type="checkbox"/>	Netti Sit - Pressure relief seat cushion with incontinence layer under the 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Reinforced seat plate	0,-
D21048	<input type="checkbox"/>	Incontinence cover for seat cushion	249,-

D21017	<input type="checkbox"/>	Pressure relief seat cushion Netti Sit 3D/°C with temperature regulating features and incontinence layer under the 3D cover	574,-
D40001	<input type="checkbox"/>	Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ Max. user weight 160 kg (For seat depth smaller than 475, ask for a special adaptation quote. If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer rather than shorter.)	850,-
D40002	<input type="checkbox"/>	Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ Max. user weight 160 kg (For seat depth smaller than 475, ask for a special adaptation quote. If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer rather than shorter.)	1050,-
D40003	<input type="checkbox"/>	Netti Precision Incontinence cover – Change of cover for D40001/D40002. Breathable, elastic and durable. Transports liquid away from the skin and collects it in watertight space, so that the surroundings are not contaminated.	0,-
D27490	<input type="checkbox"/>	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	271,-
D27491	<input type="checkbox"/>	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	271,-
D27492	<input type="checkbox"/>	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	271,-
D20830		Removable knee and thigh support <input type="checkbox"/> 1 piece <input type="checkbox"/> 2 pieces	216,-

LEG SUPPORTS

For the Netti III XHD 500-600 mm you have 3 different types of leg supports with various accessories. Please contact us for consultation.

Netti Grandis angle adjustable leg support


Standard	<input checked="" type="checkbox"/>	Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	0,-
		The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	
D88608	<input type="checkbox"/>	Extra Abduction (+ 50 mm), for SW 600 mm only with footboard - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	432,-
D88602	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	217,-
		Bodypoint ankle huggers with upholstery incl. mounting kit	
	<input type="checkbox"/>	D88863 S (L: 170-200 mm)	337,-
	<input type="checkbox"/>	D88864 M (L: 190-230 mm)	337,-
	<input type="checkbox"/>	D88865 L (L: 220-290 mm)	347,-
	<input type="checkbox"/>	D88866 XL (L: 280-330 mm)	371,-
D88607	<input type="checkbox"/>	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	116,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	65,-

D88014	<input type="checkbox"/>	Foot fixation, pair incl. mounting kit	243,-
D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable	398,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	750,-
D21293	<input type="checkbox"/>	Calf strap	98,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	186,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	186,-



Netti Grandis amputation support

D88611		Amputation support left (amputation support on both sides only together with frame extension D20824)	519,-
D88610		Amputation support right (amputation support on both sides only together with frame extension D20824)	519,-

Netti Grandis leg support with fixed angle

D88609	<input type="checkbox"/>	Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	134,-
			
D88608	<input type="checkbox"/>	Extra Abduction (+ 50 mm), for SW 600 mm only with footboard. Not approved for car transport – if needed, please contact customer service.	432,-
D88603	<input type="checkbox"/>	Foot board, lockable and upwards swingable	398,-
D88605	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	750,-

Netti Dynamic angle adjustable leg rests

		Netti Dynamic angle adjustable leg rests with calf supports and footboard, 100N.	Price on request
D82296	<input type="checkbox"/>	Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
D82298	<input type="checkbox"/>	Adjustment piece 214 mm (lower leg length 350-450 mm) <u>Adjustable for different thigh lengths.</u>	
D82318	<input type="checkbox"/>	Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
D82319	<input type="checkbox"/>	Adjustment piece 214 mm (lower leg length 350-450 mm)	
D32296	<input type="checkbox"/>	Extra-long knee upholstery 550 mm – 3D cover	299,-
D45245	<input type="checkbox"/>	Reinforced automatic footboard lock. Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
D88211	<input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
		Bodypoint ankle huggers with upholstery	
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	249,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	249,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	260,-

	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	281,-
D21081	<input type="checkbox"/>	Extra abduction for leg rests (+50 mm, not for SW 600 mm) - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	444,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	65,-
D41617	<input type="checkbox"/>	Calf support upholstery extra soft	228,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	186,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	186,-

ARM SUPPORTS AND ACCESSORIES

Standard	<input checked="" type="checkbox"/>	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm)	0,-
Standard	<input checked="" type="checkbox"/>	Arm pads 420 x 80 mm	0,-
Standard	<input checked="" type="checkbox"/>	Reinforced arm support brackets	0,-
D21015	<input type="checkbox"/>	Arm supports extended with 100 mm (495 mm)	444,-
D21078	<input type="checkbox"/>	Arm pads 445 x 70 mm	130,-
D21079	<input type="checkbox"/>	Arm pads 525 x 80 mm	130,-
D21927	<input type="checkbox"/>	Arm pads curved at the back 525 x 80 mm	173,-
D23003	<input type="checkbox"/>	Hemiplegic cushion	228,-
D41650	<input type="checkbox"/>	Arm pad upholstery extra soft for arm pad 420 x 80 mm, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a tray in special adaptation)	141,-
D22185	<input type="checkbox"/>	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	346,-
D22186	<input type="checkbox"/>	Arm support hemiplegic right (can only be combined with a tray in special adaptation)	346,-

MAIN AND FRONT WHEELS


Standard	<input checked="" type="checkbox"/>	Main wheels 24 x 1 3/8" HD Flexel	0,-
Standard	<input checked="" type="checkbox"/>	Reinforced Fork with front wheels: 8" – 200 x 50 PU wheel - puncture proof - with PU infill	0,-
X21035	<input type="checkbox"/>	Main wheels 12 1/2" with DB Flexel + 7" – 175 x 45 PU wheel – puncture proof – with PU infill. Without frame brakes - Please contact us for an offer of a frame brake option.	396,-

HEAD SUPPORTS & ACCESSORIES



Standard	<input checked="" type="checkbox"/>	Stabilizer for head support	0,-
----------	-------------------------------------	-----------------------------	-----

D20575	<input type="checkbox"/>	Head rest A, with side support	249,-
D82566	<input type="checkbox"/>	Head rest A with side support and head band (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	370,-
D82568	<input type="checkbox"/>	Extra comfort pads for the head band of D82566, pair	35,-
D20574	<input type="checkbox"/>	Head rest B, small, oval	249,-
D20573	<input type="checkbox"/>	Head rest C, large, square	249,-
D20576	<input type="checkbox"/>	Head rest D, comfort (pressure distributive) – only with 3D cover	314,-
D27575	<input type="checkbox"/>	Head support E with adjustable side supports	379,-
D27576	<input type="checkbox"/>	Head support F with cheek support (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	497,-
D21064	<input type="checkbox"/>	Headrest adjustment tube (horizontal) + 50 mm, length 200 mm	98,-
D21027	<input type="checkbox"/>	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	98,-
D21065	<input type="checkbox"/>	Headrest adjustment tube (horizontal) + 150 mm, length 300 mm	98,-
D21028	<input type="checkbox"/>	Headrest adjustment tube (horizontal) + 230 mm, length 380 mm	108,-
D21054	<input type="checkbox"/>	Headrest adjustment tube (vertical) + 100 mm, length 500 mm	98,-
D23004	<input type="checkbox"/>	Comfort cushion for head rest type C – removable with Stella cover	195,-
D23012	<input type="checkbox"/>	Easy Care cover for head rest type A, B, C – removable	98,-
D23013	<input type="checkbox"/>	3D cover for head rest type A, B, C – removable	98,-
D23015	<input type="checkbox"/>	Grey head rest cushion with Stella cover	249,-
D26677	<input type="checkbox"/>	MYSeat head support (3 joints) Easy to adjust – Takes little space – Crash tested Artificial leather or textile cover depending on fabric choice for the whole chair. Multifunctional head support with adjustable sides. Horizontal, vertical and angle adjustable. Width 250 mm.	562,-
D90034	<input type="checkbox"/>	Extra joint for MYSeat head support extension – needed for back height 600 mm.	87,-



D45372	<input type="checkbox"/>	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45374	<input type="checkbox"/>	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request

D45373	<input type="checkbox"/>	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	<input type="checkbox"/>	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request
D45368	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89559	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request

TRAYS

D21063	<input type="checkbox"/>	Universal tray	303,-
D21052	<input type="checkbox"/>	Upholstery for tray	130,-

VARIOUS ACCESSORIES

D21239	<input type="checkbox"/>	Tool kit	108,-
D41987	<input type="checkbox"/>	Intravenous rack	346,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit








D86282	<input type="checkbox"/>	Belt bracket kit – seat [A]	112,-
D20845	<input type="checkbox"/>	Hip belt, with upholstery and car belt lock [B]	130,-
D86892	<input type="checkbox"/>	Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting kit [C] L (overall pad length: 620 mm)	288,-
D45040	<input type="checkbox"/>	Security cover for type [C] and [D] L	76,-
D45276	<input type="checkbox"/>	Bodypoint 2-point pelvic stabiliser for SW 550-650 mm (overall pad length: 820 mm) incl. mounting kit [F]	379,-

D86894	<input type="checkbox"/>	Bodypoint 4-point pelvic stabiliser incl. mounting kit [D] L (overall pad length: 620 mm)	436,-
D60001	<input type="checkbox"/>	Abduction belt [E]	574,-
D45084	<input type="checkbox"/>	Bodypoint supportive universal elastic strap S (Height 80 mm - 1420 mm long, easily cut-to-length)	195,-
D45085	<input type="checkbox"/>	L (Height 110 mm - 1420 mm long, easily cut-to-length)	
D45086	<input type="checkbox"/>	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	



Belts and accessories for back unit

				
[A]	[B]	[C]	[D]	[E]
D86890	<input type="checkbox"/>	H-harness adaptor kit (recommended for all upper body harnesses) [A]	286,-	
D20881	<input type="checkbox"/>	H-belt, with upholstery and car belt lock [B]	271,-	
D41645	<input type="checkbox"/>	Belt cross harness [C]	206,-	
D86895	<input type="checkbox"/>	Bodypoint Stayflex chest support without zipper [D] M (Shoulder width 330-410 mm)	282,-	
D86896	<input type="checkbox"/>	L (Shoulder width 410-480 mm)		
D86898	<input type="checkbox"/>	Bodypoint Pivofit shoulder harness [E] M (Shoulder width 330-410 mm)	282,-	
D86899	<input type="checkbox"/>	L (Shoulder width 410-480 mm)		

CUSTOM MADE – most wanted special adapted items (price on request)

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution. See examples and more about our special solutions online.



A

B


<input type="checkbox"/>	Reinforced footboard in aluminium
<input type="checkbox"/>	Extra long calf supports (please state length) (A)
<input type="checkbox"/>	Calf support upholstery in special length or material

- Back cushion with special side support (see drawing page 9) **(B)**
- Push handles with longer horizontal bar (standard is 200 mm)

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.



Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length _____ mm of the chair.

TECHNICAL DATA


Tilt (seat)	-9° to +16° with double gas spring
Recline (back)	86° to 133° with double gas spring
Total width of the wheelchair	Seat width + 240 mm (std. wheels/DB-wheels) / +210 mm (12" DB-wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seat plate	Min: 185 mm/ max. 325 mm
Weight of wheelchair	App. 36 kg (without cushion)
Frame colour	Silver
Cover variants	Stretchable & flexible cover 3D Easy Care antibacterial cover, washable
Crash test	Netti III HD - is crash tested with max user weight 160 kg. Netti III XHD & XXHD is a reinforced configuration of Netti

III HD and approved for use as seat in car with max user weight 160 kg.

Seat height – WITHOUT seat cushion (measured from floor to seat plate)

Main wheel	12 1/2"		24"	
Seat height/ front wheel	450 mm	7"	475 mm	8"

Leg rests	Min. calf length	Max. calf length
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



Measurements

- A Hip width/Seat width _____ mm
- B Thigh length / seat depth _____ mm
- C Arm rest height _____ mm
- D Leg length / seat height _____ mm
- E Backrest height _____ mm
- F Trunk width _____ mm