



	Date	ldress	Customer code C Contact person Reference Other delivery address		
		e address = delivery address nair will be used as seat for car	Quote		
			Basic price Excl. VA		
Seat width	X20050 X20055 X20060	500 mm 550 mm 600 mm	Seat depth A B C D D E	500 mm 475 mm 450 mm 425 mm 400 mm	
			Capacity Seat height	Max. 200 kg See page 9	
	D22149	Side upholstery (reduces	SW with 2 x 25 mm)		147,-€
= Standard e	quipment		Netti Customized	individual adapte	d

FRAME

ltem nr.	Description Pr	rice in €
Standard	Push handles 300 mm, height adjustable and swingable	0,-
Standard	Anti tip w/ pedal	0,-
D21808	Push handles 500 mm, height adjustable and swingable	210,-
D81740	Push bow – height and angle adjustable	378,-
D20824	Frame extension incl. brakes on lower frame tube	305,-
D41074	Car fastener	179,-
X21022	Easy Care cover for seat and back, washable (not available for Netti Sit °C)	329,-





request

		Universal device holder (incl. frame extender D20824)	1.890,-
		D: 348 mm / W: SW minus 36 mm / Max. capacity 10kg	·
		For information concerning car transport, please see the user manual of the device holder on our website.	
D21187		Cover plate for universal device – add. Level (only with D21186) /	504,-
		Max. capacity 4 kg	
		D: 193 mm / W: SW minus 37 mm / H (free area): 237 mm	
D42900		Extra set of 4 mounting brackets, incl. screws	263,-
AKES			
Standard		User brake, brake lever 90 mm	0,-
D21010		Drum brakes	263,-
D21029		Brake lever extension + 60 mm, length: 150 mm	95,-
D21031	$\overline{\Box}$	Brake lever extension + 160 mm, length: 250 mm	105,-
Standard	Deits	please see page 7) Back cushion Netti Stabil - side support 170 mm - 3D cover	0,-
Standard		Back cushion Netti Stabil - side support 170 mm - 3D cover	0,-
Standard		Back height 500 mm (incl. adjustable velcro back)	0,-
D21006		Back height 600 mm (incl. back extender + longer cushion)	336,-
D44992		Adjustable velcro with cut for side supports for SW 500	263,-
D44993		Adjustable velcro with cut for side supports for SW 550-600 mm	305,-
D21123		Back cushion Netti Super Stabil – with 170 mm reinforced side	651,-
		support - 3D cover	
D26830		Side support stable left – for Netti Stabil and Super Stabil	252,-
D26843		Side support stable right – for Netti Stabil and Super Stabil	252,-
D27541		Upholstery for side support stable, pair	158,-
D27700		Firm back in aluminium, back height 500 mm	378,-
D27701		Firm back in aluminium, back height 600 mm, incl. D21006	777,-
D21042		Lumbar support	189,-
		Back wedge	





	Pressure distribution and relief seat cushion Netti Precision 2	Price on
	Cover Stella +/ Easy Care + depending on the fabric for the whole chair Article number (if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)	request
D27490	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,-
D27491	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,
D27492	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,
D20830	Removable knee and thigh support 1 piece 2 pieces	210,

LEG SUPPORTS

For the Netti III XHD 500-600 mm you have 3 different types of leg supports with various accessories. Please contact us for consultation.

contact us for consultatio		
Netti Grandis angle adj		
Standard	Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis. The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot	0,-
D88608	Extra Abduction (+ 50 mm), for SW 600 mm only with footboard - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	419,-
D88602	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	211,-
	Bodypoint ankle huggers with upholstery incl. mounting kit D88863 S (L: 170-200 mm) D88864 M (L: 190-230 mm) D88865 L (L: 220-290 mm) D88866 XL (L: 280-330 mm)	327,- 327,- 337,- 360,-
D88607	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	113,-
D21745	Calf support bracket upholstery - pair - skai cover	63,-
D88014	Foot fixation, pair incl. mounting kit	236,-
D88603	Foot board, lockable and upwards swingable	386,-
D88605	Footbox, upholstered with Skai cover (approved for car transport)	728,-
D21293	Calf strap	95,-
D86900	Bodypoint calf strap M	181,-
D86901	Bodypoint calf strap L	181,-





Netti Gra	ndis amp	utation support	
	D88611	Amputation support left (amputation support on both sides only together with frame extension D20824)	504,-
	D88610	Amputation support right (amputation support on both sides only together with frame extension D20824)	504,-
Netti Gra	ndis leg s	upport with fixed angle	
	D88609	Netti Grandis leg supports with fixed angle for complex individual	130,-
		configurations. Reduces pressure and shear forces. For users with e.g.	
	4	contractions, leg asymmetry.	
		The foot support is characterized by unique ergonomics and user-	
		friendliness due to scale displays and conical extension pieces. Adjustable	
		in a fixed angle – also below 90°. Including heel strap.	
	D88608	Extra Abduction (+ 50 mm), for SW 600 mm only with footboard. Not	419,-
		approved for car transport – if needed, please contact customer service.	
	D88603	Foot board, lockable and upwards swingable	386,-
	D88605	Footbox, upholstered with Skai cover (approved for car transport)	728,-
Netti Dyn	namic ang	le adjustable leg rests	
IZAMIC ACC		Netti Dynamic angle adjustable leg rests DUAL with calf supports and	Price on request
E So	D02206	footboard, 100N.	
्र ०० दुन	D82296	Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
	D82298	Adjustment piece 214 mm (lower leg length 350-450 mm)	
	D82318	Adjustable for different thigh lengths.	
	D82318	Standard adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm)	
			200
	D32296	Extra-long knee upholstery 550 mm – 3D cover	290,-
	D45245	Reinforced automatic footboard lock - Not possible to combine with	request
		D82318/9 (extension bracket). With this lock the footboard is not angle	
		adjustable, but this can be offered as special adaptation.	
	D88211	Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
	\	Bodypoint ankle huggers with upholstery	
		D44863 S (L: 170-200 mm)	242,-
		D44864 M (L: 190-230 mm)	242,-
		D44865 L (L: 220-290 mm)	252,-
4	, ·	D44904 XL (L: 280-330 mm)	273,-
	D21081	Extra abduction for leg rests (+50 mm, not for SW 600 mm) - adjustment	431,-
		of the calf supports will be limited. Not approved for car transport – if	·
		needed, please contact customer service.	
	D21745	Calf support bracket upholstery - pair - skai cover	63,-
	D41617	Calf support upholstery extra soft	221,-
	D86900	Bodypoint calf strap M	181,-
	D86901	Bodypoint calf strap L	181,-
	D00301	Dodypoliti cali strap L	101,-





ARM SUPPORTS AND ACCESSORIES

	_	
Standard	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm)	0,-
Standard	Arm pads 420 x 80 mm	0,-
Standard	Reinforced arm support brackets	0,-
D21015	Arm supports extended with 100 mm (495 mm)	431,-
D21078	Arm pads 445 x 70 mm	126,-
D21079	Arm pads 525 x 80 mm	126,-
D21927	Arm pads curved at the back 525 x 80 mm	168,-
D23003	Hemiplegic cushion	221,-
D41650	Arm pad upholstery extra soft for arm pad 420 x 80 mm, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a tray in special adaptation)	137,-
D22185	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	336,-
D22186	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	336,-

MAIN AND FRONT WHEELS


Standard 	Main wheels 24 x 1 3/8" HD flexel	0,-
Standard Standard	Reinforced Fork with front wheels: 8" – 200 x 50 PU wheel - puncture proof - with PU infill	0,-
X21035	Main wheels 12 ½" with DB flexel + 7" – 175 x 45 PU wheel – puncture proof – with PU infill. Without frame brakes - Please contact us for an offer of a frame brake option.	384,-

HEAD SUPPORTS & ACCESSORIES



Standard	Stabilizer for head rest	0,-
D20575	Head rest A, with side support	242,-
D82566	Head rest A with side support and head band (not approved for car transport – if this is needed please order an additional Netti headrest)	359,-
D82568	Extra comfort pads for the head band of D82566, pair	34,-
D20574	Head rest B, small, oval	242,-
D20573	Head rest C, large, square	242,-
D20576	Head rest D, comfort (pressure distributive) – only with 3D cover	305,-
D27575	Head support E with adjustable side supports	368,-







D27576	Head support F with cheek support (not approved for car transport – if this is needed please order an additional Netti headrest)	483,-
D21064	Headrest adjustment tube (horizontal) + 50 mm, length 200 mm	95,-
D21027	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	95,-
D21065	Headrest adjustment tube (horizontal) + 150 mm, length 300 mm	95,-
D21028	Headrest adjustment tube (horizontal) + 230 mm, length 380 mm	105,-
D21054	Headrest adjustment tube (vertical) + 100 mm, length 500 mm	95,-
D23004	Comfort cushion for head rest type C – removable with Stella cover	189,-
D23012	asy Care cover for head rest type A, B, C – removable	
D23013	3D cover for head rest type A, B, C – removable	95,-
D23015	Grey head rest cushion with Stella cover	242,-
	[A] [B] [C]	
D45372	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45374	[A] Savant head support incl. headband, adult — height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport — if this is needed please order an additional Netti headrest)	Price on request
D45373	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request
D45368	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89559	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests.	Price on request





	(not approved for car transport – if this is needed please order an additional Netti headrest)	
TRAYS		
D21063	Universal tray	294,-
D21052	Upholstery for tray	126,-
VARIOUS ACCES	SSORIES	
D21087	Clinic-Kit (tools and star wheels – only for reinforced legrests)	126,-
D21239	Tool kit	105,-
D41987	Intravenous rack	336,-


BELT OPTIONS FROM BODYPOINT AND NETTI

Belts a	nd access	ories	for seat unit			
			•••••	25		ê
[A]		[B]	[C]	[D]	[E]	[F]
	D86282		Belt bracket kit – seat [A]			109,-
	D20845		Hip belt, with upholstery a	nd car belt lock [B]		126,-
	D86892		Bodypoint 2-point pelvic st L (overall pad length: 620		ounting kit [C]	280,-
	D45040		Security cover for type [C]	and [D] L		74,-
	D45276		Bodypoint 2-point pelvic st pad length: 820 mm) incl.		0 mm (overall	368,-
	D86894		Bodypoint 4-point pelvic st L (overall pad length: 620		kit [D]	423,-
	D60001		Abduction belt [E]			557,-
	D45084 D45085 D45086		Bodypoint supportive univ S (Height 80 mm - 1420 m L (Height 110 mm - 1420 m XL (Height 150 mm - 1420	m long, easily cut-to-le nm long, easily cut-to-l	ength)	189,-





Belts and accessories for back unit



CUSTOM MADE – most wanted special adapted items (price on request)



 _	
Reinforced footboard in aluminium	
Extra long calf supports (please state length) (A)	
Calf support upholstery in special length or material	
Back cushion with special side support (see drawing page 9) (B)	
Push handles with special length or angle	

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.


User weight:	





Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.





Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length _____ mm of the chair.

TECHNICAL DATA

-9° to +16° with double gas spring 86° to 133° with double gas spring Seat width + 240 mm (std. wheels/DB-wheels) / +210 mm (12" DB-wheels) 1020 mm with leg rests 1050 mm Min: 185 mm/ max. 325 mm	
Seat width + 240 mm (std. wheels/DB-wheels) / +210 mm (12" DB-wheels) 1020 mm with leg rests 1050 mm	
wheels) 1020 mm with leg rests 1050 mm	
1050 mm	
Min: 185 mm/ max. 325 mm	
App. 36 kg (without cushion)	
Silver	
Stretchable & flexible cover 3D Easy Care antibacterial cover, washable	
Netti III HD - is crash tested with max user weight 160 kg. Netti III XHD & XXHD is a reinforced configuration of Netti III HD and approved for use as seat in car with max user weight 160 kg.	


Seat height – WITHOUT seat cushion (measured from floor to seat plate)

Main wheel	12 1/2"		24"	
Seat height/ front wheel	450 mm	7"	475 mm	8"

Leg rests	Min. calf length	Max. calf length	
Netti Grandis leg rests	360 mm	640 mm	
Netti Grandis fixed leg rests	380 mm	550 mm	







Measurements

A Hip width/Seat width	mm
B Thigh length / seat depth	mm
C Arm rest height	mm
D Leg length / seat height	mm
E Backrest height	mm
F Trunk width	mm