



Date _____ Customer code C- _____

Invoice address _____ Contact person _____

_____ Reference _____

_____ Other delivery address _____

Invoice address = delivery address Quote

The chair will be used as seat for car transport

Basic price 8.800,- €

Excl. VAT

Seat width	X20065	<input type="checkbox"/> 650 mm	Seat depth A	<input type="checkbox"/> 500 mm	
	X20070	<input type="checkbox"/> 700 mm		B	<input checked="" type="checkbox"/> 475 mm
	X20075	<input type="checkbox"/> 750 mm		C	<input type="checkbox"/> 450 mm
			D	<input type="checkbox"/> 425 mm	
			E	<input type="checkbox"/> 400 mm	
			Capacity	Max. 200 kg	
			Seat height	See page 7	

D22149 Side upholstery (reduces SW with 2 x 25 mm) 140,- €

= Standard equipment **Netti Customized individually adapted**

FRAME

Item nr.	Description	Price in €
Standard	<input checked="" type="checkbox"/> Push handles 300 mm, height adjustable and swingable	0,-
Standard	<input checked="" type="checkbox"/> Anti tip w/ pedal	0,-
Standard	<input checked="" type="checkbox"/> Car fasteners – if an accessory means that the wheelchair is not approved for use as seat in a car, the chair will be delivered without car fasteners.	0,-
D21808	<input type="checkbox"/> Push handles 500 mm, height adjustable and swingable	210,-
D20824	<input type="checkbox"/> Frame extension incl. brakes on lower frame tube	305,-

SOLUTIONS FOR RESPIRATION MACHINES AND OTHER MEDICAL DEVICES

X21186	<input type="checkbox"/> Universal device holder (incl. frame extender D20824) D: 348 mm / W: SW minus 36 mm / Max. capacity 10kg If the wheelchair user is being pushed a lot, we recommend a push handle with a longer horizontal bar as a special solution for better ergonomics for the companion.	2.203,-
--------	--	---------

For information concerning car transport, please see the user manual of the device holder on our website.

Delivery time: app. 5 weeks

X21187	<input type="checkbox"/>	Cover plate for universal device – add. Level (only with X21186) D: 193 mm / W: SW minus 37 mm / H (free area): 237 mm Delivery time: app. 5 weeks	659,-
D42900	<input type="checkbox"/>	Extra set of 4 mounting brackets, incl. screws	263,-

BRAKES

Standard	<input checked="" type="checkbox"/>	User brake, brake lever 90 mm	0,-
D21010	<input type="checkbox"/>	Drum brakes	263,-
D21029	<input type="checkbox"/>	Brake lever extension + 60 mm, length: 150 mm	95,-
D21031	<input type="checkbox"/>	Brake lever extension + 160 mm, length: 250 mm	105,-



BACK UNIT

Standard	<input checked="" type="checkbox"/>	Back cushion Netti Stabil - side support 170 mm, 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Back height 500 mm (incl. adjustable 6-piece back cover)	0,-
X21006	<input type="checkbox"/>	Back height 600 mm (incl. back extender + longer one-piece cushion)	292,-
D44993	<input type="checkbox"/>	Adjustable 6-piece back cover with cut for side supports	305,-
X21123	<input type="checkbox"/>	Back cushion Netti Super Stabil for SW 650-700 mm - with 170 mm reinforced side support - 3D cover	999,-
X21124	<input type="checkbox"/>	Back cushion Netti Super Stabil for SW 750 mm - with 170 mm reinforced side support - 3D cover	999,-
D26830	<input type="checkbox"/>	Side support stable left – for Netti Stabil and Super Stabil	252,-
D26843	<input type="checkbox"/>	Side support stable right – for Netti Stabil and Super Stabil	252,-
D27541	<input type="checkbox"/>	Upholstery for side support stable, pair	158,-
X27702	<input type="checkbox"/>	Firm back in aluminium, back height 500 mm Delivery time: app. 5 weeks	371,-
X27703	<input type="checkbox"/>	Firm back in aluminium, back height 600 mm, incl. X21006 Delivery time: app. 5 weeks	775,-
D21084	<input type="checkbox"/>	Back wedge	189,-

SEAT UNIT (for belts please see page 5)

Standard	<input checked="" type="checkbox"/>	Netti Sit - Pressure relief seat cushion with incontinence layer under the 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Reinforced seat plate	0,-
D27490	<input type="checkbox"/>	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,-
D27491	<input type="checkbox"/>	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,-
D27492	<input type="checkbox"/>	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,-
D20830		Removable knee and thigh support <input type="checkbox"/> 1 piece <input type="checkbox"/> 2 pieces	210,-

LEG SUPPORTS AND ACCESSORIES

Standard	<input checked="" type="checkbox"/>	Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	0,-
			
		The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and footboard.	
D88602	<input type="checkbox"/>	Calf support upholstery extra soft - pair - 3D cover	211,-
D88607	<input type="checkbox"/>	Knee upholstery for the upper lower leg - 3D cover	113,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	63,-
D88014	<input type="checkbox"/>	Foot fixation, pair incl. mounting kit	236,-
			
		Bodypoint ankle huggers with upholstery incl. mounting kit	
	<input type="checkbox"/>	D88863 S (L: 170-200 mm)	327,-
	<input type="checkbox"/>	D88864 M (L: 190-230 mm)	327,-
	<input type="checkbox"/>	D88865 L (L: 220-290 mm)	337,-
	<input type="checkbox"/>	D88866 XL (L: 280-330 mm)	360,-

ARM SUPPORTS AND ACCESSORIES

Standard	<input checked="" type="checkbox"/>	Arm supports height and depth adjustable with skirt guard in aluminium (height 395 mm)	0,-
Standard	<input checked="" type="checkbox"/>	Arm pads 420 x 80 mm	0,-
Standard	<input checked="" type="checkbox"/>	Reinforced arm support brackets	0,-
D21015	<input type="checkbox"/>	Arm supports extended with 100 mm (495 mm)	431,-
D21078	<input type="checkbox"/>	Arm pads 445 x 70 mm	126,-
D21079	<input type="checkbox"/>	Arm pads 525 x 80 mm	126,-
D21927	<input type="checkbox"/>	Arm pads curved at the back 525 x 80 mm	168,-
D23003	<input type="checkbox"/>	Hemiplegic cushion	221,-
D41650	<input type="checkbox"/>	Arm pad upholstery extra soft (for arm pads 420 x 80 mm) – 3D cover (can only be combined with a tray in special adaptation)	137,-
D22185	<input type="checkbox"/>	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	336,-
D22186	<input type="checkbox"/>	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	336,-


WHEELS

Standard	<input checked="" type="checkbox"/>	Main wheels 24 x 1 3/8" HD flexel	0,-
Standard	<input checked="" type="checkbox"/>	Reinforced Fork with front wheels: 8" – 200 x 50 PU wheel - puncture proof - with PU infill	0,-
X21035	<input type="checkbox"/>	Main wheels 12 1/2" with DB flexel + 7" – 175 x 45 PU wheel – puncture proof – with PU infill. Without frame brakes - Please contact us for an offer of a frame brake option.	384,-

HEAD SUPPORTS & ACCESSORIES



Standard	<input checked="" type="checkbox"/>	Stabilizer for head support	0,-
D20575	<input type="checkbox"/>	Head support A, with side support	242,-
D82566	<input type="checkbox"/>	Head support A with side support and head band (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	359,-
D82568	<input type="checkbox"/>	Extra comfort pads for the head band of D82566, pair	34,-
D20574	<input type="checkbox"/>	Head support B, small, oval	242,-
D20573	<input type="checkbox"/>	Head support C, large, square	242,-
D20576	<input type="checkbox"/>	Head support D, comfort (pressure distributive)	305,-
D27575	<input type="checkbox"/>	Head support E with adjustable side supports	368,-
D27576	<input type="checkbox"/>	Head support F with cheek support (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	483,-
D21064	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 50 mm, length 200 mm	95,-
D21027	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 100 mm, length 250 mm	95,-
D21065	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 150 mm, length 300 mm	95,-
D21028	<input type="checkbox"/>	Head support adjustment tube (horizontal) + 230 mm, length 380 mm	105,-
D21054	<input type="checkbox"/>	Head support adjustment tube (vertical) + 100 mm, length 500 mm	95,-
D23004	<input type="checkbox"/>	Comfort cushion for head support type C – removable with Stella cover	189,-
D23012	<input type="checkbox"/>	Easy Care cover for head support type A, B, C – removable	95,-
D23013	<input type="checkbox"/>	3D cover for head support type A, B, C – removable	95,-
D23015	<input type="checkbox"/>	Grey head support cushion with Stella cover	242,-
D26677	<input type="checkbox"/>	MYSeat head support (3 joints) Easy to adjust – Takes little space – Crash tested Textile cover. Multifunctional head support with adjustable sides. Horizontal, vertical and angle adjustable. Width 250 mm.	546,-
D90034	<input type="checkbox"/>	Extra joint for MYSeat head support extension – needed for back height 600 mm.	84,-



D45372	<input type="checkbox"/>	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
--------	--------------------------	--	------------------

D45374	<input type="checkbox"/>	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45373	<input type="checkbox"/>	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	<input type="checkbox"/>	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request
D45368	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89559	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request

TRAYS





X21060	<input type="checkbox"/>	Universal tray for SW 650-700 mm (recommendation: arm pad D21079 (525 x 80 mm) will provide more bearing surface for the tray)	651,-
X21061	<input type="checkbox"/>	Universal tray for SW 750 mm (recommendation: arm pad D21079 (525 x 80 mm) will provide more bearing surface for the tray)	782,-
D21052	<input type="checkbox"/>	Upholstery for tray	126,-

VARIOUS ACCESSORIES

D21239	<input type="checkbox"/>	Tool kit	105,-
D41987	<input type="checkbox"/>	Intravenous rack	336,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit

			
[A]	[B]	[C]	
D86282	<input type="checkbox"/>	Belt bracket kit – seat [A]	109,-
X20845	<input type="checkbox"/>	Hip belt, with upholstery and car belt lock [B]	390,-
D45276	<input type="checkbox"/>	Bodypoint 2-point hip belt incl. mouting kit for SW 550-650 mm (overall pad length 820 mm)	368,-
D45277	<input type="checkbox"/>	Bodypoint 2-point hip belt incl. mouting kit for SW 650-750 mm (overall pad length 920 mm)	368,-
D45084	<input type="checkbox"/>	Bodypoint supportive universal elastic strap S (Height 80 mm - 1420 mm long, easily cut-to-length)	189,-
D45085	<input type="checkbox"/>	L (Height 110 mm - 1420 mm long, easily cut-to-length)	
D45086	<input type="checkbox"/>	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution. See examples and more about our special solutions online.



CUSTOM MADE – most wanted special adapted items (price on request)




<input type="checkbox"/>	Extra long calf supports (please state length) (A)
<input type="checkbox"/>	Push handles with longer horizontal bar (standard is 200 mm)
<input type="checkbox"/>	Back cushion with special side support (see drawing page 6) (B)

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.



Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length _____ mm of the chair.


TECHNICAL DATA

Tilt (seat)	-9° to +16° with double gas spring
Recline (back)	86° to 133° with double gas spring
Total width of the wheelchair	Seat width + 240 mm (std. wheels/DB-wheels) / +210 mm (12" DB-wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seatplate	Min: 185 mm/ max. 325 mm
Weight of wheelchair	App. 36 kg (without cushion)
Frame colour	Silver
Cover variants	3D Cover
Crash test	Netti III HD - is crash tested with max user weight 160 kg. Netti III XHD & XXHD is a reinforced configuration of Netti III HD and approved for use as seat in car with max user weight 160 kg.

Seat height – WITHOUT seat cushion (measured from floor to seat plate)

Main wheel	12 1/2"		24"	
Seat height/ front wheel	450 mm	7"	475 mm	8"

Leg rests	Min. calf length	Max. calf length
Netti Grandis leg rests	360 mm	640 mm



Measurements

- A Hip width/Seat width _____ mm
- B Thigh length / seat depth _____ mm
- C Arm rest height _____ mm
- D Leg length / seat height _____ mm
- E Backrest height _____ mm
- F Trunk width _____ mm