



Date	Customer code C			
Invoice address	Contact person			
	Reference			
	Other delivery address			
Invoice address = delivery addressThe chair will be used as seat for car	Quote			
	Basic price 8.800,- € Excl. VAT			
X20065	Seat depth A 500 mm B 475 mm C 450 mm D 425 mm E 400 mm			
	Capacity Max. 200 Seat height See page	ū		
D22149 Side upholstery (reduces	SW with 2 x 25 mm)	140,-€		
quipment	Netti Customized individually a	dapted		
Description		Price in €		
d Push handles 300 mm, height adj	ustable and swingable	0,-		
d Anti tip w/ pedal		0,-		
Push handles 500 mm, height adj	ustable and swingable	210,-		
Frame extension incl. brakes on lo	ower frame tube	305,-		
Car fastener		179,-		
OR RESPIRATION MACHINES AN	ID OTHER MEDICAL DEVICE	S		
D: 348 mm / W: SW minus 36 mm	n / Max. capacity 10kg	2.203,-		
Cover plate for universal device –		659,-		
	Invoice address = delivery address The chair will be used as seat for care X20065	Invoice address		

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300





	Delivery time: app. 5 weeks	
D42900	Extra set of 4 mounting brackets, incl. screws	263,-
RAKES		
Standard	User brake, brake lever 90 mm	0,-
D21010	Drum brakes	263,-
D21029	Brake lever extension + 60 mm, length: 150 mm	95,-
D21031	Brake lever extension + 160 mm, length: 250 mm	105,-
ACK UNIT		
Standard	Back cushion Netti Stabil - side support 170 mm, 3D cover	0,-
Standard	Back height 500 mm (incl. adjustable velcro back)	0,-
X21006	Back height 600 mm (incl. back extender + longer one-piece cushion)	292,-
D44993	Adjustable velcro with cut for side supports	305,-
X21123	Back cushion Netti Super Stabil for SW 650-700 mm - with 170 mm reinforced side support - 3D cover	999,-
X21124	Back cushion Netti Super Stabil for SW 750 mm - with 170 mm reinforced side support - 3D cover	999,-
D26830	Side support stable left – for Netti Stabil and Super Stabil	252,-
D26843	Side support stable right – for Netti Stabil and Super Stabil	252,-
D27541	Upholstery for side support stable, pair	158,-
X27702	Firm back in aluminium, back height 500 mm Delivery time: app. 5 weeks	371,-
X27703	Firm back in aluminium, back height 600 mm, incl. X21006 Delivery time: app. 5 weeks	775,-
D21084	Back wedge	189,-
EAT UNIT (for b	elts please see page 5)	
	Netti Sit - Pressure relief seat cushion with incontinence layer under the 3D cover	0,
Standard	Reinforced seat plate	0,
D27490	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263
D27491	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263
D27492	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263
D20830	Removable knee and thigh support 1 piece 2 pieces	210





LEG SUPPORTS AND ACCESSORIES

Standard Standard	Netti Grandis angle adjustable positioning leg supports for complex	0,
	individual configurations. Reduces pressure and shear forces. For	
a	users with e.g. contractions, leg asymmetry, elephantiasis.	
	The foot support is characterized by unique ergonomics and user-	
	friendliness due to lifting handles, scale displays and conical	
	extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and footboard.	
D88602	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	211
D88607	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	113
D21745	Calf support bracket upholstery - pair - skai cover	63
D88014	Foot fixation, pair incl. mounting kit	236
	Bodypoint ankle huggers with upholstery incl. mounting kit	
	D88863 S (L: 170-200 mm)	327
13/1	D88864 M (L: 190-230 mm)	327
274	D88865 L (L: 220-290 mm)	337
• 4	D88866 XL (L: 280-330 mm)	360
RM SUPPORTS A Standard	ND ACCESSORIES Arm supports height and depth adjustable with skirt guard in	0,-
Standard II		0,-
Standard Standard	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm	0,-
Standard Standard Standard	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm Reinforced arm support brackets	
Standard Standard	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm	0,-
Standard Standard Standard	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm Reinforced arm support brackets	0,-
Standard Standard Standard D21015 D21078 D21079	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm Reinforced arm support brackets Arm supports extended with 100 mm (495 mm)	0,- 0,- 431,-
Standard Standard Standard D21015 D21078 D21079 D21927	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm Reinforced arm support brackets Arm supports extended with 100 mm (495 mm) Arm pads 445 x 70 mm Arm pads 525 x 80 mm Arm pads curved at the back 525 x 80 mm	0,- 0,- 431,- 126,- 126,- 168,-
Standard Standard Standard D21015 D21078 D21079	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm Reinforced arm support brackets Arm supports extended with 100 mm (495 mm) Arm pads 445 x 70 mm Arm pads 525 x 80 mm Arm pads curved at the back 525 x 80 mm Hemiplegic cushion	0,- 0,- 431,- 126,-
Standard Standard Standard D21015 D21078 D21079 D21927	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm Reinforced arm support brackets Arm supports extended with 100 mm (495 mm) Arm pads 445 x 70 mm Arm pads 525 x 80 mm Arm pads curved at the back 525 x 80 mm	0,- 0,- 431,- 126,- 126,- 168,-
Standard Standard Standard D21015 D21078 D21079 D21927 D23003	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm Reinforced arm support brackets Arm supports extended with 100 mm (495 mm) Arm pads 445 x 70 mm Arm pads 525 x 80 mm Arm pads curved at the back 525 x 80 mm Hemiplegic cushion Arm pad upholstery extra soft (for arm pads 420 x 80 mm) – 3D cover	0,- 0,- 431,- 126,- 126,- 168,- 221,-
Standard Standard Standard D21015 D21078 D21079 D21927 D23003 D41650	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm Reinforced arm support brackets Arm supports extended with 100 mm (495 mm) Arm pads 445 x 70 mm Arm pads 525 x 80 mm Arm pads curved at the back 525 x 80 mm Hemiplegic cushion Arm pad upholstery extra soft (for arm pads 420 x 80 mm) – 3D cover (can only be combined with a tray in special adaptation) Arm support hemiplegic left (can only be combined with a tray in special adaptation) Arm support hemiplegic left	0,- 0,- 431,- 126,- 126,- 168,- 221,- 137,-
Standard Standard Standard D21015 D21078 D21079 D21927 D23003 D41650 D22185	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm Reinforced arm support brackets Arm supports extended with 100 mm (495 mm) Arm pads 445 x 70 mm Arm pads 525 x 80 mm Arm pads curved at the back 525 x 80 mm Hemiplegic cushion Arm pad upholstery extra soft (for arm pads 420 x 80 mm) – 3D cover (can only be combined with a tray in special adaptation) Arm support hemiplegic left (can only be combined with a tray in special adaptation)	0,- 0,- 431,- 126,- 126,- 168,- 221,- 137,-
Standard Standard Standard D21015 D21078 D21079 D21927 D23003 D41650 D22185	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm Reinforced arm support brackets Arm supports extended with 100 mm (495 mm) Arm pads 445 x 70 mm Arm pads 525 x 80 mm Arm pads curved at the back 525 x 80 mm Hemiplegic cushion Arm pad upholstery extra soft (for arm pads 420 x 80 mm) – 3D cover (can only be combined with a tray in special adaptation) Arm support hemiplegic left (can only be combined with a tray in special adaptation) Arm support hemiplegic left	0,- 0,- 431,- 126,- 126,- 168,- 221,- 137,-
Standard Standard Standard D21015 D21078 D21079 D21927 D23003 D41650 D22185 D22186	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm Reinforced arm support brackets Arm supports extended with 100 mm (495 mm) Arm pads 445 x 70 mm Arm pads 525 x 80 mm Arm pads curved at the back 525 x 80 mm Hemiplegic cushion Arm pad upholstery extra soft (for arm pads 420 x 80 mm) – 3D cover (can only be combined with a tray in special adaptation) Arm support hemiplegic left (can only be combined with a tray in special adaptation) Arm support hemiplegic left	0,- 0,- 431,- 126,- 126,- 168,- 221,- 137,-
Standard Standard Standard D21015 D21078 D21079 D21927 D23003 D41650 D22185 D22186 CHEELS	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm Reinforced arm support brackets Arm supports extended with 100 mm (495 mm) Arm pads 445 x 70 mm Arm pads 525 x 80 mm Arm pads curved at the back 525 x 80 mm Hemiplegic cushion Arm pad upholstery extra soft (for arm pads 420 x 80 mm) – 3D cover (can only be combined with a tray in special adaptation) Arm support hemiplegic left (can only be combined with a tray in special adaptation) Arm support hemiplegic left (can only be combined with a tray in special adaptation)	0,- 0,- 431,- 126,- 126,- 168,- 221,- 137,- 336,-
Standard	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm Reinforced arm support brackets Arm supports extended with 100 mm (495 mm) Arm pads 445 x 70 mm Arm pads 525 x 80 mm Arm pads curved at the back 525 x 80 mm Hemiplegic cushion Arm pad upholstery extra soft (for arm pads 420 x 80 mm) – 3D cover (can only be combined with a tray in special adaptation) Arm support hemiplegic left (can only be combined with a tray in special adaptation) Arm support hemiplegic left (can only be combined with a tray in special adaptation) Main wheels 24 x 1 3/8" HD flexel	0,- 0,- 431,- 126,- 126,- 168,- 221,- 137,- 336,-
Standard	Arm supports height and depth adjustable with skirt guard in aluminium (length 395 mm) Arm pads 420 x 80 mm Reinforced arm support brackets Arm supports extended with 100 mm (495 mm) Arm pads 445 x 70 mm Arm pads 525 x 80 mm Arm pads curved at the back 525 x 80 mm Hemiplegic cushion Arm pad upholstery extra soft (for arm pads 420 x 80 mm) – 3D cover (can only be combined with a tray in special adaptation) Arm support hemiplegic left (can only be combined with a tray in special adaptation) Arm support hemiplegic left (can only be combined with a tray in special adaptation) Main wheels 24 x 1 3/8" HD flexel Reinforced Fork with front wheels: 8" – 200 x 50 PU wheel -	0,- 0,- 431,- 126,- 126,- 168,- 221,- 137,- 336,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300


puncture proof - with PU infill.





Without frame brakes - Please contact us for an offer of a frame brake option.

HEAD SUPPORTS & ACCESSORIES





	r, -1	[2]	[-]	
D45372	User forehead 460-56 User ½ circumference Inside distance along t	0 mm behind ears 150-180 mm top support 300 mm, along	, small – height 130 mm g middle support 180 mm d please order an additional Netti	Price on request
D45374	User forehead 560-61 User ½ circumference	' '	, adult – height 150 mm g middle support 200 mm	Price on request

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300



SW 650-750 mm



		(not approved for car transport – if this is needed please order an additional Netti headrest)	
D45373		[B] Side pads for Savant head support. For extra lateral support.	Price or
		For the upper arms of the head support. Cannot be combined with the headband	reques
D45375		Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price or reques
D45368		 [C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest) 	Price or reques
D45376		Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price or reques
D89558		[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price or reques
D89559		Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price or reques
ΥS			
X21060		Universal tray for SW 650-700 mm (recommendation: arm pad D21079 (525 x 80 mm) will provide more bearing surface for the tray)	651,-
X21061		Universal tray for SW 750 mm (recommendation: arm pad D21079 (525 x 80 mm) will provide more bearing surface for the tray)	782,-
721001			
D21052		Upholstery for tray	126,-
D21052	ESSC	Upholstery for tray ORIES	
D21052 RIOUS ACC D21239	ESSO	Upholstery for tray ORIES Tool kit	105,-
D21052 RIOUS ACC D21239 D41987		Upholstery for tray ORIES	
D21052 ARIOUS ACC D21239 D41987	S FRO	ORIES Tool kit Intravenous rack	105,-
D21052 RIOUS ACC D21239 D41987 LT OPTION ts and access	S FR(ORIES Tool kit Intravenous rack OM BODYPOINT AND NETTI s for seat unit	105,-
D21052 RIOUS ACC D21239 D41987 LT OPTION ts and access	S FRO	ORIES Tool kit Intravenous rack OM BODYPOINT AND NETTI s for seat unit [C]	105,- 336,-
D21052 ARIOUS ACC D21239 D41987 LT OPTION	S FR(ORIES Tool kit Intravenous rack OM BODYPOINT AND NETTI s for seat unit [C] Belt bracket kit – seat [A]	105,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300






D45276	Bodypoint 2-point hip belt incl. mouting kit for SW 550-650 mm (overall pad length 820 mm)	368,-
D45277	Bodypoint 2-point hip belt incl. mouting kit for SW 650-750 mm (overall pad length 920 mm)	368,
	Bodypoint supportive universal elastic strap	189,
D45084 D45085 D45086	S (Height 80 mm - 1420 mm long, easily cut-to-length) L (Height 110 mm - 1420 mm long, easily cut-to-length) XL (Height 150 mm - 1420 mm long, easily cut-to-length)	5

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

CUSTOM MADE – examples of most wanted special adapted items (price on request)



Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weig	ht:					


Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.











Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length ____ mm of the chair.

TECHNICAL DATA

Tilt (seat)	-9° to +16° with double gas spring
Recline (back)	86° to 133° with double gas spring
Total width of the wheelchair	Seat width + 240 mm (std. wheels/DB-wheels) / +210 mm (12" DB-wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seatplate	Min: 185 mm/ max. 325 mm
Weight of wheelchair	App. 36 kg (without cushion)
Frame colour	Silver
Cover variants	3D Cover
Crash test	Netti III HD - is crash tested with max user weight 160 kg.
	Netti III XHD & XXHD is a reinforced configuration of Netti
	III HD and approved for use as seat in car with max user
	weight 160 kg.


Seat height – WITHOUT seat cushion (measured from floor to seat plate)

Main wheel	12 1	L/2"	24"	
Seat height/ front wheel	450 mm	7"	475 mm	8"





Leg rests	Min. calf length	Max. calf length
Netti Grandis leg rests	360 mm	640 mm



Measurements

A Hip width/Seat width	mn
B Thigh length / seat depth	mn
C Arm rest height	mn
D Leg length / seat height	mn
E Backrest height	mn
F Trunk width	mn