



| | Date Customer code C | |
|---------------|--|------------------|
| TO | Invoice address Contact person | |
| | Reference | |
| | Other delivery address | |
| | Invoice address = delivery addressQuoteThe chair will be used as seat for car transport | |
| Seat width | D53535 | Price on request |
| Seat depth (| adjustable + 12,5/25 mm per side) stepless adjustable 375 – 550 mm) *other choice for seat cushion depth, see page 4. (stepless adjustable 70-100 mm /see page 8) | |
| and universa | und configuration with tilt handle under armrest (tilt limited to -3 to +20 al leg supports (cannot be combined with all trays – please ask for a quot de D55020 | - · |
| Seat depth ac | djusted by Netti (seat cushions are delivered in best fitting possible size): | D58002 99,- € |
| D22149 □ | Side and comfort upholstery (reduces SW with 2 x 25 mm) | 147,-€ |
| = Standar | d equipment | |
| FRAME | | |
| ltem nr. | Description | Price in € |
| Standard | | 0,- |
| Standard | | 0,- |





| Standard I | Anti-tippers, swingable and foot-operated | 0 |
|---|---|---|
| Standard I | Car fasteners front and back | 0 |
| D21808 | Push handles 500 mm, height adjustable and swingable | 210 |
| D81740 | Push bow – height and angle adjustable | 378 |
| D53032 | Gas spring limiter and lock for tilt (mounted by Netti) | 357 |
| D53033 | Gas spring limiter and lock for recline (mounted by Netti) | 357 |
| D21022 | Easy Care cover for seat and back, washable (not available for Netti Sit °C and Kyphotic cushion) | C |
| UTIONS FOR | RESPIRATION MACHINES AND OTHER MEDICAL DEVICES | |
| D51186 | Universal device holder D: 348 mm / W: SW minus 86 mm / Max. capacity 10kg For information concerning car transport, please see the user manual of the device holder on our website. | 1890 |
| D51187 | Cover plate for universal device – add. Level / Max. capacity 4 kg D: 193 mm / W: SW minus 87 mm / H (free area): 237 mm | 504 |
| D42900 | Extra set of 4 mounting brackets, incl. screws | 263 |
| KES | User brake – allows for easy side transfer and hand propelling | 0 |
| Standard D53010 | User brake – allows for easy side transfer and hand propelling Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake | |
| Standard | Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake | 263 |
| Standard D53010 | Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and | 0 263 378 378 |
| Standard D53010 D57282 D57283 K UNIT (for be Standard | Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) Its please see page 12) Back cushion Netti Uno - side support 100 mm - 3D cover | 263 378 378 0,- |
| Standard D53010 D57282 D57283 K UNIT (for be Standard Standard | Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) Its please see page 12) Back cushion Netti Uno - side support 100 mm - 3D cover Back height 500 mm (incl. fixed backrest cover) | 263 378 378 0,- |
| Standard D53010 D57282 D57283 K UNIT (for be Standard Standard Standard | Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) Its please see page 12) Back cushion Netti Uno - side support 100 mm - 3D cover Back height 500 mm (incl. fixed backrest cover) 2 x 25 mm width adjustment (*only with adjustable velcro D21137) | 263 378 378 0,- 0,- 0,- |
| Standard D53010 D57282 D57283 K UNIT (for be Standard Standard | Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) Its please see page 12) Back cushion Netti Uno - side support 100 mm - 3D cover Back height 500 mm (incl. fixed backrest cover) | 263 378 378 0,- 0,- 0,- |
| Standard D53010 D57282 D57283 K UNIT (for be Standard Standard Standard | Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) Its please see page 12) Back cushion Netti Uno - side support 100 mm - 3D cover Back height 500 mm (incl. fixed backrest cover) 2 x 25 mm width adjustment (*only with adjustable velcro D21137) Back tubes adjustable for V+A+H back shape (*only with adjustable | 263 378 378 0,- 0,- 0,- |
| Standard D53010 D57282 D57283 K UNIT (for be Standard Standard Standard Standard | Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) Its please see page 12) Back cushion Netti Uno - side support 100 mm - 3D cover Back height 500 mm (incl. fixed backrest cover) 2 x 25 mm width adjustment (*only with adjustable velcro D21137) Back tubes adjustable for V+A+H back shape (*only with adjustable velcro D21137 or aluminium back D27700/D27708) Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm- | 263 378 378 0,- 0,- 0,- |
| Standard D53010 D57282 D57283 K UNIT (for be Standard Standard Standard Standard D41006 | Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) Its please see page 12) Back cushion Netti Uno - side support 100 mm - 3D cover Back height 500 mm (incl. fixed backrest cover) 2 x 25 mm width adjustment (*only with adjustable velcro D21137) Back tubes adjustable for V+A+H back shape (*only with adjustable velcro D21137 or aluminium back D27700/D27708) Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm-mounting through dealer) | 263 378 378 0,- 0,- 0,- 233,- |





| D21338 | Back cushion Netti Smart*- with 120 mm side support with 3D cover | 347,- |
|-------------------|--|----------------|
| D21335 | Back cushion Netti Stabil*- with 170 mm side support with 3D cover | 557,- |
| D21336 | Back cushion Netti Super Stabil*- with 170 mm reinforced side | 651,- |
| | support, 3D cover | |
| | * we recommend the combination with velcro back with straps D21137 | |
| D20630 | Back cushion Netti Kyphotic – 3D/Stella cover – only back height 500 | 746,- |
| | mm and SW 350/400/450/500 mm and only in combination with | |
| | velcro back with straps D21137) | |
| D26830 | Side support stable left – for Netti Stabil, Super Stabil & Kyphotic | 252,- |
| D26843 | Side support stable right – for Netti Stabil, Super Stabil & Kyphotic | 252,- |
| D27541 | Upholstery for side support stable, pair | 158,- |
| D27700 | Firm back in aluminium, back height 500 mm (mounted by dealer) | 378,- |
| D27708 | Firm back in aluminium, back height 600 mm, incl. D41006 (mounted by dealer) | 620,- |
| D21042 | Lumbar support | 100 |
| D21042 D21084 | Back wedge | 189,- 189,- |
| D21064 _ | Ride Designs back solution (see separate order form) | Price on |
| | Article number: | request |
| | Netti Dynamic back cylinder | Price on |
| APWIC ACO | When mounting the dynamic gas spring the recline is reduced to 90° - | request |
| 6 # 6 | 118°. The standard back recline can be locked in any position as the | |
| | dynamic movement is blocked simultaneously, which can be | |
| | appropriate during transport or positioning. Incl. Bodypoint Evoflex | |
| 1 5 | pelvic stabilizer 2-point belt: | |
| | Size XS M L | |
| | | |
| | For more information and choice of gas spring, feel free to contact us | |
| | or have a look at our website. If combined with other options, please | |
| | send us a request as some solutions are only possible as special | |
| | adaptations. | |
| | □ DE2221 200N □ DE2226 000N | |
| | □ D52231 300N □ D52236 900N □ D52237 1000N | |
| | _ 551151 .5511 = 551157 255511 | |
| | □ D52233 600N □ D52238 1100N | |
| | □ D52234 750N □ D52239 1200N | |
| | □ D52235 800N □ D52240 1300N | |
| | For Netti Dynamic System with dynamic seat unit, please see our | |
| | complete Netti Dynamic chairs. | |
| | complete neta bynamic chans. | |
| | | |
| SEAT UNIT (for be | Its please see page 11) | |
| Standard | Seat cushion Netti Uno – 3D cover | 0,- |
| Standard | Firm seat plate – adjustable in depth 400-550 mm | 0,- |
| 2 505.5. | = 12.2 p.m. majarim. majarim. majarim. | -, |





| Standard | 2 x 25 mm width adjustment at arm support level | 0,- |
|-------------------|--|---------------------|
| D21048 | Incontinence cover for seat cushion | 242,- |
| D21007 | Netti Sit - Pressure relief seat cushion with incontinence layer under the 3D cover | 399,- |
| D21017 | Netti Sit °C - Pressure relief seat cushion with temperature regulating features and 3D cover | 557,- |
| D40001 | Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/ Easy Care + depending on the fabric for the whole chair Article number (if nothing stated, Netti will supply the best fitting size based on seat width and seat depth) | Price on request |
| D40002 | Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/ Easy Care + depending on the fabric for the whole chair Article number (if nothing stated, Netti will supply the best fitting size based on seat width and seat depth) | Price on request |
| D50000/ D50001 | Ride Designs Forward cushion (see separate order form) Article number: | Price on request |
| D50002 | Ride Designs Java Seat cushion (see separate order form) Article number: | Price on request |
| D53490 | Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm) | 263,- |
| D53491 | Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm) | 263,- |
| D53492 | Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm) | 263,- |
| D50830 | Removable, angle and depth adjustable for right side. Seat width adjustable up to 75 mm inwards per item. The rail itself can be mounted 25 mm outwards on the seat plate, if the seat width is extended in width. | 210,- |
| D50831 | Removable, angle and depth adjustable for left side. Seat width adjustable up to 75 mm inwards per item. The rail itself can be mounted 25 mm outwards on the seat plate, if the seat width is extended in width. | 210,- |

LEG SUPPORTS

For the Netti V you have 6 different types of leg supports with various accessories. Please contact us for consultation.

| Manually angle | adjustable leg supports | |
|----------------|---|-----|
| Standar | Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery | 0,- |
| Standar | Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation) | 0,- |





| D88211 | | Leg support upper parts with lever instead of star wheel for angle adjustment | 89,- |
|--------------------|-------|--|----------------------------------|
| D32296 | | Extra-long knee upholstery 550 mm – 3D cover | 290,- |
| M | | Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm) | 242,- 242,- 252,- 273,- |
| D21008 | | Gas spring | 987,- |
| D21044 | | Foot board | 326,- |
| D21041 | | Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved) | 515,- |
| D24000 | | Calf support, swingable, pair | 189,- |
| D21745 | | Calf support bracket upholstery - pair - skai cover | 63,- |
| D41617 | | Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair | 221,- |
| D28453 | | Foot plate upholstery - pair - skai cover | 305,- |
| D86900 | | Bodypoint calf strap M | 181,- |
| D86901 | | Bodypoint calf strap L | 181,- |
| Universal leg supp | oorts | Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. Without calf supports, delivered with heel straps. | 137,- |
| Standard | | Up to $2x25$ mm width adjustment – stepless adjustable (footplates will by $2 \times 12,5$ mm have a gap, footboard and footbox only special adaptation) | 0,- |
| | 000 | Bodypoint ankle huggers with upholstery incl. mounting kit D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm) | 242,- 242,- 252,- 273,- |
| D21044 | | Foot board, no heel strap | 310,- |
| D21041 | | Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved) | 515,- |
| D86900 | | Bodypoint calf strap M | 181,- |
| D86901 | | Bodypoint calf strap L | 181,- |
| | | •• | |





| A | D88600 | | Netti Grandis angle adjustable positioning leg supports for | 1.098, |
|--------|---------------|--------|---|--------|
| | | | complex individual configurations. Reduces pressure and shear | |
| | | | forces. For users with e.g. contractions, leg asymmetry, | |
| | | | elephantiasis. | |
| | | | The foot support is characterized by unique ergonomics and user- | |
| | | | friendliness due to lifting handles, scale displays and conical | |
| | | | extension pieces. Angle adjustable incl. angle limiter and adjustable | |
| | | | calf- and foot plates. In some configurations of the Netti V there can be a potential | |
| | | | conflict with the calf supports. | |
| | Standard | | Up to 2x25 mm width adjustment – stepless adjustable (footplates | 0, |
| | | | will by 2 x 12,5 mm have a gap, footboard and footbox only special | |
| | | | adaptation) | |
| | D88602 | | Calf support upholstery extra soft - pair - EC or 3D cover depending | 211 |
| | | | on the fabric for the whole chair | |
| | D88607 | | Knee upholstery for the upper lower leg (3D or EC cover depending | 113 |
| | | | on the fabric for the whole chair) | |
| | D21745 | | Calf support bracket upholstery - pair - skai cover | 63 |
| | D88014 | | Foot fixation, pair incl. mounting kit | 236 |
| | D88603 | | Foot board, lockable and upwards swingable | 386 |
| | D88605 | | Footbox, upholstered with Skai cover (approved for car transport) | 728 |
| | D21293 | | Calf strap | 95 |
| | D86900 | | Bodypoint calf strap M | 181 |
| | D86901 | | Bodypoint calf strap L | 181 |
| | | _ | Bodypoint ankle huggers with upholstery | |
| | | | D88863* S (L: 170-200 mm) | 327 |
| | RE | | D88864* M (L: 190-230 mm) | 327 |
| | 4 1 - | | D88865* L (L: 220-290 mm) | 337 |
| | | | D88866* XL (L: 280-330 mm) | 360 |
| etti G | randis ampu | ıtatio | n support | |
| | D88618 | | Amputation support left incl. Netti Grandis leg support right side | 1.053 |
| | D88619 | | Amputation support right incl. Netti Grandis leg support left side | 1.053 |
| | | | Amputation support left + right | 1.468 |
| atti G | randis log su | ınnar | t with fixed angle | |
| | D88612 | | Netti Grandis leg supports with fixed angle for complex individual | 1.098 |
| | 200012 | _ | configurations. Reduces pressure and shear forces. For users with | 1.050 |
| | (a | | e.g. contractions, leg asymmetry. | |
| | 71 | | 6.6. 55.16 decions, 166 deprimined y. | |





181,-

The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.

| Standard | Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation) | 0,- |
|----------|---|-------|
| D88603 | Foot board, lockable and upwards swingable | 368,- |
| D88605 | Footbox, upholstered with Skai cover (approved for car transport) | 728,- |

Netti Dynamic angle adjustable leg rests Price on Netti Dynamic angle adjustable leg rests with calf supports and request footboard, 100N. D82296 Adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm) D82298 Standard Up to 2x25 mm width adjustment – if adjusted a new footboard 0,must be mounted/purchased. D32296 ☐ Extra-long knee upholstery 550 mm – 3D cover 290.-Price on D45245 Reinforced automatic footboard lock. With this lock the footboard request is not angle adjustable, but this can be offered as special adaptation. D88211 Leg support upper parts with lever instead of star wheel for angle 89,adjustment Bodypoint ankle huggers with upholstery D44863 (L: 170-200 mm) 242,-S D44864 M (L: 190-230 mm) 242,-D44865 (L: 220-290 mm) 252,-D44904 XL (L: 280-330 mm) 273,-D21745 ☐ Calf support bracket upholstery - pair - skai cover 63,-D41617 Calf support upholstery extra soft - pair - EC or 3D cover depending 221,on the fabric for the whole chair (SW 550 mm only 3D) D86900 Bodypoint calf strap M 181,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

Bodypoint calf strap L

D86901

| Standard 🔳 | Arm supports height and depth adjustable | 0,- |
|--------------------------|---|-------|
| Standard Standard | Arm pads 385 x 58 mm | 0,- |
| Standard Standard | Arm rest sideways 2 x 12,5/25 mm adjustable | 0,- |
| D21077 | Arm pads 420 x 80 mm | 126,- |
| D21078 | Arm pads 445 x 70 mm | 126,- |





| D21079 | Arm pads 525 x 80 mm | 126,- |
|--------------------------|--|--------|
| D41649 | Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers) | 116,- |
| D41650 | Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers) | 137,- |
| D89710 | Completely upholstered armrest height 338 mm high – app. 20 mm thick Skai upholstery. Arm pad app. 430 x 100 mm. These arm supports cannot be combined with a tray | 608,- |
| D23003 | Hemiplegic cushion | 221,- |
| D22185 | Arm support hemiplegic left (can only be combined with a tray in special adaptation) | 336,- |
| D22186 RONT AND MAI | Arm support hemiplegic right (can only be combined with a tray in special adaptation) N WHEEL | 336,- |
| Standard | Main wheel: 24 x 1" PU – steel – grey version – black hub | 0,- |
| Standard | Front wheel: 7" – 175 x 33 PU – grey version | 0,- |
| Standard Standard | Chair delivered in seat height 461 mm (floor to seatplate) | 0,- |
| Standard | Seat height stepless adjustable from 386 – 456 mm (70 mm seat height adjustment through patent pending adjustment bracket) | 0,- |
| Standard | Seat height adjustable extra 30 mm by changing wheel position – does not apply for 16" and 22" wheels | 0,- |
| D22006 | Main wheels wide: 1 3/8 PU infill – aluminium – grey | 74,- |
| D22008 | Main wheels wide and pneumatic: only 24 x 1 3/8 pneumatic – aluminium – grey | 74,- |
| D21021 | Front wheels: 7" – 175 x 45 PU wheel grey - puncture proof - with PU infill (necessary for supportive engines) | 95,- |
| D21012 | 7" 175 x 45 mm pneumatic – grey | 95,- |
| D52035 | 16" drum brake main wheels + 7" front wheels - PU grey Seat height stepless adjustable from 386 – 456 mm by dealer (mounting by dealer, no frame brakes included) | 389,- |
| D52002 | 20" main wheels + 5" front wheels – PU grey Seat height stepless adjustable from 345 – 445 mm by dealer | 253,- |
| D52007 | 22" main wheels + 7" front wheels – PU grey Seat height stepless adjustable from 390 – 460 mm by dealer | 147,- |
| D52009 | 24" main wheels + 8" front wheels – PU grey – black hub Seat height stepless adjustable from 415 – 485 mm by dealer | 95,- |
| D52010 | 26" main wheels + 8" front wheels – PU grey Seat height stepless adjustable from 414 – 514 mm by dealer | 248,- |
| D20831 | Main wheel w/one hand drive (24x1 3/8 Drum brake grey) – left | 1890,- |

In combination with 7" front wheel and tilt limiter D53032 (tilt changed to -3






| | to 10 or 15°) – if SW extended to 550 mm, only as special adaptation | |
|--------|--|--------|
| D20832 | Main wheel w/one hand drive (24x1 3/8 Drum brake grey) – right In combination with 7" front wheel and tilt limiter D53032 (tilt changed to -3 to 10 or 15°) – if SW extended to 550, mm only as special adaptation | 1890,- |
| D22009 | Hand and spoke protector, transparent, pair | 158,- |
| D22013 | Push rim cover, pair | 126,- |

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS

Standard measurements for Netti head supports (except Netti Dynamic): Horizontal bar 200 mm / Vertical bar 350 mm







| D23015 | Grey head rest cushion with Stella cover | 242,- |
|--------|---|---------------------|
| D56677 | Meylife head support (3 joints) Easy to adjust – Takes little space – Crash tested Artificial leather or textile cover depending on fabric choice for the whole chair. Multifunctional head support with adjustable sides. Horizontal, vertical and angle adjustable. Width 250 mm. | 596,- |
| D90034 | Extra joint for Meylife head support extension – needed for back height 600 mm. | 84,- |
| | | |
| D4F272 | [A] [B] [C] | Price on |
| D45372 | [A] Savant head support incl. headband, small — height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved for car transport — if this is needed please order an additional Netti headrest) | request |
| D45374 | [A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport – if this is needed please order an additional Netti headrest) | Price on request |
| D45373 | [B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband | Price on request |
| D45375 | Headrest adjustment tube for Savant head support (horizontal) + 100 mm, length 250 mm | Price on request |
| D45368 | [C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti head support) | Price on request |
| D45376 | Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti head support) | Price on request |
| D89558 | [C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti head support) | Price on request |
| D89559 | Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti head support) | Price on request |





TRAYS


| D210F0 | Hairwareal transfer CM/ 250 - 500 rams | 226 |
|--------|--|-------|
| D21059 | Universal tray for SW 350 - 500 mm | 236,- |
| | (for SW 500 and arm pads D21077, D21079 or D21927 or SW 500 adjusted | |
| | to SW 550 mm, please choose tray D21063) | |
| D21063 | Universal tray for SW 550 mm | 294,- |
| | (necessary for SW 500 with arm pads D21077, D21079 or D21927 or SW | |
| | 500 adjusted to SW 550 mm) | |
| D21050 | Tray reinforced for SW 350-500 mm | 399,- |
| | (not possible for SW 500 if combined with arm pads D21077, D21079 or | |
| | D21927 or SW 500 adjusted to SW 550 mm) | |
| D24001 | Tray swingable for SW 350-500 mm | 273,- |
| | (not possible for SW 500 if combined with arm pads D21077, D21079 or | |
| | D21927 or SW 500 adjusted to SW 550 mm) | |
| D24002 | Tray lockable for SW 350-500 mm | 273,- |
| | (not possible for SW 500 if combined with arm pads D21077, D21079 or | • |
| | D21927 or SW 500 adjusted to SW 550 mm) | |
| D93316 | Tray spacer for swingable or lockable tray (necessary if a tray is | 20,- |
| | combined with soft upholstery for armpads D41649/D41650) | , |
| D21052 | Upholstery for tray | 126,- |
| D53006 | Half tray, upholstered, left | 431,- |
| D53005 | Half tray, upholstered, right | 431,- |

VARIOUS ACCESSORIES

| D21087 | Clinic-kit – tool kit and tools for angle adjustable foot supports | 126,- |
|--------|--|-------|
| D21239 | Tool kit | 105,- |
| D41987 | Intravenous rack | 336,- |

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit







| D55273 | XS (overall pad length: 360 mm) | |
|--------|--|-------|
| D55274 | S (overall pad length: 400 mm) | |
| D55275 | M (overall pad length: 460 mm) | |
| D45040 | Security cover for type [B], [C] and [E] in XS/M/L | 74,- |
| D55276 | Bodypoint 2-point pelvic stabiliser for SW 550-650 mm incl. mounting material (overall pad length: 820 mm) [E] | 368,- |
| | Bodypoint 4-point pelvic stabiliser incl. mounting material [C] | 423,- |
| D56889 | XS (overall pad length 360 mm) | |
| D56893 | M (overall pad length: 460 mm) | |
| D56894 | L (overall pad length: 620 mm) | |
| D60001 | Abduction belt [D] | 557,- |
| | Bodypoint supportive universal elastic strap | 189,- |
| D45084 | S (Height 80 mm - 1420 mm long, easily cut-to-length) | |
| D45085 | L (Height 110 mm - 1420 mm long, easily cut-to-length) | |
| D45086 | XL (Height 150 mm - 1420 mm long, easily cut-to-length) | (0) |

Belts and accessories for back unit

| [A] | [B] [C] [D] [E] | |
|--------|--|-------|
| D53890 | H-harness adaptor kit (recommended for all upper body harnesses) | 348,- |
| D33030 | | 340, |
| D20881 | H-belt, with upholstery and car belt lock [B] | 263,- |
| D41645 | Belt cross harness [C] | 200,- |
| | Bodypoint Stayflex chest support without zipper [D] | 274,- |
| D89805 | XS (Shoulder width 240-280 mm) | |
| D89898 | S (Shoulder width 280-330 mm) | |
| D86895 | M (Shoulder width 330-410 mm) | |
| D86896 | L (Shoulder width 410-480 mm) | |
| · | Bodypoint Pivofit shoulder harness [E] | 274,- |
| D89802 | XS (Shoulder width 240-280 mm) | |
| D89803 | S (Shoulder width 280-330 mm) | |
| D86898 | M (Shoulder width 330-410 mm) | |
| D86899 | L (Shoulder width 410-480 mm) | |
| | | |





NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

See examples and more about our special solutions online.



CUSTOM MADE – most wanted special adapted items (price on request)

| A | B |
|-------------------------|---|
| | Extra long calf supports (please state length) (A) |
| | Calf support upholstery in special length or material |
| | Back cushion with special side support (see drawing page 9) (B) |
| | Pushhandles with special length or angle |
| | Footboard that swings horizontally forwards |
| material, we would also | rrent case and how a possible solution could look. If you have any picture or video like to see this. To offer the best solution, please describe the user in the best as any given diagnosis, user weight and/or the exact pattern movement of the user. |
| User weight: | |
| | |
| | |
| | |
| | |

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.










Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length ____ mm of the chair.

TECHNICAL DATA

| -3° to +30° |
|--|
| 85° to 130° |
| 90° to 118° (Dynamic back function) |
| Seat width + 210 mm |
| Seat width + 195 mm (16" wheels) |
| 1000 - 1200 mm with leg rests vertical and seat horizontal |
| Min: 185 mm/ max. 325 mm |
| App. 35 kg (without cushion) |
| Turquoise |
| Stretchable & flexible cover 3D |
| Easy Care antibacterial cover, washable |
| 135 kg |
| ISO 7176-19 (135 kg) |
| |

| Leg rests | Min. calf length | Max. calf length |
|-------------------------------|------------------|------------------|
| Manual adjustable leg rests | 320 mm | 680 mm |
| Universal leg rests | 360 mm | 500 mm |
| Netti Grandis leg rests | 360 mm | 640 mm |
| Netti Grandis fixed leg rests | 380 mm | 550 mm |



Measurements

A Hip width/Seat width _____mm

B Thigh length / seat depth ____mm

C Arm rest height ____mm

D Leg length / seat height ____mm

E Backrest height ____mm

F Trunk width _____mm