



		Date						Custome	r code C			
		Invoice a	ddre	ess				Contact p	person			
								Referenc	e			
								Other de	livery addre	SS		
					= deliver	•		Qu	ıote			
			JIIaII	WIII DE	useu as	Seat 101	Cai	transpor				
Seat width	D5503! D5504! D5504! D55050	0 5		400 n 450 n	nm (deli [,] nm (deli [,]	vered in vered in	sea sea	at depth 4 at depth 4 at depth 4 at depth 5	400 mm) 475 mm)		Price o	on request
	<i>D</i> 33030			Seat	width (a depth (s	djustabl tepless a	e + adju	12,5/25 r ustable 37	mm per side 75 – 550 mm 0-100 mm /s))	
Seat depth ac	djusted b	•				<u> </u>	del					D58002 99,-€
D22149	□ Side a	nd comfo	ort up	oholste	ry (redu	ces SW v	vith	n 2 x 25 m	nm)			147,-€
= Standar	rd equipr	ment										

FRAME

Item nr.	Description	Price in €
Standard	Push bow – height and angle adjustable	0,-
Standard	Pedal for overcoming obstacles, right side	0,-
Standard	Anti-tippers, swingable and foot-operated	0,-
Standard	Car fasteners front and back	0,-
D21022	Easy Care cover for seat and back, washable (not available for Netti Sit °C and Kyphotic cushion)	0,-
D51754	Push handles 300 mm, height adjustable and swingable	99,-
D51808	Push handles 500 mm, height adjustable and swingable	99,-
D53032	Gas spring limiter and lock for tilt (mounted by Netti)	357,-
D53033	Gas spring limiter and lock for recline (mounted by Netti)	357,-





SOLUTIONS FOR RESPIRATION MACHINES AND OTHER MEDICAL DEVICES D51186 Universal device holder 1890,-D: 348 mm / W: SW minus 86 mm / Max. capacity 10kg For information concerning car transport, please see the user manual of the device holder on our website. Cover plate for universal device – add. Level/ Max. capacity 4 kg D51187 504,-D: 193 mm / W: SW minus 87 mm / H (free area): 237 mm D42900 Extra set of 4 mounting brackets, incl. screws 263.-**BACK UNIT** (for belts please see page 12) Standard Extra cross bar for mounting of moulded seats 0,-Standard Back height 500 mm (Velcro back to be chosen if needed) 0,-Standard 2 x 25 mm width adjustment 0,-D41006 Back extender 600 mm (mounting through dealer, cushion and 233,-Velcro back BH 500 not included) D21137 Adjustable velcro back with straps (mounting through dealer, extra 294,cross bar in back will not be fitted, to allow enough room for adjustment and fitting of Netti cushion) D27376 Side support correction with upholstery left – for Netti Smart 221,-D27378 Side support correction with upholstery right – for Netti Smart 221,-D51338 Back cushion Netti Smart – with 120 mm side support with 3D cover 423,-(only in combination with velcro back with straps D21137 or aluminium back D27700/8) D51333 Back cushion Netti Stabil - with 170 mm side support with 3D cover 709,-(only in combination with velcro back with straps D21137 or aluminium back D27700/8) D51334 Back cushion Netti Super Stabil – with 170 mm reinforced side 801,support with 3D cover (only in combination with velcro back with straps D21137 or aluminium back D27700/8) D50360 Back cushion Netti Kyphotic – 3D/Stella cover (only back height 500 mm and 950,-SW 350/400/450/500 mm and only in combination with velcro back with straps D21137) Price on Ride Designs back solution (see separate order form) request Article number: D26830 Side support stable left – for Netti Stabil, Super Stabil & Kyphotic 252,-D26843 Side support stable right – for Netti Stabil, Super Stabil & Kyphotic 252,-D27541 Upholstery for side support stable, pair 158,-D27700 Firm back in aluminium, back height 500 mm 378,-D27708 Firm back in aluminium, back height 600 mm, incl. D41006 620,-D21042 Lumbar support 189,-D21084 Back wedge 189.-Price on Netti Dynamic back cylinder request When mounting the dynamic gas spring the recline is reduced to 90° -118°. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Incl. Bodypoint Evoflex pelvic stabilizer 2-point belt: Size XS M





For more information and choice of gas spring, feel free to contact us or have a look at our website. If combined with other options, please send us a request as some solutions are only possible as special adaptations.

D52231 300N D52236 900N D52232 450N D52237 1000N □ D52233 600N D52238 1100N □ D52234 750N D52239 1200N D52235 800N D52240 1300N

For Netti Dynamic System with dynamic seat unit, please see our complete Netti Dynamic chairs.

SEAT UNIT (for belts please see page 11)

•		
Standard	Firm seat plate – adjustable in depth 400-550 mm	0,-
Standard	2 x 25 mm width adjustment at arm support level	0,-
D21048	Incontinence cover for seat cushion	242,-
D21000	Seat cushion Netti Uno – 3D cover	200,-
D21007	Netti Sit - Pressure relief seat cushion with incontinence layer under the 3D cover	399,-
D21017	Netti Sit °C - Pressure relief seat cushion with temperature regulating features and 3D cover	557,-
D40001 [Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/ Easy Care + depending on the fabric for the whole chair Article number	Price on request
	(if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)	
D40002	Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/ Easy Care + depending on the fabric for the whole chair	Price on request
	Article number(if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)	
D50000/ [D50001	Ride Designs Forward cushion (see separate order form) Article number:	Price on request
D50002	Ride Designs Java Seat cushion (see separate order form) Article number:	Price on request
D53490	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,-
D53491	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,-
D53492	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,-
D50830	Removable, angle and depth adjustable for right side. Seat width adjustable up to 75 mm inwards per item. The rail itself can be mounted 25 mm outwards on the seat plate, if the seat width is extended in width.	210,-
D50831	Removable, angle and depth adjustable for left side. Seat width adjustable up to 75 mm inwards per item. The rail itself can be mounted 25 mm outwards on the seat plate, if the seat width is extended in width.	210,-





LEG SUPPORTS

For the Netti V you have 6 different types of leg supports with various accessories. Please contact us for consultation.

Standard	•	Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	0,-
Standard		Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation)	0,-
D88211		Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
D32296		Extra-long knee upholstery 550 mm – 3D cover	290,-
FIFE	000	Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm)	242,- 242,- 252,-
		D44904 XL (L: 280-330 mm)	273,-
D21008		Gas spring	987,-
D21044		Foot board, adjustable	326,-
D21041		Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D24000		Calf support, swingable, pair	189,-
D21745		Calf support bracket upholstery - pair - skai cover	63,-
D41617		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D28453		Foot plate upholstery - pair - skai cover	305,-
D86900		Bodypoint calf strap M	181,-
D86901		Bodypoint calf strap L	181,-
Jniversal leg suppo	rts		
D24006		Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. Without calf supports.	137,-
Standard		Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation)	0,-





360,-

D21 D21 D86 D86	041	Bodypoint ankle huggers with upholstery incl. mounting kit D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm) Foot board, adjustable, no heel strap Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved) Bodypoint calf strap M Bodypoint calf strap L	242,- 242,- 252,- 273,- 310,- 515,- 181,-
		stable leg support	
D88	600	Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis. The foot support is characterized by unique ergonomics and userfriendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot plates. In some configurations of the Netti V there can be a potential conflict with the calf supports.	1.098,-
Stan	ndard	Up to $2x25$ mm width adjustment – stepless adjustable (footplates will by $2 \times 12,5$ mm have a gap, footboard and footbox only special adaptation)	0,-
D88	602	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	211,-
D88	607	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	113,-
D21	745	Calf support bracket upholstery - pair - skai cover	63,-
D88	014 🗖	Foot fixation, pair incl. mounting kit	236,-
D88	603 🗖	Foot board, lockable and upwards swingable	386,-
D88	605	Footbox, upholstered with Skai cover (approved for car transport)	728,-
D21	293	Calf strap	95,-
D86	900 🗖	Bodypoint calf strap M	181,-
D86	901 🗖	Bodypoint calf strap L	181,-
		Bodypoint ankle huggers with upholstery D88863 S (L: 170-200 mm) D88864 M (L: 190-230 mm) D88865 L (L: 220-290 mm)	327,- 327,- 337,-

D88866 XL (L: 280-330 mm)





	D88618		Amputation support left incl. Netti Grandis leg support right side	1.053,
	D88619		Amputation support right incl. Netti Grandis leg support left side	1.053,
	D800		Amputation support left + right	1.468,
latti G	randic lag cu	ınnar	t with fixed angle	
ietti G				1 000
	D88612		Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.	1.098,
			The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	
	Standard		Up to $2x25$ mm width adjustment – stepless adjustable (footplates will by $2 \times 12,5$ mm have a gap, footboard and footbox only special adaptation)	0,
	D88603		Foot board, lockable and upwards swingable	368,
	D88605		Footbox, upholstered with Skai cover (approved for car transport)	728,
letti D	ynamic angl	e adjı	ustable leg rests	
MIC ACCERS			Netti Dynamic angle adjustable leg rests with calf supports and footboard, 100N.	Price or reques
O B C S S S S S S S S S S S S S S S S S S	D82296 D82298		Adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm)	
	Standard		Up to 2x25 mm width adjustment – if adjusted a new footboard must be mounted/purchased.	0,
	D32296		Extra-long knee upholstery 550 mm – 3D cover	290,
	D45245		Reinforced automatic footboard lock. With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price or reques
	D88211		Leg support upper parts with lever instead of star wheel for angle adjustment	89,
	F		Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm)	242, 242, 252, 273,
	D21745		Calf support bracket upholstery - pair - skai cover	63,
	J21/4J			
	D41617		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair (SW 550 mm only 3D)	221,
	D41617 D86900		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair (SW 550 mm only 3D) Bodypoint calf strap M	181



D52102



342,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS Standard Arm supports height and depth adjustable 0,-Standard Arm pads 385 x 58 mm 0,-Standard Arm rest sideways 2 x 12,5/25 mm adjustable 0,-D21077 Arm pads 420 x 80 mm 126,-D21078 Arm pads 445 x 70 mm 126,-D21079 Arm pads 525 x 80 mm 126,-D41649 Standard arm pad upholstery extra soft, EC or 3D cover depending 116,on the fabric for the whole chair (can only be combined with a swingable/lockable tray together with tray spacers) Arm pad upholstery extra soft for D21077, EC or 3D cover 137,-D41650 depending on the fabric for the whole chair (can only be combined with a swingable/lockable tray together with tray spacers) D89710 Completely upholstered armrest height 338 mm high – app. 20 mm 608,thick Skai upholstery. Arm pad app 430 x 100 mm. These arm supports cannot be combined with a tray D23003 Hemiplegic cushion 221,-D22185 Arm support hemiplegic left (can only be combined with a tray in 336,special adaptation) D22186 Arm support hemiplegic right (can only be combined with a tray in 336,special adaptation) FRONT AND MAIN WHEEL Main wheel: 16" drum brake main wheels - PU grey - no frame brakes Standard 0,-(mounting of the wheels through local dealer) incl. 2-in-1 handle for both recline/tilt and drum brake Front wheel: 7" – 175 x 33 PU – grey version Standard 0,-Standard Chair delivered in seat height 450 mm (floor to seatplate) 0,-Standard Seat height stepless adjustable from 386 – 456 mm 0,-(70 mm seat height adjustment through patent pending adjustment bracket) Seat height adjustable extra 30 mm by changing wheel position Standard 0,-- does not apply for standard 16" and 22" wheels Front wheels: 7" – 175 x 45 PU wheel grey - puncture proof - with PU infill D21021 95,-(necessary for supportive engines) D21012 7" 175 x 45 mm pneumatic – grey 95,-OTHER FRONT AND MAIN WHEEL SIZES AND OPTIONS D22006 Main wheels wide: 1 3/8 PU infill – aluminium – grey 74,-(only for 20/22/24/26" wheels) Main wheels wide and pneumatic: only 24 x 1 3/8 pneumatic – aluminium – D22008 74.-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

20" main wheels + 5" front wheels – PU grey



D22013

Push rim cover, pair

(only to choose for 20/22/24/26" wheels)



126,-

		Seat height stepless adjustable from 345 – 415 mm by dealer Including user brakes that allow for easy side transfer and hand propelling	
D52107		22" main wheels + 7" front wheels – PU grey	342,
		Seat height stepless adjustable from 390 – 460 mm by dealer	
		Including user brakes that allow for easy side transfer and hand propelling	
D52108		24" main wheels + 7" front wheels - PU grey – steel – black hub	342,-
		Seat height stepless adjustable from 386 – 456 mm by dealer	
·		Including user brakes that allow for easy side transfer and hand propelling	
D52109		24" main wheels + 8" front wheels – PU grey – black hub	342,-
		Seat height stepless adjustable from 415 – 485 mm by dealer	
·		Including user brakes that allow for easy side transfer and hand propelling	
D52110		26" main wheels + 8" front wheels – PU grey	353,-
		Seat height stepless adjustable from 444 – 514 mm by dealer	
D20024		Including user brakes that allow for easy side transfer and hand propelling	1000
D20831		Main wheel w/one hand drive (24x1 3/8 Drum brake grey) – left	1890,-
		In combination with 7" front wheel and tilt limiter D53032 (tilt changed to -3	
		to 10 or 15°) – for SW 550 mm only as special adaptation	
D20832		Including user brakes that allow for easy side transfer and hand propelling	1000
D20832		Main wheel w/one hand drive (24x1 3/8 Drum brake grey) – right	1890,-
		In combination with 7" front wheel and tilt limiter D53032 (tilt changed to -3	
		to 10 or 15°) – for SW 550 mm only as special adaptation Including user brakes that allow for easy side transfer and hand propelling	
WHEEL AND) RRA	AKE ACCESSORIES	
		Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum	263,-
DE2010		Drum prakes for attenuam incl. Z-m-1 nandie for both recime/incand drum	
D53010			200,
		brake (only to choose for 20/22/24/26" wheels)	
D53010 D57282		brake (only to choose for 20/22/24/26" wheels) One-hand brake right (only in combination with drum brakes for	
		brake (only to choose for 20/22/24/26" wheels)	
·		brake (only to choose for 20/22/24/26" wheels) One-hand brake right (only in combination with drum brakes for 20/22/24/26" wheels) One-hand brake left (only in combination with drum brakes for	378,-
D57282		brake (only to choose for 20/22/24/26" wheels) One-hand brake right (only in combination with drum brakes for 20/22/24/26" wheels)	378,-
D57282		brake (only to choose for 20/22/24/26" wheels) One-hand brake right (only in combination with drum brakes for 20/22/24/26" wheels) One-hand brake left (only in combination with drum brakes for	378,- 378,-






HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS

Standard measurements for Netti head supports (except Netti Dynamic): Horizontal bar 200 mm / Vertical bar 350 mm

,	4	40	70	1			1		
	-	A	В	С	I	E			
Standard		Head support ada					0,-		
D20575		Head support A w	•			·	252,-		
D82566			ead support A with side support and head band						
		(not approved for car head support)	• •		der an additiona	al Netti	359,-		
D82568		Extra comfort pag	ds for the head b	and of D82566,	pair		34,-		
D20574		Head support B, s	mall, oval				242,-		
D20573		Head support C, I	arge, square				242,-		
D53746		Netti Dynamic he (H: 150 mm/V: 350 m some solutions are or For more information	m) – If combined wi nly possible as specia	al adaptations.	ease send us a	request, as	Price on request		
D20576		Head support D, o	comfort (pressure	e distributive)			305,-		
D27575		Head support E w	rith adjustable sid	de supports			368,-		
D27576		Head support F w (not approved for car head support)	• •		der an additiona	ıl Netti	483,-		
D21027		Headrest adjustm Dynamic C head supp	-	ntal) length 250	mm (not for S	Savant or	95,-		
D21065		Headrest adjustm Dynamic C head supp	•	ntal) length 300	mm (not for S	Savant or	95,-		
D21028		Headrest adjustm Dynamic C head supp	-	ntal) length 380	mm (not for S	Savant or	105,-		
D21054		Headrest adjustm Savant or Dynamic C		al) + 150 mm, le	ngth 500 mm	1 (not for	95,-		
D23004		Comfort cushion	for head rest typ	e C – removable	with Stella	cover	189,-		
D23012		Easy Care cover for	or head rest type	A, B, C – remov	/able		95,-		
D23013		3D cover for head	l rest type A, B, C	C – removable			95,-		
D23015		Grey head rest cu	shion with Stella	cover			242,-		
D56677		Meylife head sup Easy to adjust – T Artificial leather or to for the whole chair. I adjustable sides. Hor Width 250 mm.	akes little space extile cover dependi Multifunctional head	ng on fabric choice d support with		2	596,-		
D90034		Extra joint for Me height 600 mm.	eylife head supp	ort extension –	needed for k	oack	84,-		











D21050		Tray reinforced for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	399,-
D24001		Tray swingable for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	273,-
D24002		Tray lockable for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	273,-
D93316		Tray spacer for swingable or lockable tray (necessary if a tray is combined with soft upholstery for armpads D41649/D41650)	20,-
D21052		Upholstery for tray	126,-
D53006		Half tray, upholstered, left	431,-
D53005		Half tray, upholstered, right	431,-
VARIOUS ACC	ESSC	DRIES	
D21087		Clinic-kit – tool kit and tools for angle adjustable foot supports	126,-
D21239		Tool kit	105,-
D41987		Intravenous rack	336,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit [B] [C] [D] [E] [A] Mounting material Hip belt, with upholstery and car belt lock [A] D25845 130,-Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting material[B] 280,-XS (overall pad length: 380 mm) D56902 D56891 M (overall pad length: 460 mm) D56892 L (overall pad length: 620 mm) Bodypoint 2-point hip belt incl. mouting material[E] 252,-XS (overall pad length: 360 mm) D55273 S (overall pad length: 400 mm) D55274 D55275 M (overall pad length: 460 mm) D45040 Security cover for type [B], [C] and [E] in XS/M/L 74,-Bodypoint 2-point pelvic stabiliser for SW 550-650 mm incl. D55276 368,mounting material (overall pad length: 820 mm) [E] Bodypoint 4-point pelvic stabiliser incl. mounting material [C] 423,-XS (overall pad length 360 mm) D56889 D56893 M (overall pad length: 460 mm) D56894 L (overall pad length: 620 mm)





D60001	Abduction belt [D]	557,-
	Bodypoint supportive universal elastic strap	189,-
D45084	S (Height 80 mm - 1420 mm long, easily cut-to-length)	
D45085	L (Height 110 mm - 1420 mm long, easily cut-to-length)	0
D45086	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	

Belts and accessories for back unit



NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

See examples and more about our special solutions online.



CUSTOM MADE – most wanted special adapted items (price on request)





Cover variants

Max. capacity

Crash test



Extra long ca	alf supports (please state length) (A)
Calf support	upholstery in special length or material
Back cushion	with special side support (see drawing page 9) (B)
Pushhandles	with special length or angle
Footboard th	nat swings horizontally forwards
material, we would also like to see thi	I how a possible solution could look. If you have any picture or video is. To offer the best solution, please describe the user in the best iagnosis, user weight and/or the exact pattern movement of the user.
User weight:	
Please write the exact measurements using the drawings underneath.	and draw the wished solution for the requested accessories e.g. by
Please inform us if there are any speci	ial circumstances in the living area that has an influence for the chair:
e.g. the total possible width	mm and length mm of the chair.
TECHNICAL DATA	·
Tilt (seat)	-3° to +30°
Recline (back)	85° to 130°
,	90° to 118° (Dynamic back function)
Total width of the wheelchair	Seat width + 195 mm for 16" wheels (+210 for other sizes)
Total length	1000 - 1200 mm with leg rests vertical and seat horizontal
Distance arm support to seat plate	Min: 185 mm/ max. 325 mm
Weight of wheelchair	App. 35 kg (without cushion)
Frame colour	Turquoise

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

unit.)

Stretchable & flexible cover 3D

Easy Care antibacterial cover, washable


Max. load is 135 kg minus weight of seating unit.

ISO 7176-19 (Max. load is 135 kg minus weight of seating





Leg rests	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



Measurements

A Hip width/Seat width	mm
B Thigh length / seat depth	mm
C Arm rest height	mm
D Leg length / seat height	mm
E Backrest height	mm
F Trunk width	mm