



		Date		Customer code C		
		Invoice add	lress	Contact person		
				Reference		
				Other delivery address		
			address = delivery address air will be used as seat for ca	Quote ar transport		
Seat width	D53535E D53540E D53545E D53550E		350 mm (delivered in seat 400 mm (delivered in seat 450 mm (delivered in seat 500 mm (delivered in seat	depth 400 mm) depth 475 mm)	Price on request	
			Seat width (adjustable + 1 Seat depth (stepless adjustable + 1 Seat height (stepless adjustable)			
Seat depth ac	djusted by	-	cushions are delivered in bo	est fitting possible size):	D58002 99,- €	
D22149	☐ Side and	l comfort up	pholstery (reduces SW with	2 x 25 mm)	147,- €	
= Standar	rd equipme	ent				

ELECTRICAL PARTS + FRAME

Item nr.	Description	Price in €
Standard	Electric kit with control box, hand control and charger	
Standard	Push handles 300 mm, height adjustable and swingable	0
Standard	Pedal for overcoming obstacles, right side	0
Standard	Anti-tippers, swingable and foot-operated	0
Standard	Car fasteners front and back	0
D21572	Electrical tilt	788
D21573	Electrical recline	830
D21571	Electrical leg supports	1.029





D41123	Holder for hand control – right (can only be combined with a tray in special adaptation)	242,-
D41124	Holder for hand control – left (can only be combined with a tray in special adaptation)	242,-
D21808	Push handles 500 mm, height adjustable and swingable	210,-
D81740	Push bow – height and angle adjustable	378,-
D21022	Easy Care cover for seat and back, washable (not available for Netti Sit °C, Kyphotic and Ride cushion)	0,-
	RESPIRATION MACHINES AND OTHER MEDICAL DEVICES	
D51186	Universal device holder D: 348 mm / W: SW minus 86 mm / Max. capacity 10kg For information concerning car transport, please see the user manual of the device holder on our website.	1890,-
D51187	Cover plate for universal device – add. Level/ Max. capacity 4 kg D: 193 mm / W: SW minus 37 mm / H (free area): 237 mm	504,-
D42900	Extra set of 4 mounting brackets, incl. screws	263,-
Standard	User brake — allows for easy side transfer and hand propelling	0 -
Standard D53010	User brake – allows for easy side transfer and hand propelling Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and	0,- 263,-
Standard D53010	Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake	263,-
Standard	Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and	
Standard	Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) ts please see page 12)	263,- 378,- 378,-
Standard D53010 D57282 D57283 ACK UNIT (for bel Standard	Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) ts please see page 12) Back cushion Netti Uno - side support 100 mm - 3D cover	263,- 378,- 378,-
Standard D53010 D57282 D57283 ACK UNIT (for belegated and and standard)	Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) ts please see page 12) Back cushion Netti Uno - side support 100 mm - 3D cover Back height 500 mm (incl. fixed backrest cover)	263,- 378,- 378,-
Standard D53010 D57282 D57283 ACK UNIT (for bel Standard	Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) ts please see page 12) Back cushion Netti Uno - side support 100 mm - 3D cover	263,- 378,- 378,-
Standard D53010 D57282 D57283 ACK UNIT (for bel Standard Standard Standard	Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) ts please see page 12) Back cushion Netti Uno - side support 100 mm - 3D cover Back height 500 mm (incl. fixed backrest cover) 2 x 25 mm width adjustment (*only with adjustable velcro D21137)	263,- 378,- 378,- 0,- 0,- 0,-
Standard D53010 D57282 D57283 ACK UNIT (for bel Standard Standard Standard	Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) ts please see page 12) Back cushion Netti Uno - side support 100 mm - 3D cover Back height 500 mm (incl. fixed backrest cover) 2 x 25 mm width adjustment (*only with adjustable velcro D21137) Back tubes adjustable for V+A+H back shape (*only with adjustable velcro D21137 or aluminium back	263,- 378,- 378,- 0,- 0,- 0,-
Standard D53010 D57282 D57283 ACK UNIT (for beleast the standard standard standard standard standard	Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) ts please see page 12) Back cushion Netti Uno - side support 100 mm - 3D cover Back height 500 mm (incl. fixed backrest cover) 2 x 25 mm width adjustment (*only with adjustable velcro D21137) Back tubes adjustable for V+A+H back shape (*only with adjustable velcro D21137 or aluminium back D27700/D27708) Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm -	263,- 378,- 378,- 0,- 0,- 0,- 0,-
Standard D53010 D57282 D57283 ACK UNIT (for belef and standard s	Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) ts please see page 12) Back cushion Netti Uno - side support 100 mm - 3D cover Back height 500 mm (incl. fixed backrest cover) 2 x 25 mm width adjustment (*only with adjustable velcro D21137) Back tubes adjustable for V+A+H back shape (*only with adjustable velcro D21137 or aluminium back D27700/D27708) Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm - mounting through dealer)	263,- 378,- 378,- 0,- 0,- 0,- 0,-
Standard D53010 D57282 D57283 ACK UNIT (for belef to be left) Standard Standard Standard Standard D41006 D21137	Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes) ts please see page 12) Back cushion Netti Uno - side support 100 mm - 3D cover Back height 500 mm (incl. fixed backrest cover) 2 x 25 mm width adjustment (*only with adjustable velcro D21137) Back tubes adjustable for V+A+H back shape (*only with adjustable velcro D21137 or aluminium back D27700/D27708) Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm - mounting through dealer) Adjustable velcro back with straps (mounting through dealer)	263,- 378,- 378,- 0,- 0,- 0,- 233,-





D21335	Back cushion Netti Stabil - with 170 mm side support with 3D cover	557 <i>,</i> -
D21336	Back cushion Netti Super Stabil – with 170 mm reinforced side support, 3D cover	651,-
D20630	Back cushion Netti Kyphotic – 3D/Stella cover (only back height 500 mm and SW 350/400/450/500 mm and only in combination with velcro back with straps D21137)	746,-
D26830	Side support stable left – for Netti Stabil, Super Stabil & Kyphotic	252,-
D26843	Side support stable right – for Netti Stabil, Super Stabil & Kyphotic	252,-
D27541	Upholstery for side support stable, pair	158,-
D27700	Firm back in aluminium, back height 500 mm (mounting through dealer)	378,-
D27708	Firm back in aluminium, back height 600 mm, incl. D41006 (mounting through dealer)	620,-
D21042	Lumbar support	189,-
D21084	Back wedge	189,-
	Ride Designs back solution (see separate order form) Article number:	Price on request

SEAT UNIT (for belts please se	ee page 11)	
Standard 🔳 Seat cu	ushion Netti Uno – 3D cover	0,-
Standard Firm se	eat plate – adjustable in depth 400-550 mm	0,-
Standard 2 x 25	mm width adjustment at arm support level	0,-
D21048 Inconti	inence cover for seat cushion	242,-
D21007 Netti S the 3D	it - Pressure relief seat cushion with incontinence layer under cover	399,-
_	it °C - Pressure relief seat cushion with temperature regulating es and 3D cover	557,-
• —	esigns Forward cushion (see separate order form) number:	Price on request
	esigns Java Seat cushion (see separate order form) number:	Price on request
D53490* Abduct	tion block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,-
D53491* Abduct	tion block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,-
D53492* Abduct	tion block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,-
D50830* Remov	able and depth adjustable knee and thigh support, right	210,-
D50831* Remov	able and depth adjustable knee and thigh support, left	210,-





LEG SUPPORTS

For the Netti V EL you have 7 different types of leg supports with various accessories. Please contact us for consultation.

Standard		Up to 2x25 mm width adjustment – stepless adjustable (footplates	0,-
		will by $2 \times 12,5$ mm have a gap, footboard and footbox only special adaptation)	
•		Bodypoint ankle huggers with upholstery incl. mounting kit	
		D44863 S (L: 170-200 mm)	242,-
		D44864 M (L: 190-230 mm)	242,-
1363		D44865 L (L: 220-290 mm)	252,-
4.		D44904 XL (L: 280-330 mm)	273,-
D21044		Foot board, adjustable, no heel strap	326,-
D21041		Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D21745		Calf support bracket upholstery - pair - skai cover	63,-
D41617		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D28453		Foot plate upholstery - pair - skai cover	305,-
D86900		Bodypoint calf strap M	181,-
D86901		Bodypoint calf strap L	181,-
	ustab	le leg supports	
ly angle adj Standard	ustab	Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates	0,-
	ustab	Manually angle adjustable leg supports with -automatic length adjustment	
	ustab	Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	
Standard	ustab	Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery -reinforced extension pieces Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special	0,-
Standard Standard	•	Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery -reinforced extension pieces Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation) Leg support upper parts with lever instead of star wheel for angle	0,-
Standard Standard D88211		Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery -reinforced extension pieces Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation) Leg support upper parts with lever instead of star wheel for angle adjustment	0,-
Standard Standard D88211		Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery -reinforced extension pieces Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation) Leg support upper parts with lever instead of star wheel for angle adjustment Extra-long knee upholstery 550 mm – 3D cover	0,· 0,· 89,·
Standard Standard D88211		Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery -reinforced extension pieces Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation) Leg support upper parts with lever instead of star wheel for angle adjustment Extra-long knee upholstery 550 mm – 3D cover Bodypoint ankle huggers with upholstery	0,- 89,- 290,- 242,-
Standard Standard D88211		Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery -reinforced extension pieces Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation) Leg support upper parts with lever instead of star wheel for angle adjustment Extra-long knee upholstery 550 mm – 3D cover Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm)	0,-
Standard Standard D88211		Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery -reinforced extension pieces Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation) Leg support upper parts with lever instead of star wheel for angle adjustment Extra-long knee upholstery 550 mm – 3D cover Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm)	0,- 89,- 290,- 242,- 242,-



D86901

☐ Bodypoint calf strap L



181,-

	D21044		Foot board, adjustable	326,-
	D21041		Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
	D24000		Calf support, swingable, pair	189,-
	D21745		Calf support bracket upholstery - pair - skai cover	63,-
	D41617		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
	D28453		Foot plate upholstery - pair - skai cover	305,-
	D86900		Bodypoint calf strap M	181,-
	D86901		Bodypoint calf strap L	181,-
Univer	sal leg suppo	orts		
	D24006		Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. Without calf supports.	137,-
	Standard		Up to $2x25$ mm width adjustment – stepless adjustable (footplates will by $2 \times 12,5$ mm have a gap, footboard and footbox only special adaptation)	0,-
			Bodypoint ankle huggers with upholstery incl. mounting kit	
		□	D44863 S (L: 170-200 mm)	242,-
			D44864 M (L: 190-230 mm)	242,-
	13/2		D44865 L (L: 220-290 mm)	252,-
	7 8		D44904 XL (L: 280-330 mm)	273,-
	D21044		Foot board, adjustable, no heel strap	310,-
	D21041		Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
	D86900		Bodypoint calf strap M	181,-
			·	





1.468.-

Netti Grandis angle adjustable leg support D88600 Netti Grandis angle adjustable positioning leg supports for 1.098,complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis. The foot support is characterized by unique ergonomics and userfriendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot plates. In some configurations of the Netti V there can be a potential conflict with the calf supports. Standard Up to 2x25 mm width adjustment – stepless adjustable (footplates 0,will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation) D88602 ☐ Calf support upholstery extra soft - pair - EC or 3D cover depending 211,on the fabric for the whole chair D88607 ☐ Knee upholstery for the upper lower leg (3D or EC cover depending 113,on the fabric for the whole chair) D21745 ☐ Calf support bracket upholstery - pair - skai cover 63,-D88014 ☐ Foot fixation, pair incl. mounting kit 236,-D88603 ☐ Foot board, lockable and upwards swingable 386,-D88605 ☐ Footbox, upholstered with Skai cover (approved for car transport) 728,-D21293 ☐ Calf strap 95,-☐ Bodypoint calf strap M D86900 181,-☐ Bodypoint calf strap L D86901 181,-Bodypoint ankle huggers with upholstery D88863 S (L: 170-200 mm) 327,-D88864 M (L: 190-230 mm) 327,-D88865 L (L: 220-290 mm) 337,-D88866 XL (L: 280-330 mm) 360,-**Netti Grandis amputation support** ☐ Amputation support left incl. Netti Grandis leg support right side D88618 1.053,-D88619 Amputation support right incl. Netti Grandis leg support left side 1.053,-

☐ Amputation support left + right





Netti G	letti Grandis leg support with fixed angle					
	D88612		Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.	1.098,-		
			The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.			
	Standard		Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation)	0,-		
	D88603		Foot board, lockable and upwards swingable (no heel strap)	368,-		
	D88605		Footbox, upholstered with Skai cover (approved for car transport)	728,-		

Netti Dy	namic angle	e adju	istable leg rests	
TO SO	D82296 D82298		Netti Dynamic angle adjustable leg rests with calf supports and footboard, 100N. Adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm)	Price on request
THE POPULATION OF THE POPULATI	D82318 D82319		Netti Dynamic angle adjustable leg rests with calf supports and footboard, 100N. Adjustable for different thigh lengths: Adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm)	Price on request
	Standard		Up to 2x25 mm width adjustment – if adjusted a new footboard must be mounted/purchased.	0,-
	D32296		Extra-long knee upholstery 550 mm – 3D cover	290,-
	D45245		Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
	D88211		Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
		_	Bodypoint ankle huggers with upholstery	
			D44863 S (L: 170-200 mm)	242,-
			D44864 M (L: 190-230 mm)	242,-
	111		D44865 L (L: 220-290 mm)	252,-
	·		D44904 XL (L: 280-330 mm)	273,-
	D21745		Calf support bracket upholstery - pair - skai cover	63,-





D	41617		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair (SW 550 mm only 3D)	221,-
D	86900		Bodypoint calf strap M	181,-
D	86901		Bodypoint calf strap L	181,-
ARM SUP	PPORTS A	AND	ACCESSORIES FOR ARM SUPPORTS	
	Standard		Arm supports height and depth adjustable	0,-
	Standard		Arm pads 385 x 58 mm	0,-
	Standard		Arm rest sideways 2 x 12,5/25 mm adjustable	0,-
	D21077		Arm pads 420 x 80 mm	126,-
	D21078		Arm pads 445 x 70 mm	126,-
	D21079		Arm pads 525 x 80 mm	126,-
	D41649		Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	116,-
	D41650		Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	137,-
OFT	D89710		Completely upholstered armrest height 338 mm high – app. 20 mm thick Skai upholstery. These arm supports cannot be combined with a tray	608,-
	D23003		Hemiplegic cushion	221,-
	D22185		Arm support hemiplegic left (can only be combined with a tray in special adaptation)	336,-
	D22186		Arm support hemiplegic right (can only be combined with a tray in	336,-

FRONT AND MAIN WHEEL

special adaptation)

Standard 🔳	Main wheel: 24 x 1" PU – steel – grey version – black hub	0,-
Standard 	Front wheel: 7" – 175 x 33 PU – grey version	0,-
Standard 	Chair delivered in seat height 461 mm (floor to seatplate)	0,-
Standard T	Seat height stepless adjustable from 386 – 486 mm (70 mm seat height adjustment through patent pending adjustment bracket)	0,-
Standard II	Seat height adjustable extra 30 mm by changing wheel position – does not apply for 16" and 22" wheels	0,-
D22006	Main wheels wide: 1 3/8 PU infill – aluminium – grey	74,-
D22008	Main wheels wide and pneumatic: only 24 x 1 3/8 pneumatic – aluminium – grey	74,-
D21021	7" 175 x 45 mm PU – grey	95,-
D21012	7" 175 x 45 mm pneumatic – grey	95,-






16" drum brake main wheels + 7" front wheels - PU grey Seat height stepless adjustable from 386 – 456 mm by dealer (mounting by dealer, no frame brakes included)	389,-
20" main wheels + 5" front wheels – PU grey Seat height stepless adjustable from 345 – 445 mm by dealer	253,-
22" main wheels + 7" front wheels – PU grey Seat height stepless adjustable from 390 – 460 mm by dealer	147,-
24" main wheels + 8" front wheels – PU grey – black hub Seat height stepless adjustable from 415 – 485 mm by dealer	95,-
26" main wheels + 8" front wheels – PU grey Seat height stepless adjustable from 414 – 514 mm by dealer	248,-
Hand and spoke protector, transparent, pair	158,-
Push rim cover, pair	126,-
	Seat height stepless adjustable from 386 – 456 mm by dealer (mounting by dealer, no frame brakes included) 20" main wheels + 5" front wheels – PU grey Seat height stepless adjustable from 345 – 445 mm by dealer 22" main wheels + 7" front wheels – PU grey Seat height stepless adjustable from 390 – 460 mm by dealer 24" main wheels + 8" front wheels – PU grey – black hub Seat height stepless adjustable from 415 – 485 mm by dealer 26" main wheels + 8" front wheels – PU grey Seat height stepless adjustable from 414 – 514 mm by dealer Hand and spoke protector, transparent, pair

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS

Standard measurements for Netti head supports (except Netti Dynamic): Horizontal bar 200 mm / Vertical bar 350 mm



Head support D, connort (pressure distributive)	305,-
Head support E with adjustable side supports	368,-
Head support F with cheek support (not approved for car transport – if this is needed please order an additional Netti headrest)	483,-
Headrest adjustment tube (horizontal) length 250 mm (not for Savant or Dynamic C head support)	95,-
Headrest adjustment tube (horizontal) length 300 mm (not for Savant or Dynamic C head support)	95,-
Headrest adjustment tube (horizontal) length 380 mm (not for Savant or Dynamic C head support)	105,-
	Head support E with adjustable side supports Head support F with cheek support (not approved for car transport – if this is needed please order an additional Netti headrest) Headrest adjustment tube (horizontal) length 250 mm (not for Savant or Dynamic C head support) Headrest adjustment tube (horizontal) length 300 mm (not for Savant or Dynamic C head support) Headrest adjustment tube (horizontal) length 380 mm (not for Savant or





D21054	Headrest adjustment tube (vertical) + 150 mm, length 500 mm (not for Savant or Dynamic C head support / Head support must be adjusted, so that app. 350 mm of the vertical bar is above the head support adapter to avoid conflict with the actuator for the back)	95,-
D23004	Comfort cushion for head rest type C – removable with Stella cover	189,-
D23012	Easy Care cover for head rest type A, B, C – removable	
D23013	3D cover for head rest type A, B, C – removable	95,- 95,-
D23015	Grey head rest cushion with Stella cover	242,-
	[A] [B] [C]	
D45372	[A] Savant head support incl. headband, small – height 130 mm	Price on
	User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	request
D45374	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45373	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	Headrest adjustment tube for Savant head support (horizontal) + 100 mm, length 250 mm	Price on request
D45368	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti head support)	Price on request
D45376	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti head support)	Price on request
D89558	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti head support)	Price on request
D89559	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti head support)	Price on request





336,-

TRAYS

NA13			
D21059		Universal tray for SW 350 - 500 mm (for SW 500 and arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm, please choose tray D21063)	236,-
D21063		Universal tray for SW 550 mm (necessary for SW 500 with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	294,-
D21050		Tray reinforced for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	399,-
D24001		Tray swingable for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	273,-
D93316		Tray spacer for swingable tray (necessary if a tray is combined with soft upholstery for arm pads D41649/D41650)	30,-
D24002		Tray lockable for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	273,-
D93315		Tray spacer for lockable tray (necessary if a tray is combined with soft upholstery for arm pads D41649/D41650)	30,-
D21052		Upholstery for tray	126,-
D53006		Half tray, upholstered, left	431,-
D53005		Half tray, upholstered, right	431,-
/ARIOUS ACC	ESSC	DRIES	
D21087		Clinic-kit – tool kit and tools for angle adjustable foot supports	126,-
D21239		Tool kit	105,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Intravenous rack

Belts and accessories for seat unit

D41987







Dodonosiat 2 asiat his halt is all asserting assertial[F]	252
	252,-
XS (overall pad length: 360 mm)	
S (overall pad length: 400 mm)	
M (overall pad length: 460 mm)	
Security cover for type [B], [C] and [E] in XS/M/L	74,-
Bodypoint 2-point pelvic stabiliser for SW 550-650 mm incl.	368,-
mounting material (overall pad length: 820 mm) [E]	
Bodypoint 4-point pelvic stabiliser incl. mounting material [C]	423,-
XS (overall pad length 360 mm)	
M (overall pad length: 460 mm)	
L (overall pad length: 620 mm)	
Abduction belt [D]	557,-
Bodypoint supportive universal elastic strap	189,-
S (Height 80 mm - 1420 mm long, easily cut-to-length)	
	60 60
	•
	M (overall pad length: 460 mm) Security cover for type [B], [C] and [E] in XS/M/L Bodypoint 2-point pelvic stabiliser for SW 550-650 mm incl. mounting material (overall pad length: 820 mm) [E] Bodypoint 4-point pelvic stabiliser incl. mounting material [C] XS (overall pad length 360 mm) M (overall pad length: 460 mm) L (overall pad length: 620 mm) Abduction belt [D]

Belts and accessories for back unit







NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

CUSTOM MADE – most wanted special adapted items (price on request)



Α	В
	Extra long calf supports (please state length) (A)
	Calf support upholstery in special length or material
	Back cushion with special side support (see drawing page 9) (B)
	Pushhandles with special length or angle
	Footboard that swings horizontally forwards

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:	

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.










Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length ____ mm of the chair.

TECHNICAL DATA

Tilt (seat)	-3° to +30°
Recline (back)	90° to 118° (electric) / 85° to 130° (gas spring)
Total width of the wheelchair	Seat width + 210 mm
	Seat width + 195 mm (16" wheels)
Total length	1000 - 1200 mm with leg rests vertical and seat horizontal
Distance arm support to seat plate	Min: 185 mm/ max. 325 mm
Weight of wheelchair	App. 41 kg (without cushion)
Frame colour	Turquoise
Cover variants	Stretchable & flexible cover 3D
	Easy Care antibacterial cover, washable
Max. capacity	135 kg
Crash test	ISO 7176-19 (135 kg)

Leg rests	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



Measurements

A Hip width/Seat width ______mm

B Thigh length / seat depth _____mm

C Arm rest height _____mm

D Leg length / seat height _____mm

E Backrest height _____mm

F Trunk width _____mm