



	DateCustomer code C	
1	Invoice address Contact person	
	Reference	
	Other delivery address	
	Invoice address = delivery addressQuoteThe chair will be used as seat for car transport	
Seat width	D53535	Price on request
Seat depth (adjustable + 12,5/25 mm per side) stepless adjustable 375 – 550 mm) *other choice for seat cushion depth, see page 4. (stepless adjustable 70-100 mm /see page 8)	
and universa	und configuration with tilt handle under armrest (tilt limited to -3 to +20 al leg supports (cannot be combined with all trays – please ask for a quot de D55020	- · · · · · · · · · · · · · · · · · · ·
•	djusted by Netti (seat cushions are delivered in best fitting possible size):	D58002 99,-€
D22149 □	Side and comfort upholstery (reduces SW with 2 x 25 mm)	147,-€
= Standar	d equipment	
FRAME		
Item nr.	Description	Price in €
Standard		0,-
Standard		0,-





Standard Standard	Anti-tippers, swingable and foot-operated	0,
Standard	Car fasteners front and back	0,
D21808	Push handles 500 mm, height adjustable and swingable	210,
D81740	Push bow – height and angle adjustable	378,
D53032	Gas spring limiter and lock for tilt (mounted by Netti)	357,
D53033	Gas spring limiter and lock for recline (mounted by Netti)	357,
	Easy Care cover for seat and back, washable (not available for Netti Sit °C and Kyphotic cushion)	0,
UTIONS FOR	RESPIRATION MACHINES AND OTHER MEDICAL DEVICES	
D51186	Universal device holder D: 348 mm / W: SW minus 86 mm / Max. capacity 10kg For information concerning car transport, please see the user manual of the device holder on our website.	1890,
D51187	Cover plate for universal device – add. Level / Max. capacity 4 kg D: 193 mm / W: SW minus 87 mm / H (free area): 237 mm	504,-
D42900	Extra set of 4 mounting brackets, incl. screws	263,
D53010	Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake	263,
D57282	One-hand brake right (only in addition to D53010 drum brakes) One-hand brake left (only in addition to D53010 drum brakes)	378, 378,
CK UNIT (for be	Its please see page 12)	
	Back cushion Netti Uno - side support 100 mm - 3D cover	0,-
Standard	Back height 500 mm (incl. fixed backrest cover)	0,-
Standard	2 x 25 mm width adjustment (*only with adjustable velcro D21137)	0,-
Standard	Back tubes adjustable for V+A+H back shape (*only with adjustable velcro D21137 or aluminium back D27700/D27708)	0,-
D41006	Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm-mounting through dealer)	233,-
D21137	Adjustable velcro back with straps (mounting through dealer)	294,-
D27376	Side support correction with upholstery left – for Netti Smart & Netti Uno	221,-
D27378	Side support correction with upholstery right – for Netti Smart & Netti Uno	2





D21338	Back cushion Netti Smart*- with 120 mm side support with 3D cover	347,-				
D21335	Back cushion Netti Stabil*- with 170 mm side support with 3D cover	557,-				
D21336	Back cushion Netti Super Stabil*- with 170 mm reinforced side	651,-				
	support, 3D cover					
	* we recommend the combination with velcro back with straps D21137					
D20630	Back cushion Netti Kyphotic – 3D/Stella cover – only back height 500	746,-				
	mm and SW 350/400/450/500 mm and only in combination with					
D25020 F	velcro back with straps D21137)	252				
D26830	Side support stable left – for Netti Stabil, Super Stabil & Kyphotic	252,-				
D26843	Side support stable right – for Netti Stabil, Super Stabil & Kyphotic	252,-				
D27541	Upholstery for side support stable, pair	158,-				
D27700	Firm back in aluminium, back height 500 mm (mounted by dealer)	378,-				
D27708	Firm back in aluminium, back height 600 mm, incl. D41006 (mounted by dealer)	620,-				
D21042		100				
D21042	Lumbar support Back wedge	189,- 189,-				
D21064 _	Ride Designs back solution (see separate order form)	Price on				
L	Article number:	request				
	Netti Dynamic back cylinder	Price on				
TAMIC ACO	When mounting the dynamic gas spring the recline is reduced to 90° -					
3 # E	118°. The standard back recline can be locked in any position as the					
S S	dynamic movement is blocked simultaneously, which can be					
	appropriate during transport or positioning. Incl. Bodypoint Evoflex					
5	pelvic stabilizer 2-point belt:					
	Size XS M L					
	For more information and choice of gas spring, feel free to contact us					
	or have a look at our website. If combined with other options, please					
	send us a request as some solutions are only possible as special					
	adaptations.					
	□ DE2224 200N □ DE2226 000N					
	☐ D52231 300N ☐ D52236 900N ☐ D52232 450N ☐ D52237 1000N					
	☐ D52233 600N ☐ D52238 1100N ☐ D52234 750N ☐ D52239 1200N					
	□ D52235 800N □ D52240 1300N					
	For Netti Dynamic System with dynamic seat unit, please see our					
	Tor Netti Dynamic System with dynamic seat diff, please see od					
	complete Netti Dynamic chairs.					
EAT UNIT (for be	complete Netti Dynamic chairs.					
SEAT UNIT (for be		0,-				
_	complete Netti Dynamic chairs.	0,- 0,-				





Standard	2 x 25 mm width adjustment at arm support level	0,-
D21048	Incontinence cover for seat cushion	242,-
D21007	Netti Sit - Pressure relief seat cushion with incontinence layer under the 3D cover	399,-
D21017	Netti Sit °C - Pressure relief seat cushion with temperature regulating features and 3D cover	557,-
D40001 [Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/ Easy Care + depending on the fabric for the whole chair Article number (if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)	Price on request
D40002 [Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/ Easy Care + depending on the fabric for the whole chair Article number (if nothing stated, Netti will supply the best fitting size based on seat width and seat depth)	Price on request
D50000/ [D50001	Ride Designs Forward cushion (see separate order form) Article number:	Price on request
D50002	Ride Designs Java Seat cushion (see separate order form) Article number:	Price on request
D53490	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,-
D53491	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,-
D53492	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,-
D50830	Removable, angle and depth adjustable for right side. Seat width adjustable up to 75 mm inwards per item. The rail itself can be mounted 25 mm outwards on the seat plate, if the seat width is extended in width.	210,-
D50831	Removable, angle and depth adjustable for left side. Seat width adjustable up to 75 mm inwards per item. The rail itself can be mounted 25 mm outwards on the seat plate, if the seat width is extended in width.	210,-

LEG SUPPORTS

For the Netti V you have 6 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adju	stable leg supports	
Standard	 Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery 	0,-
Standard	Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation)	0,-





D88211		Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
D32296		Extra-long knee upholstery 550 mm – 3D cover	290,-
M		Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm)	242,- 242,- 252,- 273,-
D21008		Gas spring	987,-
D21044		Foot board	326,-
D21041		Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D24000		Calf support, swingable, pair	189,-
D21745		Calf support bracket upholstery - pair - skai cover	63,-
D41617		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D28453		Foot plate upholstery - pair - skai cover	305,-
D86900		Bodypoint calf strap M	181,-
D86901		Bodypoint calf strap L	181,-
Universal leg supp	oorts	Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. Without calf supports, delivered with heel straps.	137,-
Standard		Up to $2x25$ mm width adjustment – stepless adjustable (footplates will by $2 \times 12,5$ mm have a gap, footboard and footbox only special adaptation)	0,-
	000	Bodypoint ankle huggers with upholstery incl. mounting kit D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm)	242,- 242,- 252,- 273,-
D21044		Foot board, no heel strap	310,-
D21041		Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D86900		Bodypoint calf strap M	181,-
D86901		Bodypoint calf strap L	181,-
		••	





A	D88600		Netti Grandis angle adjustable positioning leg supports for	1.098,
			complex individual configurations. Reduces pressure and shear	
7			forces. For users with e.g. contractions, leg asymmetry,	
			elephantiasis.	
			The foot support is characterized by unique ergonomics and user-	
			friendliness due to lifting handles, scale displays and conical	
			extension pieces. Angle adjustable incl. angle limiter and adjustable	
			calf- and foot plates.	
			In some configurations of the Netti V there can be a potential conflict with the calf supports.	
	Standard		Up to 2x25 mm width adjustment – stepless adjustable (footplates	0,
			will by 2 x 12,5 mm have a gap, footboard and footbox only special	
			adaptation)	
	D88602		Calf support upholstery extra soft - pair - EC or 3D cover depending	211,
	D00607		on the fabric for the whole chair	
	D88607		Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	113,
	D21745		Calf support bracket upholstery - pair - skai cover	63
	D88014		Foot fixation, pair incl. mounting kit	236
	D88603		Foot board, lockable and upwards swingable	386
	D88605		Footbox, upholstered with Skai cover (approved for car transport)	728
	D21293		Calf strap	95
	D86900		Bodypoint calf strap M	181
	D86901		Bodypoint calf strap L	181
	-		Bodypoint ankle huggers with upholstery	
			D88863* S (L: 170-200 mm)	327
	13/17		D88864* M (L: 190-230 mm)	327
	6 3 4		D88865* L (L: 220-290 mm)	337
			D88866* XL (L: 280-330 mm)	360
Netti Gı	randis ampu	ıtatio	n support	
	D88618		Amputation support left incl. Netti Grandis leg support right side	1.053
	D88619		Amputation support right incl. Netti Grandis leg support left side	1.053
			Amputation support left + right	1.468
letti Gı	randis leg su	ınnor	t with fixed angle	
icti Gi	D88612		Netti Grandis leg supports with fixed angle for complex individual	1.098
			configurations. Reduces pressure and shear forces. For users with	
	19		e.g. contractions, leg asymmetry.	
	7		, , , ,	





242,-

242,-

252.-

273,-

63,-

221,-

181,-

181.-

The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.

Standard	Up to $2x25$ mm width adjustment – stepless adjustable (footplates will by $2 \times 12,5$ mm have a gap, footboard and footbox only special adaptation)	
D88603	Foot board, lockable and upwards swingable	368,-
D88605	Footbox, upholstered with Skai cover (approved for car transport)	728,-

Netti Dynamic angle adjustable leg rests Netti Dynamic angle adjustable leg rests with calf supports and Price on request footboard, 100N. D82296 Adjustment piece 300 mm (lower leg length 450-550 mm) D82298 Adjustment piece 214 mm (lower leg length 350-450 mm) Price on Netti Dynamic angle adjustable leg rests with calf supports and request footboard, 100N. Adjustable for different thigh lengths: D82318 Adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm) D82319 Standard Up to 2x25 mm width adjustment – if adjusted a new footboard 0,must be mounted/purchased. D32296 Extra-long knee upholstery 550 mm – 3D cover 290,-Price on D45245 Reinforced automatic footboard lock - Not possible to combine request with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation. D88211 Leg support upper parts with lever instead of star wheel for angle 89,adjustment

Bodypoint ankle huggers with upholstery

(L: 170-200 mm)

(L: 220-290 mm)

on the fabric for the whole chair (SW 550 mm only 3D)

☐ Calf support upholstery extra soft - pair - EC or 3D cover depending

M (L: 190-230 mm)

XL (L: 280-330 mm)

☐ Calf support bracket upholstery - pair - skai cover

D21745

D41617

D86900

D86901

D44863

D44864

D44865

D44904

Bodypoint calf strap M

☐ Bodypoint calf strap L





ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

Standard	Arm supports height and depth adjustable	0,-
Standard	Arm pads 385 x 58 mm	0,-
Standard	Arm rest sideways 2 x 12,5/25 mm adjustable	0,-
D21077	Arm pads 420 x 80 mm	126,-
D21078	Arm pads 445 x 70 mm	126,-
D21079	Arm pads 525 x 80 mm	126,-
D41649 [Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	116,-
D41650 [Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	137,-
D89710 [Completely upholstered armrest height 338 mm high – app. 20 mm thick Skai upholstery. Arm pad app. 430 x 100 mm. These arm supports cannot be combined with a tray	608,-
D23003	Hemiplegic cushion	221,-
D22185	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	336,-
D22186	Arm support hemiplegic right (can only be combined with a tray in special adaptation)	336,-

FRONT AND MAIN WHEEL

MOITI / MID	 ***************************************	
Standard	Main wheel: 24 x 1" PU – steel – grey version – black hub	0,-
Standard	Front wheel: 7" – 175 x 33 PU – grey version	0,-
Standard	Chair delivered in seat height 461 mm (floor to seatplate)	0,-
Standard	Seat height stepless adjustable from 386 – 456 mm (70 mm seat height adjustment through patent pending adjustment bracket)	0,-
Standard	Seat height adjustable extra 30 mm by changing wheel position – does not apply for 16" and 22" wheels	0,-
D22006	Main wheels wide: 1 3/8 PU infill – aluminium – grey	74,-
D22008	Main wheels wide and pneumatic: only 24 x 1 3/8 pneumatic – aluminium – grey	74,-
D21021	Front wheels: $7'' - 175 \times 45$ PU wheel grey - puncture proof - with PU infill (necessary for supportive engines)	95,-
D21012	7" 175 x 45 mm pneumatic – grey	95,-
D52035	16" drum brake main wheels + 7" front wheels - PU grey Seat height stepless adjustable from 386 – 456 mm by dealer (mounting by dealer, no frame brakes included)	389,-
D52002	20" main wheels + 5" front wheels – PU grey Seat height stepless adjustable from 345 – 445 mm by dealer	253,-
D52007	22" main wheels + 7" front wheels – PU grey	147,-





Seat height stepless adjustable from 390 – 460 mm by dealer	
24" main wheels + 8" front wheels – PU grey – black hub	95,-
26" main wheels + 8" front wheels – PU grey	248,-
Seat height stepless adjustable from 414 – 514 mm by dealer	
Main wheel w/one hand drive (24x1 3/8 Drum brake grey) – left	1890,
In combination with 7" front wheel and tilt limiter D53032 (tilt changed to -3	
to 10 or 15°) – if SW extended to 550 mm, only as special adaptation	
Main wheel w/one hand drive (24x1 3/8 Drum brake grey) – right	1890,
In combination with 7" front wheel and tilt limiter D53032 (tilt changed to -3	
to 10 or 15°) – if SW extended to 550, mm only as special adaptation	
Hand and spoke protector, transparent, pair	158,
Push rim cover, pair	126,
	24" main wheels + 8" front wheels – PU grey – black hub Seat height stepless adjustable from 415 – 485 mm by dealer 26" main wheels + 8" front wheels – PU grey Seat height stepless adjustable from 414 – 514 mm by dealer Main wheel w/one hand drive (24x1 3/8 Drum brake grey) – left In combination with 7" front wheel and tilt limiter D53032 (tilt changed to -3 to 10 or 15°) – if SW extended to 550 mm, only as special adaptation Main wheel w/one hand drive (24x1 3/8 Drum brake grey) – right In combination with 7" front wheel and tilt limiter D53032 (tilt changed to -3 to 10 or 15°) – if SW extended to 550, mm only as special adaptation Hand and spoke protector, transparent, pair

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS

Standard measurements for Netti head supports (except Netti Dynamic): Horizontal bar 200 mm / Vertical bar 350 mm

	9.000	-0 6	7	-	700		
		A	В	С	D	E	
Standard		Head support ac	dapter adjustable	to the side			0,-
D20575		Head support A,	with side support	t			252,-
D82566			with side support ar transport – if this is			al Netti	359,-
D82568		Extra comfort pa	ads for the head b	and of D82566	, pair		34,-
D20574		Head support B,	small, oval				242,-
D20573		Head support C,	large, square				242,-
D53746		some solutions are	ead support C mm) – If combined wi only possible as specia on, feel free to contac	al adaptations.	please send us a	request, as	Price on request
D20576		Head support D,	comfort (pressur	e distributive)			305,-
D27575		Head support E	with adjustable si	de supports			368,-
D27576		• • •	with cheek suppo ar transport – if this is		der an additiona	al Netti	483,-
D21027		Headrest adjusti Dynamic C head sup	ment tube (horizo	ntal) length 25	0 mm (not for	Savant or	95,-
D21065		Headrest adjusti	ment tube (horizo port)	ntal) length 30	00 mm (not for	Savant or	95,-





D21028	Headrest adjustment tube (horizontal) length 380 mm (not for Savant or Dynamic C head support)	105,-
D21054	Headrest adjustment tube (vertical) + 150 mm, length 500 mm (not for Savant or Dynamic C head support)	95,-
D23004	Comfort cushion for head rest type C – removable with Stella cover	189,-
D23012	Easy Care cover for head rest type A, B, C – removable	95,-
D23013	3D cover for head rest type A, B, C – removable	95,-
D23015	Grey head rest cushion with Stella cover	242,-
D56677	Meylife head support (3 joints) Easy to adjust – Takes little space – Crash tested Artificial leather or textile cover depending on fabric choice for the whole chair. Multifunctional head support with adjustable sides. Horizontal, vertical and angle adjustable. Width 250 mm.	596,-
D90034	Extra joint for Meylife head support extension – needed for back height 600 mm.	84,-
D45272	[A] [B] [C]	Price on
D45372	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	request
D45374	[A] Savant head support incl. headband, adult — height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport — if this is needed please order an additional Netti headrest)	
D45373	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	
D45375	Headrest adjustment tube for Savant head support (horizontal) + 100 mm, length 250 mm	Price on request
D45368	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti head support)	
D45376	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti head support)	Price on request





D89558		[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests.	Price on request
		(not approved for car transport – if this is needed please order an additional Netti head support)	·
D89559		Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests.	Price or reques
		(not approved for car transport – if this is needed please order an additional Netti head support)	
RAYS			
D21059		Universal tray for SW 350 - 500 mm (for SW 500 and arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm, please choose tray D21063)	236,
D21063		Universal tray for SW 550 mm (necessary for SW 500 with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	294,
D21050		Tray reinforced for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	399,
D24001		Tray swingable for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	273,
D24002		Tray lockable for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	273,
D93316		Tray spacer for swingable or lockable tray (necessary if a tray is combined with soft upholstery for armpads D41649/D41650)	20,
D21052		Upholstery for tray	126,
D53006		Half tray, upholstered, left	431,
D53005		Half tray, upholstered, right	431,
ARIOUS ACC	ESSC	DRIES	
D21087		Clinic-kit – tool kit and tools for angle adjustable foot supports	126,
D21239		Tool kit	105,
		Intravenous rack	336,









D25845		Hip belt, with upholstery and car belt lock [A]	130,
	·	Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting material[B]	280,
D56902		XS (overall pad length: 380 mm)	
D56891		M (overall pad length: 460 mm)	
D56892		L (overall pad length: 620 mm)	
		Bodypoint 2-point hip belt incl. mouting material[E]	252,
D55273		XS (overall pad length: 360 mm)	
D55274		S (overall pad length: 400 mm)	
D55275		M (overall pad length: 460 mm)	
D45040		Security cover for type [B], [C] and [E] in XS/M/L	74
D55276		Bodypoint 2-point pelvic stabiliser for SW 550-650 mm incl.	368
		mounting material (overall pad length: 820 mm) [E]	
	·	Bodypoint 4-point pelvic stabiliser incl. mounting material [C]	423
D56889		XS (overall pad length 360 mm)	
D56893		M (overall pad length: 460 mm)	
D56894		L (overall pad length: 620 mm)	
D60001		Abduction belt [D]	557
		Bodypoint supportive universal elastic strap	189
D45084		S (Height 80 mm - 1420 mm long, easily cut-to-length)	
D45085		L (Height 110 mm - 1420 mm long, easily cut-to-length)	0
D45086		XL (Height 150 mm - 1420 mm long, easily cut-to-length)	

Belts and accessories for back unit







NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

See examples and more about our special solutions online.



CUSTOM MADE – most wanted special adapted items (price on request)

A	B
Extra	a long calf supports (please state length) (A)
Calf	support upholstery in special length or material
Back	cushion with special side support (see drawing page 9) (B)
Push	handles with special length or angle
Foot	board that swings horizontally forwards
material, we would also like t	case and how a possible solution could look. If you have any picture or video o see this. To offer the best solution, please describe the user in the best given diagnosis, user weight and/or the exact pattern movement of the user.
User weight:	

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.










Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length ____ mm of the chair.

TECHNICAL DATA

-3° to +30°
85° to 130°
90° to 118° (Dynamic back function)
Seat width + 210 mm
Seat width + 195 mm (16" wheels)
1000 - 1200 mm with leg rests vertical and seat horizontal
Min: 185 mm/ max. 325 mm
App. 35 kg (without cushion)
Turquoise
Stretchable & flexible cover 3D
Easy Care antibacterial cover, washable
135 kg
ISO 7176-19 (135 kg)

Leg rests	Min. calf length	Max. calf length	
Manual adjustable leg rests	320 mm	680 mm	
Universal leg rests	360 mm	500 mm	
Netti Grandis leg rests	360 mm	640 mm	
Netti Grandis fixed leg rests	380 mm	550 mm	



Measurements

A Hip width/Seat width _____mm

B Thigh length / seat depth ____mm

C Arm rest height ____mm

D Leg length / seat height ____mm

E Backrest height ____mm

F Trunk width _____mm