



Date _____ Customer code C- _____

Invoice address _____ Contact person _____

Reference _____

Other delivery address _____

☐ Invoice address = delivery address ☐ Quote

☐ The chair will be used as seat for car transport.

Basic price: 2.245,- € Excl. VAT

Seat width	D66035	☐ 350 mm	Capacity	Max. load is 135 kg minus weight of seating unit.
	D66040	☐ 400 mm		
	D66045	☐ 450 mm		
	D66050	☐ 500 mm		
			Seat height	See page 11
			Seat depth	425-500 mm adjustable by 25 mm per step

D29488 ☐ Arm support comfort pads (reduces SW with 2 x 15 mm) 163,-

D83937 ☐ SW extension kit mounted 2 x 12 mm – only for SW 350-450 mm 172,-

D28002 Adjustment of seat depth – please state the wished seat depth: 76,-
☐ 425 mm ☐ 450 mm ☐ 475 mm ☒ 500 mm

☒ = Standard equipment


Item nr.	Description	Price in €
Standard	☒ Head support A, with side support	0,-
D27574	☐ Head support B, oval	0,-
D27573	☐ Head support C, square	0,-
D27572	☐ Head support D, comfort (pressure distributive)	260,-
D82567	☐ Head support A with side support and head band 3D (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	370,-
D82568	☐ Extra comfort pads for the head band of D82567, pair	35,-
D25059	☐ Universal tray	243,-
D21052	☐ Upholstery for tray	130,-
D20845	☐ Hip belt, with upholstery and car belt lock	130,-
D21022	☐ Easy Care cover (not available for Netti Sit 3D/°C and Netti Kyphotic)	0,-
D88468	☐ Side support Basic, pair	399,-

FRAME

Standard	☒	Push bow	0,-
Standard	☒	Anti tip – swingable	0,-
Standard	☒	Car fasteners – if an accessory means that the wheelchair is not approved for use as seat in a car, the chair will be delivered without car fasteners.	0,-
D86099	☐	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	182,-
D27282	☐	One-hand-brake, right (only in combination with drum brakes)	389,-
D27283	☐	One-hand-brake, left (only in combination with drum brakes)	389,-
D28972	☐	Anti tip with pedal	216,-
D42177	☐	Push bow, angle adjustable	293,-
D28001	☐	Frame extension including longer antitippers	324,-

HEAD SUPPORT AND ACCESSORIES (Please also see page 1)

D82025	☐	Head support adapter aluminium	260,-
D96473	☐	Dynamic head support adapter incl. 3 different strengths of rubber dampers to accommodate individual needs. Cannot be combined with D82025/D82746.	Price on request
 D82746	☐	Netti Dynamic head support C incl. head support adapter in aluminium. If combined with other options, please send us a request, as some solutions are only possible as special adaptations. For more information, feel free to contact us.	Price on request
D27577	☐	Head supports E with adjustable side supports	336,-
D27578	☐	Head supports F with cheek support (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	336,-
D21064	☐	Headrest adjustment tube (horizontal) + 50 mm, length 200 mm	98,-
D21027	☐	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	98,-
D21065	☐	Headrest adjustment tube (horizontal) + 150 mm, length 300 mm	98,-
D21028	☐	Headrest adjustment tube (horizontal) + 230 mm, length 380 mm	108,-
D21054	☐	Headrest adjustment tube (vertical) + 100 mm, length 500 mm	98,-
D23004	☐	Comfort cushion for head rest type C – removable with Stella cover	195,-
D23012	☐	Easy Care cover for head rest type A, B, C – removable	98,-
D23013	☐	3D cover for head rest type A, B, C – removable	98,-
D23015	☐	Grey head rest cushion with Stella cover	249,-
D26677	☐	MYSeat head support (3 joints) Easy to adjust – Takes little space - Crash tested Artificial leather or textile cover depending on fabric choice for the whole chair. Multifunctional head support with adjustable sides. Horizontal, vertical and angle adjustable. Width 250 mm.	562,-
D90034	☐	Extra joint for MYSeat head support extension.	87,-





D45370	☐	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45371	☐	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45373	☐	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	☐	Headrest adjustment tube (horizontal) +100 mm, length 250 mm	Price on request
D45368	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89559	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request

BACK UNIT

Standard	☒	Back height 500 mm	0,-
D21137	☐	Adjustable 6-piece back cover (mounting through local dealer)	294,-
D21338	☐	Back cushion Netti Smart – with 120 mm side support with 3D cover – only in combination with D21137	357,-
D21335	☐	Back cushion Netti Stabil – with 170 mm side support with 3D cover – only in combination with D21137	574,-
D21336	☐	Back cushion Netti Super Stabil – with 170 mm reinforced side support with 3D cover – only in combination with D21137	671,-
D20630	☐	Back cushion Netti Kyphotic with Stella/3D cover - only in combination with D21137	768,-
D21084	☐	Back wedge	195,-
D21042	☐	Lumbar support	195,-


Netti Dynamic FREE back gas spring

Price on request

Allows up to 40° trunk movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Incl. frame extension D28001 and Bodypoint Evoflex pelvic stabilizer 2-point belt:

Size XS ☐ M ☐ L ☐

For more information and choice of gas spring, feel free to contact us or have a look at our website. If combined with other options, please send us a request as some solutions are only possible as special adaptations.

- | | | |
|---------------------------------------|---------------------------------------|---------------------------------------|
| ☐ D82226 200N | ☐ D82227 300N | ☐ D82228 400N |
| ☐ D82229 500N | ☐ D82230 600N | ☐ D82231 700N |
| ☐ D82232 800N | ☐ D82233 900N | ☐ D82234 1000N |
| ☐ D82235 1100N | ☐ D82236 1200N | ☐ D82237 1300N |

For Netti Dynamic System with dynamic seat unit, please see the Netti Dynamic Base order form.

D87903	☐	Recline limiter (possible to limit in different positions from 116° - 134°) for the Netti Dynamic Free back spring (to be mounted by the dealer)	Price on request
		Libertas 15° back flexibility incl. long anti tips and frame extender (not allowed as seat in a car)	Price on request
		☐ D82411 80N ☐ D82412 120N ☐ D82413 160N	

SEAT UNIT (for belts please see page 8)

Standard	☒	Seating plate	0,-
D21000	☐	Seat cushion Netti Uno with 3D cover	206,-
D21048	☐	Incontinence cover for seat cushion	249,-
D21777	☐	Pressure relief seat cushion Netti Sit with 3D cover, incl. incontinence layer	411,-
D21017	☐	Pressure relief seat cushion Netti Sit 3D/°C with temperature regulating features and incontinence layer under the 3D cover	574,-
D40001	☐	Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ (If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer rather than shorter.)	850,-
D40002	☐	Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ (If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer rather than shorter.)	1050,-

D40003	☐	Netti Precision permeable Incontinence cover – Change of cover for D40001/D40002. Breathable, elastic and durable. Transports liquid away from the skin and collects it in watertight space, so that the surroundings are not contaminated.	0,-
D27493	☐	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	271,-
D27494	☐	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	271,-
D27495	☐	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	271,-

LEG SUPPORTS

For the Netti 4U Base you have 5 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports

	Standard	☒ Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	0,-
D32296	☐	Extra-long knee upholstery 550 mm – 3D cover	299,-
D88211	☐	Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
D23014	☐	Footfixation	151,-
		Bodypoint ankle huggers with upholstery	
	☐	D44863 S (L: 170-200 mm)	249,-
	☐	D44864 M (L: 190-230 mm)	249,-
	☐	D44865 L (L: 220-290 mm)	260,-
	☐	D44904 XL (L: 280-330 mm)	281,-
D21008	☐	Gas spring for angle adjustment	1.017,-
D21044	☐	Foot board, adjustable	336,-
D21041	☐	Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	530,-
D21745	☐	Calf support bracket upholstery - pair - skai cover	65,-
D41617	☐	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	228,-
D28453	☐	Foot plate upholstery - pair - skai cover	314,-
D86900	☐	Bodypoint calf strap M	186,-
D86901	☐	Bodypoint calf strap L	186,-

Universal leg supports

	D24005	☐ Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. No calf supports, delivered with heel strap.	141,-
		Bodypoint ankle huggers with upholstery incl. mounting kit	
	☐	D44863 S (L: 170-200 mm)	249,-

	☐	D44864	M (L: 190-230 mm)	249,-
	☐	D44865	L (L: 220-290 mm)	260,-
	☐	D44904	XL (L: 280-330 mm)	281,-
D23014	☐	Footfixation		151,-
D21044	☐	Foot board, adjustable (no heel strap)		336,-
D21041	☐	Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)		530,-
D86900	☐	Bodypoint calf strap M		186,-
D86901	☐	Bodypoint calf strap L		186,-

Netti Grandis angle adjustable leg supports

D88600		☐ Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis. The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	1.131,-
D88602	☐	Calf support upholstery extra soft - pair (3D or EC cover depending on the fabric for the whole chair)	217,-
D88607	☐	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	116,-
D21745	☐	Calf support bracket upholstery - pair - skai cover	65,-
D88014	☐	Foot fixation, pair incl. mounting kit	243,-
D88603	☐	Foot board, lockable and upwards swingable	398,-
D88605	☐	Footbox, upholstered with Skai cover (approved for car transport)	750,-
D21293	☐	Calf strap	98,-
D86900	☐	Bodypoint calf strap M	186,-
D86901	☐	Bodypoint calf strap L	186,-
		Bodypoint ankle huggers with upholstery	
	☐	D88863 S (L: 170-200 mm)	337,-
	☐	D88864 M (L: 190-230 mm)	337,-
	☐	D88865 L (L: 220-290 mm)	347,-
	☐	D88866 XL (L: 280-330 mm)	371,-

Netti Grandis amputation support

D88618	☐	Amputation support left incl. Netti Grandis leg support right side	1.085,-
D88619	☐	Amputation support right incl. Netti Grandis leg support left side	1.085,-
D800	☐	Amputation support left + right – requires frame extension	1.513,-

Netti Grandis leg support with fixed angle

	D88612	☐ Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.	1.131,-
		The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	
	D88603	☐ Foot board, lockable and upwards swingable (no heel strap)	398,-
	D88605	☐ Footbox, upholstered with Skai cover (approved for car transport)	750,-

Netti Dynamic angle adjustable leg supports

		Netti Dynamic angle adjustable leg rests with calf supports and footboard, 100N.	Price on request
	D82296	☐ Adjustment piece 300 mm (lower leg length 450-550 mm)	
	D82298	☐ Adjustment piece 214 mm (lower leg length 350-450 mm)	
	D82318	☐ Adjustment piece 300 mm (lower leg length 450-550 mm)	
	D82319	☐ Adjustment piece 214 mm (lower leg length 350-450 mm)	
	D32296	☐ Extra-long knee upholstery 550 mm – 3D cover	299,-
	D45245	☐ Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
	D88211	☐ Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
		Bodypoint ankle huggers with upholstery	
	D44863	S (L: 170-200 mm)	249,-
	D44864	M (L: 190-230 mm)	249,-
	D44865	L (L: 220-290 mm)	260,-
	D44904	XL (L: 280-330 mm)	281,-
	D21081	☐ Extra abduction for leg rests (+50 mm) adjustment of the calf supports will be limited (not approved for car transport, if this is needed please contact customer service)	444,-
	D21745	☐ Calf support bracket upholstery - pair - skai cover	65,-
	D41617	☐ Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	228,-
	D86900	☐ Bodypoint calf strap M	186,-
	D86901	☐ Bodypoint calf strap L	186,-

ARMRESTS AND ACCESSORIES

Standard		Height and depth adjustable - revolvable	0,-
Standard		Arm pads 385 x 58 mm	0,-

D41649	☐	Arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	119,-
D23003	☐	Hemiplegic cushion	228,-
D29459	☐	Arm support hemiplegic, left (can only be combined with a tray in special adaptation)	346,-
D29460	☐	Arm support hemiplegic, right (can only be combined with a tray in special adaptation)	346,-



Decon E-Drive or Decon E-move

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN WHEELS

Standard	☒	Main wheels 16" PU with drum brakes (mounting through local dealer).	0,-
INT70315	☐	Main wheels 12" PU with drum – frame brakes are not compatible with the 12" wheels. Please contact us for an offer of a frame brake option.	475,-
D22018	☐	Main wheels 24" PU incl. user brakes	151,-
D21085	☐	Drum brakes (only to choose in combination with D22018)	271,-
D22006	☐	Main wheels wide: 1 3/8 PU infill (only to choose in combination with D22018)	76,-
D22008	☐	Main wheels pneumatic – only 24 x 1 3/8 available (only to choose in combination with D22018)	76,-
D20834	☐	One hand drive for 24" wheels PU – left (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)	1.276,-
D20836	☐	One hand drive for 24" wheels PU – right (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)	1.276,-
D22013	☐	Push rim cover 24", pair	130,-
D22009	☐	Spoke protectors for 24" wheels – transparent (not for one hand drive)	163,-

FRONT WHEELS

Standard	☒	Front wheels: 7" – 175 x 33 PU	0,-
D21021	☐	Front wheels: 7" – 175 x 45 PU wheel - puncture proof - with PU infill (necessary for supportive engines)	98,-
D21012	☐	Front wheels: 7" – 175 x 45 pneumatic	98,-



VARIOUS ACCESSORIES

D21239	☐	Tool kit	108,-
D41987	☐	Intravenous rack	346,-
IS-D80085	☐	Universal device basket incl. frame extension D28001 SW 450: W: 405 mm, D: 305 mm, H: 70 mm (for other seat widths please subtract or add from SW 450 mm) Max. capacity 6 kg / Combination with 12+16" wheels is possible but requires special adaptation. For information concerning car transport, please see the user manual of the device basket on our website.	Price on request

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit

						
[A]	[B]	[C]	[D]	[E]	[F]	
D86282	☐	Belt bracket kit – seat [A]				112,-
D20845	☐	Hip belt, with upholstery and car belt lock [B]				130,-
		Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting kit [C]				288,-
D86902	☐	XS (overall pad length: 380 mm)				
D86891	☐	M (overall pad length: 460 mm)				
D86892	☐	L (overall pad length: 620 mm)				
		Bodypoint 2-point hip belt incl. mouting kit				260,-
D45273	☐	XS (overall pad length: 360 mm)				
D45274	☐	S (overall pad length: 400 mm)				
D45275	☐	M (overall pad length: 460 mm)				
D45040	☐	Security cover for type [C], [D] and [F] in XS/M/L				76,-
		Bodypoint 4-point pelvic stabiliser incl. mounting kit [D]				436,-
D86889	☐	XS (overall pad length: 360 mm)				
D86893	☐	M (overall pad length: 460 mm)				
D86894	☐	L (overall pad length: 620 mm)				
D60001	☐	Abduction belt [E]				574,-
		Bodypoint supportive universal elastic strap				195,-
D45084	☐	S (Height 80 mm - 1420 mm long, easily cut-to-length)				
D45085	☐	L (Height 110 mm - 1420 mm long, easily cut-to-length)				
D45086	☐	XL (Height 150 mm - 1420 mm long, easily cut-to-length)				



NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a




NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@alurehab.no
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyra.no

Phone +47 51 78 62 20
+45 87887300

quote concerning your individual solution.

See examples and more about our special solutions online.

CUSTOM MADE – most wanted special adapted items (price on request)



A



B





C

- | | |
|--------------------------|---|
| ☐ | Reinforced foot board in aluminium (A) |
| ☐ | Extra-long calf supports (please state length) (B) |
| ☐ | Calf support upholstery in special length or material |
| ☐ | Back cushion with special side support (C) |
| ☐ | Footboard that swings horizontally forwards |
| ☐ | Sliding seat (for positioning and transfer) |
| ☐ | Seat width extension for SW 500 mm |

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.




Please inform us if there are any special circumstances in the living area that has an influence for the chair:
e.g. the total possible width _____ mm and length _____ mm of the chair.


TECHNICAL DATA

Tilt (seat)	-8° to +22°
Recline (back)	92° to 137°
Total width of the wheelchair	Seat width +180 mm (24" std. wheels)/ + 195 mm (24" DB wheels) / +170 mm (16" DB wheels)
Total length	1130 mm with leg rests
Total height	1100 mm
Distance arm support to seatplate	Min. 265 mm / max. 355 mm
Weight of wheelchair	App. 29 kg (without cushions)
Frame colour	Silver
Cover variant	3D cover
Crashtest	ISO 7176-19 (Max. load is 135 kg minus weight of seating unit) – for more information concerning car transport, please see the user manual on our website.

Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm

Seat height – WITHOUT seat cushion (measured from floor to seat plate)





Measurements

A Hip width/Seat width	_____ mm
B Thigh length / seat depth	_____ mm
C Arm rest height	_____ mm
D Leg length / seat height	_____ mm
E Backrest height	_____ mm
F Trunk width	_____ mm