



Date _____

Customer code C- _____

Invoice address _____

Contact person _____

Reference _____

Other delivery address _____

☐ Invoice address = delivery address

☐ Quote

☐ The chair will be used as seat for car transport.

Basic price 2.585,- € Excl. VAT

Seat width D64035 ☐ 350 mm
D64040 ☐ 400 mm
D64045 ☐ 450 mm
D64050 ☐ 500 mm

Capacity Max. 135 kg

Seat height See page 9

Seat depth 425-500 mm adjustable by
25 mm per step (optional 375-450 mm with
D64000)

D28002 ☐ Seat depth adjustment (Std: 500 mm) ☐ 425 mm ☐ 450 mm ☐ 475 mm 76,- €

D64000 ☐ **Short version CES+** (incl. 22" + 6" wheel) 324,- €

D28002 ☐ Seat depth adjustment (Std: 450 mm) ☐ 375 mm ☐ 400 mm ☐ 425 mm 76,- €

D22154 ☐ Side upholstery for armrest (reduces SW with 2 x 20 mm) 163,- €

D80913 ☐ Seat width extension kit (extends SW with 20 or 40 mm) 87,- €

 = **Standard equipment**

Item	Description	Price in €
Standard 	Head support A, with side support	0,-
D26574 ☐	Head support B, oval	0,-
D26573 ☐	Head rest C, square	0,-
D26576 ☐	Head support D, comfort (pressure distributive)	260,-
D82567 ☐	Head support A with head band (not approved as seat for car transport – if this is needed please order an additional Netti headrest)	370,-
D82568 ☐	Extra comfort pads for the head band of D82567, pair	35,-
D64085 ☐	Drum brakes with quick release	271,-
D25059 ☐	Universal tray	243,-
D21052 ☐	Upholstery for tray	130,-
D86145 ☐	Side support Basic, pair	399,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20

DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

D20845	☐	Hip belt, with upholstery and car belt lock	130,-
D21122	☐	3D cover for the complete chair	195,-
D21076	☐	Configuration for car transportation for users higher than 185 cm incl.: D41006 Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm) D21054 Vertical tube for headrest - 500 mm D82025 Headrest adapter in aluminium	606,-

FRAME

Standard	☒	Push handles 300 mm	0,-
Standard	☒	Anti tip – swingable	0,-
Standard	☒	User brakes, brake handle can be folded forward	0,-
Standard	☒	Car fasteners – if an accessory means that the wheelchair is not approved for use as seat in a car, the chair will be delivered without car fasteners.	0,-
D86099	☐	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	182,-
D27282	☐	One-hand-brake, right (only in combination with drum brakes)	389,-
D27283	☐	One-hand-brake, left (only in combination with drum brakes)	389,-
D81740	☐	Push bow, height and angle adjustable	389,-
D28972	☐	Anti tip with pedal, pair	216,-
D29474	☐	Tilt restrictor (no negative tilt forward)	43,-
D28001	☐	Frame extension including longer antitippers	324,-

BACK UNIT (please also see page 1 - for belts please see page 8)

Standard	☒	Back cushion Netti Uno - with 100 mm side support - Easy Care cover	0,-
Standard	☒	Back height 500 mm incl. one piece fabric back with cut out for easy mounting of side supports (available from 12/2025 as ongoing update)	0,-
D21137	☐	Adjustable 6-piece back cover (mounting through local dealer)	294,-
D21138	☐	Adjustable 6-piece back cover with cut for side supports (mounting through local dealer)	324,-
D21338	☐	Back cushion Netti Smart – with 120 mm side support - Easy Care cover	357,-
D27375	☐	Side support correction with upholstery right – for Netti Uno and Smart	228,-
D27374	☐	Side support correction with upholstery left – for Netti Uno and Smart	228,-
D41006	☐	Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	240,-
D71335	☐	Back cushion Netti Stabil – with 170 mm side support - Easy Care cover. Including the adjustable 6-piece back cover for optimum positioning (mounting through local dealer)	851,-

D71235	☐	Back cushion Netti Stabil – with 170 mm side support - Easy Care cover. Including the adjustable 6-piece back cover with cut for side supports for optimum positioning (mounting through local dealer)	872,-
D71336	☐	Back cushion Netti Super Stabil – with 170 mm reinforced side support - Easy Care cover. Including the adjustable 6-piece back cover for optimum positioning (mounting through local dealer)	945,-
D71236	☐	Back cushion Netti Super Stabil – with 170 mm reinforced side support - Easy Care cover. Including the adjustable 6-piece back cover with cut for side supports for optimum positioning (mounting through local dealer)	966,-
D20631	☐	Back cushion Netti Kyphotic only back height 500 mm in Stella/3D cover. Including the adjustable 6-piece back cover for optimum positioning (mounting through local dealer)	1040,-
D20632	☐	Back cushion Netti Kyphotic only back height 500 mm in 3D/Stella cover. Including the adjustable 6-piece back cover with cut for side supports for optimum positioning (mounting through local dealer)	1061,-
D26831	☐	Side support Stable left – for Netti Stabil, Super Stabil & Kyphotic	260,-
D26844	☐	Side support Stable right – for Netti Stabil, Super Stabil & Kyphotic	260,-
D27541	☐	Side support upholstery Stable, pair	163,-
		Libertas 15° back flexibility incl. long anti tips and frame extender (not approved as seat for car transport)	Price on request
		☐ D82411 80N ☐ D82412 120N ☐ D82413 160N	

SEAT UNIT (please also see page 1 - for belts please see page 7)

Standard	☒	Seat cushion Netti Uno with Easy Care cover	0,-
D21048	☐	Incontinence cover for seat cushion	249,-
D21777	☐	Pressure relief seat cushion Netti Sit with Easy Care cover	411,-
D21017	☐	Pressure relief seat cushion Netti Sit 3D/°C with temperature regulating features and incontinence layer under the 3D cover	574,-
D40001	☐	Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ (If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer cushion rather than shorter.)	850,-
D40002	☐	Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ (If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer cushion rather than shorter.)	1050,-
D40003	☐	Netti Precision permeable Incontinence cover – Change of cover for D40001/D40002. Breathable, elastic and durable. Transports liquid away from the skin and collects it in watertight space, so that the surroundings are not contaminated.	0,-
D27493	☐	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	271,-
D27494	☐	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	271,-
D27495	☐	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	271,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20

DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

LEG SUPPORTS

For the Netti 4U CE Plus you have 2 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports

	Standard	■ Manually angle adjustable leg supports with	0,-
		-automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	
	D88211	□ Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
		Bodypoint ankle huggers with upholstery	
		□ D44863 S (L: 170-200 mm)	249,-
		□ D44864 M (L: 190-230 mm)	249,-
		□ D44865 L (L: 220-290 mm)	260,-
		□ D44904 XL (L: 280-330 mm)	281,-
	D21745	□ Calf support bracket upholstery - pair - skai cover	65,-
	D41617	□ Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	228,-
	D23014	□ Footfixation	151,-
	D21044	□ Footboard with lock	336,-
	D28453	□ Foot plate upholstery - pair - skai cover	314,-

Universal leg supports

	D24005	□ Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. Delivered without calf supports, but with heel straps.	141,-
		Bodypoint ankle huggers with upholstery incl. mounting kit	
		□ D44863 S (L: 170-200 mm)	249,-
		□ D44864 M (L: 190-230 mm)	249,-
		□ D44865 L (L: 220-290 mm)	260,-
		□ D44904 XL (L: 280-330 mm)	281,-
	D23014	□ Footfixation	151,-
	D21044	□ Footboard with lock (no heel straps)	336,-

ARM SUPPORTS AND ACCESSORIES

Standard	■	Removable arm rests, height and depth adjustable	0,-
Standard	■	Arm pads 385 x 58 mm	0,-
D41649	□	Arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	119,-
D21077	□	Arm pads 420 x 80 mm	130,-

D41650	☐	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	141,-
D23003	☐	Hemiplegic cushion	228,-
D22185	☐	Arm support hemiplegic, left (can only be combined with a tray in special adaptation)	346,-
D22186	☐	Arm support hemiplegic, right (can only be combined with a tray in special adaptation)	346,-
D23001	☐	Lock for arm support (mounting through local dealer)	87,-



Decon E-Drive or Decon E-move

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN WHEELS

Standard	☒	Main wheels 24 x 1" PU, galvanized with quick release	0,-
D22007	☐	Main wheels 22 x 1" PU incl. 6" front wheels	151,-
D22006	☐	Main wheels wide: 1 3/8 PU infill	76,-
D22008	☐	Main wheels pneumatic – only 24 x 1 3/8 available	76,-
D20834	☐	One hand drive for 24" wheels PU – left (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)	1.276,-
D20836	☐	One hand drive for 24" wheels PU – right (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)	1.276,-
INT70315	☐	Main wheels 12½" PU with drum brakes – frame brakes are not compatible with the 12" wheels. Please contact us for an offer of a frame brake option. (Please note! Mounting of brake plates and handles for drum brakes is prepared by us, but the wheels are to be mounted by the dealer).	475,-
INT70316	☐	Main wheels 16" PU with drum brakes. (Please note! Mounting of brake plates and handles for drum brakes is prepared by us, but the wheels are to be mounted by the dealer).	475,-
D22009	☐	Hand- and spoke protector, pair (not for one hand drive)	163,-
D22013	☐	Push rim cover, pair	130,-

FRONT WHEELS

Standard	☒	Front wheels: 7" -175 x 33 PU	0,-
D21021	☐	Front wheels: 7" – 175 x 45 PU wheel - puncture proof - with PU infill (necessary for supportive engines)	98,-
D21012	☐	Front wheels: 7" – 175 x 45 pneumatic	98,-

HEAD SUPPORTS AND ACCESSORIES FOR HEAD SUPPORTS (please also see page 1)

D82025	☐	Headrest adapter aluminium	260,-
D27577	☐	Headrest E with adjustable side supports	336,-
D27578	☐	Headrest F with cheek support (not approved as seat for car transport – if this is needed please order an additional Netti headrest)	336,-
D23004	☐	Comfort cushion for head rest type C – removable with Stella cover	195,-
D23012	☐	Easy Care cover for head rest type A, B, C – removable	98,-
D23013	☐	3D cover for head rest type A, B, C – removable	98,-
D23015	☐	Grey head rest cushion with Stella cover	249,-
D21064	☐	Headrest adjustment tube (horizontal) + 50 mm, length 200 mm	98,-
D21027	☐	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	98,-
D21065	☐	Headrest adjustment tube (horizontal) + 150 mm, length 300 mm	98,-
D21028	☐	Headrest adjustment tube (horizontal) + 230 mm, length 380 mm	108,-
D21054	☐	Headrest adjustment tube (vertical) + 100 mm, length 500 mm	98,-
D26677	☐	MYSeat head support (3 joints) Easy to adjust – Takes little space – Crash tested Artificial leather or textile cover depending on fabric choice for the whole chair. Multifunctional head support with adjustable sides. Horizontal, vertical and angle adjustable. Width 250 mm.	562,-
D90034	☐	Extra joint for MYSeat head support extension – needed for back height 600 mm.	87,-



[A]
[B]
[C]

D45370	☐	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45371	☐	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45373	☐	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	☐	Headrest adjustment tube (horizontal) +100 mm, length 250 mm	Price on request

D45368	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved as seat for car transport – if this is needed please order an additional standard Netti headrest)	Price on request
D89559	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not approved as seat for car transport – if this is needed please order an additional standard Netti headrest)	Price on request

TRAYS (please also see page 1)

D21050	☐	Tray reinforced	411,-
D24001	☐	Tray swingable	281,-
D24002	☐	Tray lockable	281,-
D93316	☐	Tray spacer for swingable or lockable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	21,-

VARIOUS ACCESSORIES

D21239	☐	Tool kit	108,-
D41987	☐	Intravenous rack	346,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit




D86282	☐	Belt bracket kit – seat [A]	112,-
D20845	☐	Hip belt, with upholstery and car belt lock [B]	130,-
		Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting kit [A+C]	288,-
D86902	☐	XS (overall pad length: 380 mm)	
D86891	☐	M (overall pad length: 460 mm)	
D86892	☐	L (overall pad length: 620 mm)	
		Bodypoint 2-point hip belt incl. mounting kit [A+F]	260,-
D45273	☐	XS (overall pad length: 360 mm)	
D45274	☐	S (overall pad length: 400 mm)	
D45275	☐	M (overall pad length: 460 mm)	
D45040	☐	Security cover for type [C], [D] and [F] in XS/M/L	76,-

		Bodypoint 4-point pelvic stabiliser incl. mounting kit [2xA+D]	436,-
D86889	☐	XS (overall pad length: 360 mm)	
D86893	☐	M (overall pad length: 460 mm)	
D86894	☐	L (overall pad length: 620 mm)	
D60001	☐	Abduction belt [E]	574,-
		Bodypoint supportive universal elastic strap	195,-
D45084	☐	S (Height 80 mm - 1420 mm long, easily cut-to-length)	
D45085	☐	L (Height 110 mm - 1420 mm long, easily cut-to-length)	
D45086	☐	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	



Belts and accessories for back unit

					
[A]		[B]	[C]	[D]	[E]
D86890	☐	H-harness adaptor kit [A]			286,-
		For optimal ergonomics, position the h-belt adapter so the belt goes horizontally from fixation point over the top of the shoulders. This helps to maintain an optimal position (not being pushed down) and prevents shoulder strain. The push handles cannot be adjusted higher than the H-belt adapter itself, therefore, the H-belt adapter cannot be combined with push handles 500mm.			
D20881	☐	H-belt, with upholstery and car belt lock [B]			271,-
D41645	☐	Belt cross harness [C]			206,-
		Bodypoint Stayflex chest support without zipper [D]			282,-
D89805	☐	XS (Shoulder width 240-280 mm)			
D89898	☐	S (Shoulder width 380-330 mm)			
D86895	☐	M (Shoulder width 330-410 mm)			
D86896	☐	L (Shoulder width 410-480 mm)			
		Bodypoint Pivofit shoulder harness [E]			282,-
D89802	☐	XS (Shoulder width 240-280 mm)			
D89803	☐	S (Shoulder width 380-330 mm)			
D86898	☐	M (Shoulder width 330-410 mm)			
D86899	☐	L (Shoulder width 410-480 mm)			

TECHNICAL DATA



Tilt (seat)	-5° to +20°
Recline (back)	90° to 135°
Total width of the wheelchair	Seat width + 180 mm (std. wheels)/ + 195 mm (DB wheels) / +170 mm (12" + 16" DB wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seat plate	Min. 270 mm/ max. 360 mm
Weight of wheelchair	App. 29 kg (without cushions)

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20



DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

Frame colour	Silver
Cover variant	Easy Care (optional 3D cover with D21122)
Crash test	ISO 7176-19 (135 kg)

Seat height – WITHOUT seat cushion (measured from floor to seat plate)

Netti 4U comfort View side frame left	Seat heights by using different rear/front wheels and different frame- and front castor positions
Front wheel  Front wheel upper hole = Rear hole 1 22" = 440 mm Rear hole 1 24" = 465 mm Rear hole 3 16" = 460 mm Rear hole 4 12" = 460 mm Front wheel lower hole = Rear hole 2 22" = 475 mm Rear hole 2 24" = 500 mm Rear hole 4 16" = 510 mm	Frame rear side  Hole 1 = 22" & 24" 22" = Seat height 440 mm 24" = Seat height 465 mm STD Hole 2 = 22" & 24" 22" = Seat height 475 mm 24" = Seat height 500 mm Hole 3 = 16" Seat height 460 mm Hole 4 = 12" & 16" 12" = Seat height 460 mm 16" = Seat height 510 mm

Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm



Measurements

A Hip width/Seat width	_____ mm
B Thigh length / seat depth	_____ mm
C Arm rest height	_____ mm
D Leg length / seat height	_____ mm
E Backrest height	_____ mm
F Trunk width	_____ mm