



Date _____

Customer code C- _____

Invoice address _____

Contact person _____

Reference _____

Other delivery address _____

☐ Invoice address = delivery address

☐ Quote

☐ The chair will be used as seat for car transport.

Basic price: 4.882,- €

Excl. VAT

Seat width

D65055 ☐ 550 mm

D65060 ☐ 600 mm

Capacity

Max. 160 kg

Seat height

See page 7

Seat depth

425 – 500 mm adjustable
25 mm per step

D29488 ☐ Arm support comfort pads (reduces SW with 2 x 15 mm)

163,- €

D28002 ☐ Seat depth adjustment

76,- €

☐ 425 mm ☐ 450 mm ☒ 475 mm ☐ 500 mm

☒ = Standard equipment

Item nr.	Description	Price in €
Standard ☒	Head rest A, with side support	0,-
D27574 ☐	Head rest B, small, oval	0,-
D27573 ☐	Head rest C, large, square	0,-
D27572 ☐	Head rest D, comfort (pressure distributive)	260,-
D82567 ☐	Headrest A with side support and head band (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	370,-
D82568 ☐	Extra comfort pads for the head band of D82567, pair	35,-
D22085 ☐	Drum brakes (brake handles mounted on push bow)	271,-
D21063 ☐	Universal tray for SW 550-600 mm	303,-
D21052 ☐	Upholstery for tray	130,-
D20845 ☐	Hip belt, with upholstery and car belt lock	130,-
D21022 ☐	Easy Care cover (not available for Netti Sit 3D/°C)	0,-
D21076 ☐	Configuration for car transportation for users higher than 185 cm incl.: D41006 Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	606,-

D21054 Vertical tube for headrest - 500 mm
D82025 Headrest adapter in aluminium

FRAME

Standard	☒	Angle adjustable push bow	0,-
Standard	☒	Anti tip, swingable	0,-
Standard	☒	User brake	0,-
Standard	☒	Car fasteners – if an accessory means that the wheelchair is not approved for use as seat in a car, the chair will be delivered without car fasteners.	0,-
D86099	☐	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	182,-
D27282	☐	One-hand-brake, right (only in combination with drum brakes)	389,-
D27283	☐	One-hand-brake, left (only in combination with drum brakes)	389,-
D28972	☐	Anti tip with pedal, pair	216,-
D29474	☐	Tilt-restrictor (no negative tilt frontwards)	43,-
D28001	☐	Frame extension including longer anti tippers	324,-

BACK UNIT (for belts please see page 9)

Standard	☒	Back cushion Netti Uno with 100 mm side support with 3D cover	0,-
Standard	☒	Back height 500 mm (incl. adjustable velcro back)	0,-
D44993	☐	Adjustable velcro with cut for side supports	314,-
D41006	☐	Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	240,-
D21338	☐	Back cushion Netti Smart with 120 mm side support – 3D cover	357,-
D27374	☐	Side support Correction with upholstery left - for Netti Uno and Smart	228,-
D27375	☐	Side support Correction right with upholstery - for Netti Uno and Smart	228,-
D21333	☐	Back cushion Netti Stabil – with 170 mm side support - 3D cover	574,-
D21334	☐	Back cushion Netti Super Stabil – with 170 mm reinforced side support - 3D cover	671,-
D26831	☐	Side support Stable left - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	260,-
D26844	☐	Side support Stable right - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	260,-
D27541	☐	Side support upholstery Stable, pair	163,-
D27700	☐	Firm back in aluminium, back height 500 mm	389,-
D27708	☐	Firm back in aluminium, back height 600 mm (incl. D41006 back extender - only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	639,-
D21084	☐	Back wedge	195,-
D21042	☐	Lumbar support	195,-
		Libertas 15° back flexibility incl. long anti tips and frame extender (Max. user weight 135 kg, not for transport in car)	Price on request
	☐	D82411 80N	
	☐	D82412 120N	
	☐	D82413 160N	



Netti Dynamic FREE back cylinder

Price on request

Allows up to 40° trunk movements backwards. (Max. user weight 135 kg). The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Incl. frame extension D28001 and Bodypoint pelvic stabilizer 2-point belt.

For more information and choice of gas spring, feel free to contact us or have a look at our website. If combined with other options, please send us a request as some solutions are only possible as special adaptations.

☐ D82226 200N	☐ D82227 300N	☐ D82228 400N
☐ D82229 500N	☐ D82230 600N	☐ D82231 700N
☐ D82232 800N	☐ D82233 900N	☐ D82234 1000N
☐ D82235 1100N	☐ D82236 1200N	☐ D82237 1300N

SEAT UNIT (for belts please see page 8)

Standard	☒	Seat cushion Netti Uno 3D cover	0,-
D21048	☐	Netti Dry incontinence cover for seat cushion	249,-
D21007	☐	Pressure relief seat cushion Netti Sit – 3D cover incl. incontinence layer	411,-
D21017	☐	Pressure relief seat cushion Netti Sit 3D/°C with temperature regulating features and incontinence layer under the 3D cover	574,-
D40001	☐	Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ (For seat depths 425 + 450 mm, ask for a special adaptation quote. If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer rather than shorter.)	850,-
D40002	☐	Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ (For seat depths 425 + 450 mm, ask for a special adaptation quote. If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer rather than shorter.)	1050,-
D40003	☐	Netti Precision permeable Incontinence cover – Change of cover for D40001/D40002. Breathable, elastic and durable. Transports liquid away from the skin and collects it in watertight space, so that the surroundings are not contaminated.	0,-
D27493	☐	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	271,-
D27494	☐	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	271,-
D27495	☐	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	271,-

LEG SUPPORTS

For the Netti 4U CED XL you have 5 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports

	Standard	■ Manually angle adjustable leg supports with	0,-
		-automatic length adjustment	
		-angle adjustable foot plates	
		-calf supports and knee upholstery	
	D32296	☐ Extra-long knee upholstery 550 mm – 3D cover	299,-
	D88211	☐ Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
	D23014	☐ Footfixation	151,-
		Bodypoint ankle huggers with upholstery	
	☐ D44863	S (L: 170-200 mm)	249,-
	☐ D44864	M (L: 190-230 mm)	249,-
	☐ D44865	L (L: 220-290 mm)	260,-
	☐ D44904	XL (L: 280-330 mm)	281,-
	D21008	☐ Gas spring for angle adjustment	1.017,-
	D21044	☐ Foot board with lock	336,-
	D21041	☐ Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	530,-
	D21745	☐ Calf support bracket upholstery - pair - skai cover	65,-
	D41617	☐ Calf support upholstery extra soft - pair - 3D cover	228,-
	D28453	☐ Foot plate upholstery - pair - skai cover	314,-
	D86900	☐ Bodypoint calf strap M	186,-
	D86901	☐ Bodypoint calf strap L	186,-

Universal leg supports

	D24005	☐ Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed	141,-
		Bodypoint ankle huggers with upholstery incl. mounting kit	
	☐ D44863	S (L: 170-200 mm)	249,-
	☐ D44864	M (L: 190-230 mm)	249,-
	☐ D44865	L (L: 220-290 mm)	260,-
	☐ D44904	XL (L: 280-330 mm)	281,-
	D21044	☐ Foot board with lock (without heel strap)	336,-
	D21041	☐ Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	530,-
	D86900	☐ Bodypoint calf strap M	186,-
	D86901	☐ Bodypoint calf strap L	186,-

Netti Grandis angle adjustable leg supports

	D88600	☐ Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	1.131,-
	The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.		
	D88602	☐ Calf support upholstery extra soft - pair (3D or EC cover depending on the fabric for the whole chair)	217,-
	D88607	☐ Knee upholstery for the upper lower leg – pair (3D or EC cover depending on the fabric for the whole chair)	116,-
	D21745	☐ Calf support bracket upholstery - pair - skai cover	65,-
	D88014	☐ Foot fixation, pair incl. mounting kit	243,-
	D88603	☐ Foot board, lockable and upwards swingable	398,-
	D88605	☐ Footbox, upholstered with Skai cover (approved for car transport)	750,-
	D21293	☐ Calf strap	98,-
	D86900	☐ Bodypoint calf strap M	186,-
	D86901	☐ Bodypoint calf strap L	186,-
	Bodypoint ankle huggers with upholstery		
	☐ D88863 S (L: 170-200 mm)		337,-
	☐ D88864 M (L: 190-230 mm)		337,-
	☐ D88865 L (L: 220-290 mm)		347,-
	☐ D88866 XL (L: 280-330 mm)		371,-

Netti Grandis amputation support

D88618	☐ Amputation support left incl. Netti Grandis leg support right side	1.085,-
D88619	☐ Amputation support right incl. Netti Grandis leg support left side	1.085,-
D800	☐ Amputation support left + right – requires frame extension	1.513,-

Netti Grandis leg support with fixed angle

	D88612	☐ Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.	1.131,-
	The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.		
	D88603	☐ Foot board, lockable and upwards swingable (no heel strap)	398,-
	D88605	☐ Footbox, upholstered with Skai cover (approved for car transport)	750,-

Netti Dynamic angle adjustable leg supports

		Netti Dynamic angle adjustable leg rests with calf supports and footboard, 100N.	Price on request
	D82296	☐ Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
	D82298	☐ Adjustment piece 214 mm (lower leg length 350-450 mm)	
	Adjustable for different thigh lengths:		
	D82318	☐ Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
	D82319	☐ Adjustment piece 214 mm (lower leg length 350-450 mm)	
	D32296	☐ Extra-long knee upholstery 550 mm – 3D cover	299,-
	D45245	☐ Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
	D88211	☐ Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
	Bodypoint ankle huggers with upholstery		
	☐ D44863	S (L: 170-200 mm)	249,-
	☐ D44864	M (L: 190-230 mm)	249,-
	☐ D44865	L (L: 220-290 mm)	260,-
	☐ D44904	XL (L: 280-330 mm)	281,-
	D21745	☐ Calf support bracket upholstery - pair - skai cover	65,-
	D41617	☐ Calf support upholstery extra soft - pair - 3D cover	228,-
	D86900	☐ Bodypoint calf strap M	186,-
	D86901	☐ Bodypoint calf strap L	186,-

ARM REST AND ACCESSORIES FOR ARM REST

Standard		Arm rest height and depth adjustable, revolvable	0,-
Standard		Arm pads 385 x 58 mm	0,-
D21077	☐	Arm pads 420 x 80 mm	130,-
D41649	☐	Arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	119,-
D41650	☐	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	141,-
D23003	☐	Hemiplegic cushion	228,-
D29459	☐	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	346,-
D29460	☐	Arm support hemiplegic right (can only be combined with a tray in special adaptation)	346,-



Decon E-Drive or Decon E-move

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form


MAIN AND FRONT WHEELS

Standard	☒	Main wheel 24 x 1" PU + front wheel 7" – 175 x 33 PU	0,-
D21021	☐	Front wheels: 7" – 175 x 45 PU wheel - puncture proof - with PU infill (necessary for supportive engines)	98,-
D21012	☐	Front wheels: 7" – 175 x 45 pneumatic	98,-
D22007	☐	Main wheel 22 x 1" PU + front wheel 6" 150 x 30 PU	151,-
D22006	☐	Main wheels wide: 1 3/8 PU infill	76,-
D22008	☐	Main wheels pneumatic – only 24 x 1 3/8 available	76,-
INT70315	☐	Main wheels 12½" PU with drum brakes – frame brakes are not compatible with the 12" wheels. Please contact us for an offer of a frame brake option. (Please note! Mounting of brake plates and handles for drum brakes is prepared by us, but the wheels are to be mounted by the dealer).	475,-
INT70316	☐	Main wheels 16" PU with drum brakes. (Please note! Mounting of brake plates and handles for drum brakes is prepared by us, but the wheels are to be mounted by the dealer).	475,-
D22009	☐	Hand and spoke protector – transparent, pair	163,-
D22013	☐	Push rim cover, pair	130,-

HEAD SUPPORT AND ACCESSORIES FOR HEAD SUPPORTS (Please also see page 1)

D82025	☐	Head support adapter aluminium	260,-
D96473	☐	Dynamic head support adapter incl. 3 different strengths of rubber dampers to accommodate individual needs. Cannot be combined with D82025/D82746.	Price on request
 D82746	☐	Netti Dynamic head support C incl. head support adapter in aluminium. If combined with other options, please send us a request, as some solutions are only possible as special adaptations. For more information, feel free to contact us.	Price on request
D27577	☐	Head support E with adjustable side supports	336,-
D27578	☐	Head support F with cheek support (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	336,-
D21064	☐	Headrest adjustment tube (horizontal) + 50 mm, length 200 mm	98,-
D21027	☐	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	98,-
D21065	☐	Headrest adjustment tube (horizontal) + 150 mm, length 300 mm	98,-
D21028	☐	Headrest adjustment tube (horizontal) + 230 mm, length 380 mm	108,-
D21054	☐	Headrest adjustment tube (vertical) + 100 mm, length 500 mm	98,-
D23004	☐	Comfort cushion for head rest type C – removable with Stella cover	185,-
D23012	☐	Easy Care cover for head rest type A, B, C – removable	98,-

D23013	☐	3D cover for head rest type A, B, C – removable	98,-
D23015	☐	Grey head rest cushion with Stella cover	249,-
D26677	☐	MYSeat head support (3 joints) Easy to adjust – Takes little space – Crash tested Artificial leather or textile cover depending on fabric choice for the whole chair. Multifunctional head support with adjustable sides. Horizontal, vertical and angle adjustable. Width 250 mm. Delivery time up to 4 weeks.	562,-
D90034	☐	Extra joint for MYSeat head support extension – needed for back height 600 mm. Delivery time up to 4 weeks.	87,-



D45370	☐	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45371	☐	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45373	☐	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	☐	Headrest adjustment tube (horizontal) +100 mm, length 250 mm	Price on request
D45368	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrest. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrest. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrest. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89559	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrest. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request

VARIOUS ACCESSORIES


D21087	☐	Clinic-kit (tools) for angle adjustable foot supports	130,-
D21239	☐	Tool kit	108,-
IS-D80085	☐	Universal device basket incl. frame extension D28001 SW 450: W: 405 mm, D: 305, H: 70 mm (for other seat widths please subtract or add from SW 450 mm) Max. capacity 6 kg / Combination with 12+16" wheels only in special adaptation. For information concerning car transport, please see the user manual of the device basket on our website.	Price on request
			
D41987	☐	Intravenous rack	346,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit

				
[A]	[B]	[C]	[D]	[E]
D86282	☐	Belt bracket kit – seat [A]		112,-
D20845	☐	Hip belt, with upholstery and car belt lock [B]		130,-
D45276	☐	Bodypoint 2-point pelvic stabiliser for SW 550-650 mm (overall pad length: 820 mm) incl. mounting kit [A+C]		379,-
D60001	☐	Abduction belt [D]		574,-
		Bodypoint supportive universal elastic strap [E]		195,-
D45084	☐	S (Height 80 mm - 1420 mm long, easily cut-to-length)		
D45085	☐	L (Height 110 mm - 1420 mm long, easily cut-to-length)		
D45086	☐	XL (Height 150 mm - 1420 mm long, easily cut-to-length)		

Belts and accessories for back unit

				
[A]	[B]	[C]	[D]	[E]
D86890	☐	H-harness adaptor kit [A] For optimal ergonomics, position the h-belt adapter so the belt goes horizontally from fixation point over the top of the shoulders. This helps to maintain an optimal position (not being pushed down) and prevents shoulder strain. The push handles cannot be adjusted higher than the H-belt adapter itself, therefore, the H-belt adapter cannot be combined with push handles 500mm.		286,-
D20881	☐	H-belt, with upholstery and car belt lock [B]		271,-
D41645	☐	Belt cross harness [C]		206,-


		Bodypoint Stayflex chest support without zipper [D]	282,-
D86895	☐	M (Shoulder width 330-410 mm)	
D86896	☐	L (Shoulder width 410-480 mm)	
		Bodypoint Pivofit shoulder harness [E]	282,-
D86898	☐	M (Shoulder width 330-410 mm)	
D86899	☐	L (Shoulder width 410-480 mm)	

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution. See examples and more about our special solutions online.



CUSTOM MADE – most wanted special adapted items (price on request)



A



B




C

☐	Reinforced foot board in aluminium (A)
☐	Extra-long calf supports (please state length) (B)
☐	Calf support upholstery in special length or material
☐	Back cushion with special side support (C)
☐	Footboard that swings horizontally forwards
☐	Sliding seat (for positioning and transfer)

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.





Please inform us if there are any special circumstances in the living area that has an influence for the chair:
e.g. the total possible width _____ mm and length _____ mm of the chair.



TECHNICAL DATA

Tilt (seat)	-5° to +20°
Recline (back)	92° to 137°
Total width of the wheelchair	Seat width + 180 mm (std. wheels)/ + 195 mm (DB wheels) / +170 mm (12" + 16" DB wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seat plate	Min. 265 mm / max. 355 mm
Weight of wheelchair	App. 30 kg (without cushion)
Frame colour	Grey
Cover variants	3D Cover (optional Easy Care cover with D21022)
Crash test	ISO 7176-19 (160 kg)

Seat height – WITHOUT seat cushion (measured from floor to seat plate)

Netti 4U comfort View side frame left	Seat heights by using different rear/front wheels and different frame- and front castor positions
Front wheel  Front wheel upper hole = Rear hole 1 22" = 440 mm Rear hole 1 24" = 465 mm Rear hole 3 16" = 460 mm Rear hole 4 12" = 460 mm Front wheel lower hole = Rear hole 2 22" = 475 mm Rear hole 2 24" = 500 mm Rear hole 4 16" = 510 mm	Frame rear side  Hole 1 = 22" & 24" 22" = Seat height 440 mm 24" = Seat height 465 mm STD Hole 2 = 22" & 24" 22" = Seat height 475 mm 24" = Seat height 500 mm Hole 3 = 16" 16" = Seat height 460 mm Hole 4 = 12" & 16" 12" = Seat height 460 mm 16" = Seat height 510 mm

Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



Measurements

A Hip width/Seat width	_____ mm
B Thigh length / seat depth	_____ mm
C Arm rest height	_____ mm
D Leg length / seat height	_____ mm
E Backrest height	_____ mm
F Trunk width	_____ mm