



Date _____ Customer code C- _____

Invoice address _____ Contact person _____

_____ Reference _____

_____ Other delivery address _____

☐ Invoice address = delivery address ☐ Quote

☐ The chair will be used as seat for car transport.

Basic price: 3.420,- € Excl. VAT

Seat width:	CED (long seat depth/capacity 160 kg) Seat depth adjustable from 425-500 mm	CEDS (short seat depth/capacity 160 kg) Seat depth adjustable from 375-450 mm
	D65035 ☐ 350 mm D65040 ☐ 400 mm	D65035S ☐ 350 mm D65040S ☐ 400 mm D65043S ☐ 430 mm
	Seat depth adjustment D28002 76,- ■ 425 ☐ 450 ☐ 475 ☐ 500	Seat depth adjustment D28002 76,- ☐ 375 ☐ 400 ■ 425 ☐ 450
	D65043 ☐ 430 mm D65045 ☐ 450 mm D65050 ☐ 500 mm	Seat height See page 13 Seat depth Adjustable in 25 mm steps
	Seat depth adjustment D28002 76,- ☐ 425 ☐ 450 ■ 475 ☐ 500	
	D29488 ☐ Arm support comfort pads (reduces SW with 2 x 15 mm) 163,-	
	D83937 ☐ SW extension kit mounted 2 x 12 mm – only for SW 350-450 mm 172,-	

■ = Standard equipment

Item nr.	Description	Price in €
Standard ■	Head support A, with side support	0,-
D27574 ☐	Head support B, small, oval	0,-
D27573 ☐	Head support C, large, square	0,-
D22085 ☐	Drum brakes (brake handles mounted on push bow)	271,-
D25059 ☐	Universal tray	243,-
D21052 ☐	Upholstery for tray	130,-
D20845 ☐	Hip belt, with upholstery and car belt lock	130,-
D21022 ☐	Easy Care cover (not available for Netti Sit 3D/°C and Netti Kyphotic)	0,-

D21076	☐	Configuration for car transportation for users higher than 185 cm incl.: D41006 Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm) D21054 Vertical tube for headrest - 500 mm D82025 Headrest adapter in aluminium	606,-
--------	--------------------------	--	-------

FRAME

Standard	☒	Angle adjustable push bow	0,-
Standard	☒	Anti tip, swingable	0,-
Standard	☒	User brake	0,-
Standard	☒	Car fasteners – if an accessory means that the wheelchair is not approved for use as seat in a car, the chair will be delivered without car fasteners.	0,-
D86099	☐	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	182,-
D27282	☐	One-hand-brake, right (only in combination with drum brakes)	389,-
D27283	☐	One-hand-brake, left (only in combination with drum brakes)	389,-
D21755	☐	Push handles 300 mm, height adjustable and swingable (please note: the armrests will then not be revolvable)	260,-
D28972	☐	Anti tip with pedal, pair	216,-
D29474	☐	Tilt-restrictor (no negative tilt frontwards)	43,-
D28001	☐	Frame extension including longer anti tippers	324,-

BACK UNIT (for belts please see page 11)

Standard	☒	Back cushion Netti Uno – with 100 mm side support with 3D cover	0,-
Standard	☒	Back height 500 mm (incl. adjustable 6-piece back cover)	0,-
D41006	☐	Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	240,-
D44992	☐	Adjustable 6-piece back cover with cut for side supports	271,-
D21338	☐	Back cushion Netti Smart – with 120 mm side support – 3D cover	357,-
D27374	☐	Side support Correction with upholstery left – for Netti Uno and Smart	228,-
D27375	☐	Side support Correction with upholstery right – for Netti Uno and Smart	228,-
D21333	☐	Back cushion Netti Stabil – with 170 mm side support - 3D cover	574,-
D21334	☐	Back cushion Netti Super Stabil – with 170 mm reinforced side support - 3D cover	671,-
D20630	☐	Back cushion Netti Kyphotic – Stella/3D cover - only back height 500 mm	768,-
D26831	☐	Side support Stable left - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	260,-
D26844	☐	Side support Stable right - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	260,-

D27541	☐	Side support upholstery Stable, pair	163,-
D27700	☐	Firm back in aluminium, back height 500 mm	389,-
D27708	☐	Firm back in aluminium, back height 600 mm (incl. D41006 back extender - only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	639,-
D21084	☐	Back wedge	195,-
D21042	☐	Lumbar support	195,-



Netti Dynamic FREE back spring

Allows up to 40° trunk movements backwards. Max. user weight 135 kg. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Incl. frame extension D28001 and Bodypoint Evoflex pelvic stabilizer 2-point belt:

Size XS ☐ M ☐ L ☐

Price on request

For more information and choice of gas spring, feel free to contact us or have a look at our website. If combined with other options, please send us a request as some solutions are only possible as special adaptations.

☐ D82226 200N	☐ D82227 300N	☐ D82228 400N
☐ D82229 500N	☐ D82230 600N	☐ D82231 700N
☐ D82232 800N	☐ D82233 900N	☐ D82234 1000N
☐ D82235 1100N	☐ D82236 1200N	☐ D82237 1300N

For Netti Dynamic System with dynamic seat unit, please see the Netti Dynamic CED order form.

D87903	☐	Recline limiter (possible to limit in different positions from 116° - 134°) for the Netti Dynamic Free back spring (to be mounted by the dealer)	Price on request
		Libertas 15° back flexibility incl. long anti tips and frame extender Max. user weight 135 kg, not allowed for use as seat in car.	Price on request
		☐ D82411 80N ☐ D82412 120N ☐ D82413 160N	

SEAT UNIT (for belts please see page 10)

Standard	☒	Seat cushion Netti Uno – 3D cover	0,-
D21048	☐	Incontinence cover for seat cushion	249,-
D21007	☐	Pressure relief seat cushion Netti Sit – 3D cover incl. incontinence layer	411,-
D21017	☐	Pressure relief seat cushion Netti Sit 3D/°C with temperature regulating features and incontinence layer under the 3D cover	574,-
D40001	☐	Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/- Easy Care + depending on the fabric for the whole chair. Article number _____ (If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer cushion rather than shorter)	850,-
D40002	☐	Pressure distribution and relief seat cushion Netti Precision 2	1050,-

		Cover Stella +/- Easy Care + depending on the fabric for the whole chair. Article number _____ (If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer cushion rather than shorter)	
D40003	☐	Netti Precision permeable Incontinence cover – Change of cover for D40001/D40002. Breathable, elastic and durable. Transports liquid away from the skin and collects it in watertight space, so that the surroundings are not contaminated.	0,-
D27493	☐	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	271,-
D27494	☐	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	271,-
D27495	☐	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	271,-

LEG SUPPORTS

For the Netti 4U CED you have 5 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports

Standard			Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	0,-
D32296	☐		Extra-long knee upholstery 550 mm – 3D cover	299,-
D88211	☐		Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
			Bodypoint ankle huggers with upholstery	
	☐		D44863 S (L: 170-200 mm)	249,-
	☐		D44864 M (L: 190-230 mm)	249,-
	☐		D44865 L (L: 220-290 mm)	260,-
	☐		D44904 XL (L: 280-330 mm)	281,-
D23014	☐		Footfixation	151,-
D21008	☐		Gas spring for angle adjustment	1.017,-
D21081	☐		Extra Abduction (+50 mm), not for SW 430 mm – adjustment of calf supports is limited (not approved for car transport – if needed, please contact customer service)	444,-
D21044	☐		Foot board, adjustable	336,-
D21041	☐		Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	530,-
D21745	☐		Calf support bracket upholstery - pair - skai cover	65,-
D41617	☐		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	228,-
D28453	☐		Foot plate upholstery - pair - skai cover	314,-
D86900	☐		Bodypoint calf strap M	186,-
D86901	☐		Bodypoint calf strap L	186,-

Universal leg supports

	D24005	☐ Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. No calf supports, delivered with heel strap.	141,-
		Bodypoint ankle huggers with upholstery incl. mounting kit	
	☐ D44863	S (L: 170-200 mm)	249,-
	☐ D44864	M (L: 190-230 mm)	249,-
	☐ D44865	L (L: 220-290 mm)	260,-
	☐ D44904	XL (L: 280-330 mm)	281,-
	D23014	☐ Footfixation	151,-
	D21044	☐ Foot board, adjustable (without heel strap)	336,-
	D21041	☐ Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	530,-
	D86900	☐ Bodypoint calf strap M	186,-
	D86901	☐ Bodypoint calf strap L	186,-

Netti Grandis angle adjustable leg supports

	D88600	☐ Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis. The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	1.131,-
	D88608	☐ Extra Abduction (+50 mm), not for SW 430 mm - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	432,-
	D88602	☐ Calf support upholstery extra soft - pair (3D or EC cover depending on the fabric for the whole chair)	217,-
	D88607	☐ Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	116,-
	D21745	☐ Calf support bracket upholstery - pair - skai cover	65,-
	D88014	☐ Foot fixation, pair incl. mounting kit	243,-
	D88603	☐ Foot board, lockable and upwards swingable	398,-
	D88605	☐ Footbox, upholstered with Skai cover (approved for car transport)	750,-
	D21293	☐ Calf strap	98,-
		Bodypoint ankle huggers with upholstery	
	☐ D88863	S (L: 170-200 mm)	337,-
	☐ D88864	M (L: 190-230 mm)	337,-
	☐ D88865	L (L: 220-290 mm)	347,-
	☐ D88866	XL (L: 280-330 mm)	371,-
	D86900	☐ Bodypoint calf strap M	186,-

D86901	☐ Bodypoint calf strap L	186,-
--------	---	-------

Netti Grandis amputation support

D88618	☐ Amputation support left incl. Netti Grandis leg support right side	1.085,-
D88619	☐ Amputation support right incl. Netti Grandis leg support left side	1.085,-
D800	☐ Amputation support left + right – requires frame extension	1.513,-

Netti Grandis leg support with fixed angle

D88612	☐ Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	1.131,-
		
D88608	☐ Extra Abduction (+50 mm), not for SW 430 mm. Not approved for car transport – if needed, please contact customer service.	432,-
D88603	☐ Foot board, lockable and upwards swingable (without heel strap)	398,-
D88605	☐ Footbox, upholstered with Skai cover (approved for car transport)	750,-

Netti Dynamic angle adjustable leg supports



		Netti Dynamic angle adjustable leg rests with calf supports and footboard, 100N.	Price on request
D82296	☐	Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
D82298	☐	Adjustment piece 214 mm (lower leg length 350-450 mm)	
		Adjustable for different thigh lengths:	
D82318	☐	Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
D82319	☐	Adjustment piece 214 mm (lower leg length 350-450 mm)	
D32296	☐	Extra-long knee upholstery 550 mm – 3D cover	299,-
D45245	☐	Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
D88211	☐	Upper parts with lever instead of star wheel for angle adjustment	92,-
		Bodypoint ankle huggers with upholstery	
	☐	D44863 S (L: 170-200 mm)	249,-
	☐	D44864 M (L: 190-230 mm)	249,-
	☐	D44865 L (L: 220-290 mm)	260,-
	☐	D44904 XL (L: 280-330 mm)	281,-
D21081	☐	Extra abduction for leg rests (+50 mm) not for SW 430 mm - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	444,-
D21745	☐	Calf support bracket upholstery - pair - skai cover	65,-
D41617	☐	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	228,-
D86900	☐	Bodypoint calf strap M	186,-

D86901 ☐ Bodypoint calf strap L 186,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

Standard	☒	Arm supports height and depth adjustable, revolvable	0,-
Standard	☒	Arm pads 385 x 58 mm	0,-
D21077	☐	Arm pads 420 x 80 mm	130,-
D41649	☐	Arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	119,-
D41650	☐	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	141,-
D23003	☐	Hemiplegic cushion	228,-
D29459	☐	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	346,-
D29460	☐	Arm support hemiplegic right (can only be combined with a tray in special adaptation)	346,-



Decon E-Drive or Decon E-move

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN AND FRONT WHEELS


Standard	☒	24 x 1" PU + 7" 175 x 33 PU	0,-
D22007	☐	Main wheel 22 x 1" PU + front wheel 6" 150 x 30 PU	151,-
D22006	☐	Main wheels wide: 1 3/8 PU infill	76,-
D22008	☐	Main wheels pneumatic – only 24 x 1 3/8 available	76,-
D21021	☐	Front wheels: 7" – 175 x 45 PU wheel - puncture proof - with PU infill (necessary for supportive engines)	98,-
D21012	☐	Front wheels: 7" – 175 x 45 pneumatic	98,-
D20834	☐	One hand drive for 24" wheels PU – left (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)	1.276,-
D20836	☐	One hand drive for 24" wheels PU – right (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)	1.276,-
INT70315	☐	Main wheels 12½" PU with drum brakes – frame brakes are not compatible with the 12" wheels. Please contact us for an offer of a frame brake option. (Please note! Mounting of brake plates and handles for drum brakes is prepared by us, but the wheels are to be mounted by the dealer).	475,-
INT70316	☐	Main wheels 16" PU with drum brakes. (Please note! Mounting of brake plates and handles for drum brakes is prepared by us, but the wheels are to be mounted by the dealer).	475,-
D22009	☐	Hand and spoke protector - transparent, pair (not for one hand drive)	163,-

D22013	☐	Push rim cover, pair	130,-
--------	--------------------------	----------------------	-------

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS (please also see page 1)



		A	B	C	D	E	F
D82025	☐	Head support adapter aluminium					260,-
D96473	☐	Dynamic head support adapter incl. 3 different strengths of rubber dampers to accommodate individual needs. Cannot be combined with D82025/D82746.					Price on request
D82567	☐	Head support A with head band (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)					370,-
D82568	☐	Extra comfort pads for the head band of D82567, pair					35,-
D82746	☐	Netti Dynamic head support C incl. head support adapter in aluminium –If combined with other options, please send us a request, as some solutions are only possible as special adaptations. For more information, feel free to contact us.					Price on request
D27572	☐	Head support D, comfort (pressure distributive)					260,-
D27577	☐	Head support E with adjustable side supports					336,-
D27578	☐	Head support F with cheek support (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)					336,-
D21064	☐	Head support adjustment tube (horizontal) + 50 mm, length 200 mm					98,-
D21027	☐	Head support adjustment tube (horizontal) + 100 mm, length 250 mm					98,-
D21065	☐	Head support adjustment tube (horizontal) + 150 mm, length 300 mm					98,-
D21028	☐	Head support adjustment tube (horizontal) + 230 mm, length 380 mm					108,-
D21054	☐	Head support adjustment tube (vertical) + 100 mm, length 500 mm					98,-
D23004	☐	Comfort cushion for head support type C – removable with Stella cover					195,-
D23012	☐	Easy Care cover for head support type A, B, C – removable					98,-
D23013	☐	3D cover for head support type A, B, C – removable					98,-
D23015	☐	Grey head support cushion with Stella cover					249,-
D26677	☐	MYSeat head support (3 joints) Easy to adjust – Takes little space – Crash tested Artificial leather or textile cover depending on fabric choice for the whole chair. Multifunctional head support with adjustable sides. Horizontal, vertical and angle adjustable. Width 250 mm.					562,-
D90034	☐	Extra joint for MYSeat head support extension – needed for back height 600 mm.					87,-



[A]



[B]



[C]

D45370	☐	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45371	☐	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45373	☐	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	☐	Headrest adjustment tube (horizontal) +100 mm, length 250 mm	Price on request
D45368	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant head supports (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant head supports (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti head supports (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89559	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti head supports (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request

TRAYS (please also see page 1)

D28826	☐	Tray swingable	281,-
D28828	☐	Tray lockable	281,-
D93316	☐	Tray spacer for swingable or lockable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	21,-

VARIOUS ACCESSORIES

D21087	☐	Clinic-kit (tools) for angle adjustable foot supports	130,-
D21239	☐	Tool kit	108,-
IS-D80085	☐	Universal device basket incl. frame extension D28001 SW 450: W: 405 mm, D: 305, H: 70 mm (for other seat widths please subtract or add from SW 450 mm) Max. capacity 6 kg / Combination with 12+16" wheels only in special adaptation. For information concerning car transport, please see the user manual of the device basket on our website.	Price on request
D41987	☐	Intravenous rack	346,-




BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit

					
[A]	[B]	[C]	[D]	[E]	[F]
D86282	☐	Belt bracket kit – seat [A]			112,-
D20845	☐	Hip belt, with upholstery and car belt lock [B]			130,-
D86902	☐	Bodypoint 2-point pelvic stabiliser Evoflex+Mounting kit [A+C]			288,-
D86891	☐				
D86892	☐				
D45273	☐	Bodypoint 2-point hip belt incl. mouting kit [A+F]			260,-
D45274	☐				
D45275	☐				
D45040	☐	Security cover for type [C], [D] and [F] in XS/M/L			76,-
D86889	☐	Bodypoint 4-point pelvic stabiliser incl. mounting kit [A+D]			436,-
D86893	☐				
D86894	☐				
D60001	☐	Abduction belt [E]			574,-
D45084	☐	Bodypoint supportive universal elastic strap			195,-
D45085	☐				
D45086	☐				

Belts and accessories for back unit

					
[A]	[B]	[C]	[D]	[E]	
D86890	☐	H-harness adaptor kit [A]			286,-
For optimal ergonomics, position the h-belt adapter so the belt goes horizontally from fixation point over the top of the shoulders. This helps to maintain an optimal position (not being pushed down) and prevents shoulder strain. The push handles cannot be adjusted higher than the H-belt adapter itself, therefore, the H-belt adapter cannot be combined with push handles 500mm.					
D20881	☐	H-belt, with upholstery and car belt lock [B]			271,-
D41645	☐	Belt cross harness [C]			206,-


		Bodypoint Stayflex chest support without zipper [D]	282,-
D89805	☐	XS (Shoulder width 240-280 mm)	
D89898	☐	S (Shoulder width 380-330 mm)	
D86895	☐	M (Shoulder width 330-410 mm)	
D86896	☐	L (Shoulder width 410-480 mm)	
		Bodypoint Pivofit shoulder harness [E]	282,-
D89802	☐	XS (Shoulder width 240-280 mm)	
D89803	☐	S (Shoulder width 380-330 mm)	
D86898	☐	M (Shoulder width 330-410 mm)	
D86899	☐	L (Shoulder width 410-480 mm)	

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.
See examples and more about our special solutions online.



CUSTOM MADE – most wanted special adapted items (price on request)



A



B




C

☐	Reinforced foot board in aluminium (A)
☐	Extra-long calf supports (please state length) (B)
☐	Calf support upholstery in special length or material
☐	Back cushion with special side support (C)
☐	Footboard that swings horizontally forwards
☐	Sliding seat (for positioning and transfer)
☐	Seat width extension for SW 500 mm

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.




Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length _____ mm of the chair.



TECHNICAL DATA

Tilt (seat)	-5° to +20°
Recline (back)	92° to 137°
Total width of the wheelchair	Seat width + 180 mm (std. wheels)/ + 195 mm (DB wheels) / +170 mm (12" + 16" DB wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seat plate	Min. 265 mm / max. 355 mm
Weight of wheelchair	App. 30 kg (without cushions)
Frame colour	Grey
Cover variant	3D cover (optional Easy Care cover with D21022)
Crash test	ISO 7176-19 (160 kg)

Seat height – WITHOUT seat cushion (measured from floor to seat plate)



Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



Measurements

A Hip width/Seat width _____ mm

B Thigh length / seat depth _____ mm

C Arm rest height _____ mm

D Leg length / seat height _____ mm

E Backrest height _____ mm

F Trunk width _____ mm