



Date _____ Customer code C- _____

Invoice address _____ Contact person _____

Reference _____

Other delivery address _____

☐ Invoice address = delivery address ☐ Quote

☐ The chair will be used as seat for car transport

Basic price for SW 350-500 mm: 4.470,- € excl. VAT

Basic price for SW 550-600 mm: 5.861,- € excl. VAT

Seat width	D20035EL	☐	350 mm	Seat depth	A	☐	500 mm
	D20038EL	☐	380 mm		B	☒	475 mm
	D20040EL	☐	400 mm		C	☐	450 mm
	D20043EL	☐	430 mm		D	☐	425 mm
	D20045EL	☐	450 mm		E	☐	400 mm
	D20050EL	☐	500 mm	For seat depth above 500 mm, see page 2			
	D20055EL	☐	550 mm	Capacity Max. 160 kg (135 kg if D21072 elec. tilt is not chosen)			
	D20060EL	☐	600 mm	Seat height See page 15			
D22149			☐ Side upholstery (reduces SW with 2 x 25 mm)	151,- €			

☒ = Standard equipment

ELETRICAL PARTS AND FRAME

Item nr.	Description	Price in €
Standard	☒ Electrical kit with remote control	0,-
Standard	☒ Push handles 300 mm, height adjustable and swingable	0,-
Standard	☒ Anti tip w/ pedal	0,-
Standard	☒ Car fasteners – if an accessory means that the wheelchair is not approved for use as seat in a car, the chair will be delivered without car fasteners.	0,-
D21071	☐ Electrical foot supports	1.060,-
D21072	☐ Electrical tilt	812,-
D21073	☐ Electrical recline	855,-
D41123	☐ Holder for remote control –right (can only be combined with a tray in special adaptation)	249,-

D41124	☐	Holder for remote control – left (can only be combined with a tray in special adaptation)	249,-
D21808	☐	Push handles 500 mm, height adjustable and swingable	216,-
D81740	☐	Push bow – height and angle adjustable	389,-
D20824	☐	Frame extension incl. brakes on lower frame tube	314,-
D22222		Special seat depth incl. frame extension, comfort seat plate (for SW 550+600 solid seat plate) and longer cushion – add. charge for SW 350+380 mm as the cushions are special adaptation. If combined with other options, please send us a request as some solutions are only possible as special adaptations. ☐ 525 mm ☐ 550 mm ☐ 575 mm	660,-
D21022	☐	Easy Care cover for seat and back, washable (not available for Netti Sit 3D/°C or Netti Kyphotic)	0,-
D40501	☐	SW extension: 12 mm per side for standard wheels (only SW 350-450)	692,-
D40502	☐	SW extension: 12 mm per side for DB-wheels (only SW 350-450 mm)	692,-

SOLUTIONS FOR RESPIRATION MACHINES AND OTHER MEDICAL DEVICES

D21186EL	☐	Universal device holder (incl. frame extender D20824) for SW 350-500 D: 348 mm / W: SW minus 36 mm / Max. capacity 10kg If the wheelchair user is being pushed a lot, we recommend a push handle with a longer horizontal bar as a special solution for better ergonomics for the companion. For information concerning car transport, please see the user manual of the device holder on our website.	2.088,-
D21186	☐	Universal device holder (incl. frame extender D20824) for SW 550-600 D: 348 mm / W: SW minus 36 mm / Max. capacity 10kg	1.947,-
D21187	☐	Cover plate for universal device – add. Level (only with D21186) / Max. capacity 4 kg D: 193 mm / W: SW minus 37 mm / H (free area): 237 mm	519,-
D42900	☐	Extra set of 4 mounting brackets, incl. screws	271,-

BRAKES

Standard	☒	User brake, brake lever 90 mm	0,-
D21010	☐	Drum brakes with quick release	271,-
D21029	☐	Brake lever extension + 60 mm, length: 150 mm	98,-
D21031	☐	Brake lever extension + 160 mm, length: 250 mm	108,-
D27282	☐	One-hand-brake, right (only in combination with drum brake)	389,-
D27283	☐	One-hand-brake, left (only in combination with drum brake)	389,-

BACK UNIT (for belts please see page 12)

Standard	☒	Back cushion Netti Smart - side support 120 mm - 3D cover	0,-
----------	-------------------------------------	---	-----

Standard	☒	Back height 500 mm (incl. adjustable 6-piece back cover)	0,-
D21006	☐	Back height 600 mm (incl. back extender + longer cushion)	346,-
D44992	☐	Adjustable 6-piece back cover with cut for side supports for SW 350-500 mm	271,-
D44993	☐	Adjustable 6-piece back cover with cut for side supports for SW 550-600 mm	314,-
D27376	☐	Side support correction with upholstery left – for Netti Smart	228,-
D27378	☐	Side support correction with upholstery right – for Netti Smart	228,-
D21023	☐	Back cushion Netti Stabil - with 170 mm side support - 3D cover	574,-
D21123	☐	Back cushion Netti Super Stabil – with 170 mm reinforced side support - 3D cover	671,-
D26830	☐	Side support stable left - for Netti Stabil, Super Stabil & Kyphotic	260,-
D26843	☐	Side support stable right - for Netti Stabil, Super Stabil & Kyphotic	260,-
D20630	☐	Back cushion Netti Kyphotic – Stella/3D cover – only back height 500 mm and for SW 350-500 mm	768,-
D27541	☐	Upholstery for side support stable, pair	163,-
D27700	☐	Firm back in aluminium, back height 500 mm	389,-
D27701	☐	Firm back in aluminium, back height 600 mm, incl. D21006	800,-
D21042	☐	Lumbar support	195,-
D21084	☐	Back wedge	195,-



Netti Dynamic FREE back

Allows up to 40° trunk movements backwards. Max. user weight 135 kg. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Incl. frame extension D20824 and Bodypoint Evoflex pelvic stabilizer 2-point belt (SW 350-500 mm):

Size XS ☐ M ☐ L ☐

Bodypoint pelvic stabilizer 2-point belt (SW 550-600 mm) ☐

For more information and choice of gas spring, feel free to contact us or have a look at our website. If combined with other options, please send us a request as some solutions are only possible as special adaptations.

- | | | |
|---------------------------------------|---------------------------------------|---------------------------------------|
| ☐ D82226 200N | ☐ D82227 300N | ☐ D82228 400N |
| ☐ D82229 500N | ☐ D82230 600N | ☐ D82231 700N |
| ☐ D82232 800N | ☐ D82233 900N | ☐ D82234 1000N |
| ☐ D82235 1100N | ☐ D82236 1200N | ☐ D82237 1300N |

For Netti Dynamic System with dynamic seat unit, please see the Netti Dynamic III HD order form.

D87903	☐	Recline limiter (possible to limit in different positions from 116° - 134°) for the Netti Dynamic Free back spring (to be mounted by the dealer)	Price on request
--------	--------------------------	--	------------------

Libertas 15° back flexibility incl. long anti tips and frame extender
(Max. user weight 135 kg, not allowed as seat in a car)

Price on
request

☐ D82414 80N ☐ D82415 120N ☐ D82416 160N

SEAT UNIT (for belts please see page 12)

Standard	☒	For SW 350-500 mm: Seat cushion Netti Uno Seat with 3D cover	0,-
Standard	☒	For SW 550-600 mm: Seat cushion Netti Sit with 3D cover	0,-
Standard	☒	Sliding seat plate	0,-
D21074	☐	Seating plate comfort for SW 350-500 (not to be combined with sliding seat plate) – for SW 550+600 only firm	141,-
D21048	☐	Incontinence cover for seat cushion	249,-
D21007	☐	Netti Sit - Pressure relief seat cushion with incontinence layer under the 3D cover	411,-
D21017	☐	Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	574,-
D40001	☐	Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/- Easy Care + depending on the fabric for the whole chair. Article number _____ (For seat width above 500 and seat depth smaller than 475, ask for a special adaptation quote. If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer rather than shorter.)	850,-
D40002	☐	Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/- Easy Care + depending on the fabric for the whole chair. Article number _____ (For seat width above 500 and seat depth smaller than 475, ask for a special adaptation quote. If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer rather than shorter.)	1050,-
D40003	☐	Netti Precision permeable Incontinence cover – Change of cover for D40001/D40002. Breathable, elastic and durable. Transports liquid away from the skin and collects it in watertight space, so that the surroundings are not contaminated.	0,-
D27490	☐	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	271,-
D27491	☐	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	271,-
D27492	☐	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	271,-
D20830		Removable knee and thigh support ☐ 1 piece ☐ 2 pieces	216,-

LEG SUPPORTS

For the Netti III EL you have 6 different types of leg supports with various accessories. Please contact us for consultation.

Accessories for electric angle adjustable leg supports (see page 1)

	☐	Bodypoint ankle huggers with upholstery incl. mounting kit	
	☐	D44863 S (L: 170-200 mm)	249,-
	☐	D44864 M (L: 190-230 mm)	249,-
	☐	D44865 L (L: 220-290 mm)	260,-
	☐	D44904 XL (L: 280-330 mm)	281,-
D23014	☐	Footfixation	151,-
D21044	☐	Foot board, adjustable	336,-
D21041	☐	Foot box upholstered (not approved for car transportation, if this is needed, please choose the Netti Grandis solution)	530,-
D21745	☐	Calf support bracket upholstery - pair - skai cover	65,-
D41617	☐	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	228,-
D28453	☐	Foot plate upholstery - pair - skai cover	314,-
D86900	☐	Bodypoint calf strap M	186,-
D86901	☐	Bodypoint calf strap L	186,-

Manually angle adjustable leg supports



Standard

- **Manually angle adjustable leg supports with**
- automatic length adjustment
- angle adjustable foot plates
- calf supports and knee upholstery
- reinforced extension pieces

0,-

D88211

- ☐ Leg support upper parts with lever instead of star wheel for angle adjustment

92,-



Bodypoint ankle huggers with upholstery

- ☐ D44863 S (L: 170-200 mm) 249,-
- ☐ D44864 M (L: 190-230 mm) 249,-
- ☐ D44865 L (L: 220-290 mm) 260,-
- ☐ D44904 XL (L: 280-330 mm) 281,-

D21008



Gas spring for upper parts

1.017,-

D21081



Extra Abduction (+ 50 mm), not for SW 430 + 600 mm - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.

444,-

D21044



Foot board, adjustable

336,-

D21041



Foot box upholstered (not approved for car transportation, if this is needed, please choose the Netti Grandis solution)

530,-

D21745



Calf support bracket upholstery - pair - skai cover

65,-

D41617	☐	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	228,-
D23014	☐	Foot fixation	151,-
D28453	☐	Foot plate upholstery - pair - skai cover	314,-
D86900	☐	Bodypoint calf strap M	186,-
D86901	☐	Bodypoint calf strap L	186,-

Universal leg supports

D24006	☐	Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. Reinforced extension pieces. Without calf supports, delivered with heel straps.	141,-
			
D21081	☐	Extra Abduction (+ 50 mm), not for SW 430 + 600 mm. Not for car transport – if needed, please contact customer service.	444,-
			
	☐	Bodypoint ankle huggers with upholstery incl. mounting kit	
	☐	D44863 S (L: 170-200 mm)	249,-
	☐	D44864 M (L: 190-230 mm)	249,-
	☐	D44865 L (L: 220-290 mm)	260,-
	☐	D44904 XL (L: 280-330 mm)	281,-
D21044	☐	Foot board, adjustable (without heel strap)	336,-
D21041	☐	Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	530,-
D86900	☐	Bodypoint calf strap M	186,-
D86901	☐	Bodypoint calf strap L	186,-

Netti Grandis angle adjustable leg supports

D88600	☐	Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	1.131,-
			
		The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	
D88602	☐	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	217,-
D88608	☐	Extra Abduction (+ 50 mm), not for SW 430 mm and for SW 600 mm only with footboard - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	432,-

D88607	☐	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	116,-
D21745	☐	Calf support bracket upholstery - pair - skai cover	65,-
D88014	☐	Foot fixation, pair incl. mounting kit	243,-
D88603	☐	Foot board, lockable and upwards swingable	398,-
D88605	☐	Footbox, upholstered with Skai cover (approved for car transport)	750,-
D21293	☐	Calf strap	98,-
D86900	☐	Bodypoint calf strap M	186,-
D86901	☐	Bodypoint calf strap L	186,-
		Bodypoint ankle huggers with upholstery	
	☐	D88863 S (L: 170-200 mm)	337,-
	☐	D88864 M (L: 190-230 mm)	337,-
	☐	D88865 L (L: 220-290 mm)	347,-
	☐	D88866 XL (L: 280-330 mm)	371,-

Netti Grandis amputation support

D88618	☐	Amputation support left incl. Netti Grandis leg support right side	1.085,-
D88619	☐	Amputation support right incl. Netti Grandis leg support left side	1.085,-
D800	☐	Amputation support left + right – requires frame extension	1.513,-

Netti Grandis leg support with fixed angle

D88612	☐	Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	1.131,-
			
	☐	Extra Abduction (+ 50 mm), not for SW 430 mm and for SW 600 mm only with footboard - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	432,-
	☐	Foot board, lockable and upwards swingable (without heel strap)	398,-
	☐	Footbox, upholstered with Skai cover (approved for car transport)	750,-

Netti Dynamic angle adjustable leg supports

		Netti Dynamic angle adjustable leg rests with calf supports and footboard, 100N.	Price on request
	D82296	☐ Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
	D82298	☐ Adjustment piece 214 mm (lower leg length 350-450 mm)	
		<u>Adjustable for different thigh lengths:</u>	
	D82318	☐ Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
	D82319	☐ Adjustment piece 214 mm (lower leg length 350-450 mm)	

D32296	☐	Extra-long knee upholstery 550 mm – 3D cover	299,-
D45245	☐	Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
D88211	☐	Leg support upper parts with lever instead of star wheel for angle adjustment (only for manually adjustable leg supports)	92,-
	☐	Bodypoint ankle huggers with upholstery	
	☐	D44863 S (L: 170-200 mm)	249,-
	☐	D44864 M (L: 190-230 mm)	249,-
	☐	D44865 L (L: 220-290 mm)	260,-
	☐	D44904 XL (L: 280-330 mm)	281,-
D21081	☐	Extra abduction for leg rests (+50 mm) not for SW 430 + 600 mm - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	444,-
D21745	☐	Calf support bracket upholstery - pair - skai cover	65,-
D41617	☐	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair (SW 550+600 mm only 3D)	228,-
D86900	☐	Bodypoint calf strap M	186,-
D86901	☐	Bodypoint calf strap L	186,-

ARM SUPPORTS & ACCESSORIES

Standard	☒	Arm support height adjustable and swingable (395 mm)	0,-
Standard	☒	For SW 350-500 mm: Arm pads 385 x 58 mm	0,-
Standard	☒	For SW 550-600 mm: Arm pads 420 x 80 mm	0,-
D89710*	☐	Completely upholstered armrest height 395 mm with app. 20 mm thick Skai upholstery. Arm pad 450 x 100 mm and skirt guard app. 570 x 215 mm	626,-
D89711*	☐	Completely upholstered armrest height 445 mm with app. 20 mm thick Skai upholstery. Arm pad 450 x 100 mm and skirt guard app. 570 x 215 mm	682,-
D89712*	☐	Completely upholstered armrest height 500 mm with app. 20 mm thick Skai upholstery. Arm pad 450 x 100 mm and skirt guard app. 570 x 215 mm	736,-
D29398	☐	Reinforced arm support brackets (not to be combined with SW extension/ for SW 350+380 mm only as special adaptation)	293,-
D80735	☐	Reinforced arm rests (skirt guard in aluminium und arm pads 420 x 80 mm)	790,-
D21015	☐	Arm support extended with 100 mm (495 mm)	444,-
D21077	☐	Arm pads 420 x 80 mm for SW 350 - 500 mm	130,-
D21078	☐	Arm pads 445 x 70 mm	130,-
D21079	☐	Arm pads 525 x 80 mm	130,-
D21927	☐	Arm pads curved at the back 524 x 79 mm	173,-
D41649	☐	Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	119,-

D41650	☐	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	141,-
D23003	☐	Hemiplegic cushion	228,-
D22185	☐	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	346,-
D22186	☐	Arm support hemiplegic right (can only be combined with a tray in special adaptation)	346,-

*These arm supports can only be combined with a reinforced tray in SW 350-450 mm, or with a swingable or lockable tray in combination with tray spacers.



Decon E-Drive or Decon E-move

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN WHEEL

Standard	☒	For SW 350-500: 24 x 1" PU seath height	☐ 460 mm	☐ 490	0,-
		Possible front wheels	5, 6, 7"	7, 8"	
Standard	☒	For SW 550-600: 24 x 1 3/8 PU	☐ 460 mm	☐ 490	0,-
		Possible front wheels	7"	7, 8"	
D20831	☐	Main wheel w/one hand drive (24x1 3/8 Drum brake) – left Seat height: Possible front wheels: For SW 550+600 mm only as special adaptation. If mounted, the chair is not approved as seat for car transport.	☐ 460 mm	☐ 490 mm	1.947,-
			5, 6 & 7"	7 & 8"	
D20832	☐	Main wheel w/one hand drive (24x1 3/8 Drum brake) – right Seat height: Possible front wheels: For SW 550+600 mm only as special adaptation. If mounted, the chair is not approved as seat for car transport.	☐ 460 mm	☐ 490 mm	1.947,-
			5, 6 & 7"	7 & 8"	
D20834	☐	One hand drive for 24" wheels PU – left Seat height: Possible front wheels: For SW 600 mm only as special adaptation. If mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes.	☐ 460 mm	☐ 490 mm	1.276,-
			5, 6 & 7"	7 & 8"	
D20836	☐	One hand drive for 24" wheels PU – right Seat height: Possible front wheels: For SW 600 mm only as special adaptation. If mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes.	☐ 460 mm	☐ 490 mm	1.276,-
			5, 6 & 7"	7 & 8"	
D20837	☐	One hand drive for 22" wheels PU – left			1.276,-

		Seat height:	☐ 460 mm	☐ 490 mm	
		Possible front wheels:	5, 6 & 7"	7 & 8"	
		For SW 600 mm only as special adaptation. If mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes.			
D20838	☐	One hand drive for 22" wheels PU – right			1.276,-
		Seat height:	☐ 460 mm	☐ 490 mm	
		Possible front wheels:	5, 6 & 7"	7 & 8"	
		For SW 600 mm only as special adaptation. If mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes.			
D22006	☐	Main wheels size: 1 3/8, PU wheel for SW 350-500 mm			76,-
D22008	☐	Main wheels pneumatic – only 24 x 1 3/8 available			76,-
D81006	☐	Main wheels 24 x 1 3/8 Heavy duty wheels			476,-
D22007	☐	22 x 1" PU – seat height:	☐ 435 mm	☐ 465 mm	☐ 475
		mm			
		Possible front wheels	5 & 6"	6 & 7"	8"
D22002	☐	20 x 1" PU - seat height:	☐ 405 mm	☐ 420 mm	☐ 455mm
		Possible front wheels	3"	5"	6 & 7"
D21035	☐	12 1/2" DB flexel** - seat height:	☐ 470 mm	☐ 480 mm	☐ 500mm
		Possible front wheels	5 & 6"	7"	8"
D22035	☐	16" DB PU - seat height:	☐ 485 mm	☐ 495mm	
		Possible front wheels	7"	8"	
D22010	☐	26 x 1 3/8" PU - seat height:	☐ 490 mm	☐ 505 mm	☐ 530mm
		Possible front wheels	6 & 7"	8"	8"
		(Max. capacity 145 kg)			
D22009	☐	Hand and spoke protector, transparent, pair (not for one hand drive standard)			163,-
D22013	☐	Push rim cover, pair (cannot be combined with D81006)			130,-

** Without frame brakes - Please contact us for an offer of a frame brake option.


FRONT WHEELS

Standard	☒	SW 350-500 mm: Front wheels: 7" – 175 x 33 PU	0,-
Standard	☒	SW 550-600 mm: Front wheels: 7" – 175 x 45 PU	0,-
D21021	☐	Front wheels: 7" – 175 x 45 PU for SW 350 – 500 mm (necessary for supportive engines)	98,-
D21012	☐	Front wheels: 7" – 175 x 45 pneumatic	98,-
D22003	☐	Front wheels: 5" – 125 x 27 PU (max. capacity 145 kg)	98,-
D22005	☐	Front wheels: 6" – 150 x 30 PU (max. capacity 145 kg)	98,-
D21026	☐	Front wheels: 8" – 200 x 50 PU	98,-
D20664	☐	Front wheel distance bushers to simplify foot propelling (ideal in combination with D24005)	184,-

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS



	A	B	C	D	E	F
D82025	☐	Head support adapter aluminium (can only be combined with head/back stabilizer in special adaptation)				260,-
D96473	☐	Dynamic head support adapter incl. 3 different strengths of rubber dampers to accommodate individual needs. Cannot be combined with D82025/D82746.				Price on request
D20575	☐	Head support A, with side support				249,-
D82566	☐	Head support A with side support and head band (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)				370,-
D82568	☐	Extra comfort pads for the head band of D82566, pair				35,-
D20574	☐	Head support B, small, oval				249,-
D20573	☐	Head support C, large, square				249,-
D82746	☐	Netti Dynamic head support C incl. head support adapter in aluminium If combined with other options, please send us a request, as some solutions are only possible as special adaptations. For more information, feel free to contact us.				Price on request
D20576	☐	Head support D, comfort (pressure distributive)				314,-
D27575	☐	Head support E with adjustable side supports				379,-
D27576	☐	Head support F with cheek support (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)				497,-
D21064	☐	Headrest adjustment tube (horizontal) + 50 mm, length 200 mm				98,-
D21027	☐	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm				98,-
D21065	☐	Headrest adjustment tube (horizontal) + 150 mm, length 300 mm				98,-
D21028	☐	Headrest adjustment tube (horizontal) + 230 mm, length 380 mm				108,-
D21054	☐	Headrest adjustment tube (vertical) + 100 mm, length 500 mm				98,-
D23004	☐	Comfort cushion for head rest type C – removable with Stella cover				195,-
D23012	☐	Easy Care cover for head support type A, B, C – removable				98,-
D23013	☐	3D cover for head support type A, B, C – removable				98,-
D23015	☐	Grey head support cushion with Stella cover				249,-
D23017	☐	Stabilizer for head support and back - SW 350-500 (can only be combined with aluminium head support adapter in special adaptation)				303,-
D23023	☐	Stabilizer for head support and back - SW 550-600 (can only be combined with aluminium head support adapter in special adaptation)				357,-
D26677	☐	MYSeat head support (3 joints) Easy to adjust – Takes little space – Crash tested Artificial leather or textile cover depending on fabric choice for the whole chair. Multifunctional head support with				562,-



		adjustable sides. Horizontal, vertical and angle adjustable. Width 250 mm.	
D90034	☐	Extra joint for MYSeat head support extension – needed for back height 600 mm.	87,-
			
D45372	☐	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45374	☐	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45373	☐	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	☐	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request
D45368	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89559	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request

TRAYS

D21059	☐	Universal tray for SW 350 - 500 mm (for SW 500 and arm pad D21077, D21079 or D21927, please choose tray D21063)	243,-
D21063	☐	Universal tray for SW 550 + 600 mm (necessary for SW 500 with arm pad D21077, D21079 or D21927)	303,-

D21050	☐	Tray reinforced for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927)	411,-
D24001	☐	Tray swingable for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927)	281,-
D24002	☐	Tray lockable for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927)	281,-
D93316	☐	Tray spacer for swingable or lockable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	21,-
D21052	☐	Upholstery for tray	130,-
D23006	☐	Half tray, upholstered, left	444,-
D23005	☐	Half tray, upholstered, right	444,-

VARIOUS ACCESSORIES

D21087	☐	Clinic-kit (tools) for angle adjustable foot supports	130,-
D21239	☐	Tool kit	108,-
D41987	☐	Intravenous rack	346,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit




[A]	[B]	[C]	[D]	[E]	[F]
D86282	☐	Belt bracket kit – seat [A]			112,-
D20845	☐	Hip belt, with upholstery and car belt lock [B]			130,-
		Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting kit [A+C]			288,-
D86902	☐	XS (overall pad length: 380 mm)			
D86891	☐	M (overall pad length: 460 mm)			
D86892	☐	L (overall pad length: 620 mm)			
		Bodypoint 2-point hip belt incl. mounting kit [A+F]			260,-
D45273	☐	XS (overall pad length: 360 mm)			
D45274	☐	S (overall pad length: 400 mm)			
D45275	☐	M (overall pad length: 460 mm)			
D45040	☐	Security cover for type [C], [D] and [F] in XS/M/L			76,-
D45276	☐	Bodypoint 2-point pelvic stabiliser for SW 550-650 mm incl. mounting kit (overall pad length: 820 mm) [A+F]			379,-
		Bodypoint 4-point pelvic stabiliser incl. mounting kit [2x A+D]			436,-
D86889	☐	XS (overall pad length: 360 mm)			
D86893	☐	M (overall pad length: 460 mm)			
D86894	☐	L (overall pad length: 620 mm)			

D60001	☐	Abduction belt [E]	574,-
		Bodypoint supportive universal elastic strap	195,-
D45084	☐	S (Height 80 mm - 1420 mm long, easily cut-to-length)	
D45085	☐	L (Height 110 mm - 1420 mm long, easily cut-to-length)	
D45086	☐	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	



Belts and accessories for back unit

				
[A]	[B]	[C]	[D]	[E]
D86890	☐	H-harness adaptor kit [A]		286,-
		For optimal ergonomics, position the h-belt adapter so the belt goes horizontally from fixation point over the top of the shoulders. This helps to maintain an optimal position (not being pushed down) and prevents shoulder strain. The push handles cannot be adjusted higher than the H-belt adapter itself, therefore, the H-belt adapter cannot be combined with push handles 500mm.		
D20881	☐	H-belt, with upholstery and car belt lock [B]		271,-
D41645	☐	Belt cross harness [C]		206,-
		Bodypoint Stayflex chest support without zipper [D]		282,-
D89805	☐	XS (Shoulder width 240-280 mm)		
D89898	☐	S (Shoulder width 380-330 mm)		
D86895	☐	M (Shoulder width 330-410 mm)		
D86896	☐	L (Shoulder width 410-480 mm)		
		Bodypoint Pivofit shoulder harness [E]		282,-
D89802	☐	XS (Shoulder width 240-280 mm)		
D89803	☐	S (Shoulder width 380-330 mm)		
D86898	☐	M (Shoulder width 330-410 mm)		
D86899	☐	L (Shoulder width 410-480 mm)		

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution. See examples and more about our special solutions online.



CUSTOM MADE – most wanted special adapted items (price on request)



[A]



[B]




[C]

☐	Reinforced footboard in aluminium
☐	180° back solution for users with special need for positioning or resting [A]
☐	Calf support upholstery in special length or material
☐	Extra-long calf supports (please state length) [B]
☐	Back cushion with special side support (see drawing page 9) [C]
☐	Special back height, e.g. 400 or 700 mm
☐	Push handles with longer horizontal bar (standard is 200 mm)

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.



Please inform us if there are any special circumstances in the living area that has an influence for the chair:
e.g. the total possible width _____ mm and length _____ mm of the chair.


TECHNICAL DATA

Tilt (seat)	-9° to +20°
Recline (back)	90° to 126°
Total width of the wheelchair	Seat width + 220 mm (std. wheels/DB-wheels) Seat width + 210 mm (12" + 16" DB-wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seatplate	Min: 170 mm/ max. 310 mm
Weight of wheelchair	App. 39 kg (without cushion)
Frame colour	Silver
Cover variants	Stretchable & flexible cover 3D Easy Care antibacterial cover, washable
Crash test	ISO 7176-19 (160 kg - 135 kg if D21072 elec. tilt is not chosen)



Seat height – WITHOUT seat cushion measured from floor to seat plate

(with sliding seat plate. With comfort plate the seat height is 15 mm lower)

Please notice, that not all seat widths have a max load of 160 kg.

Netti III View side frame left		Seating heights by using different rear/front wheels and different frame- and front castor positions	
Front wheels		Frame rear side	
5" + 24" = SH 460 mm 6" + 24" = SH 460 mm 7" + 24" = SH 460 mm 7" + 24" = SH 490 mm 8" + 24" = SH 490 mm 5" + 22" = SH 435 mm 6" + 22" = SH 435 mm 6" + 22" = SH 465 mm 7" + 22" = SH 465 mm 8" + 22" = SH 475 mm 3" + 20" = SH 405 mm 5" + 20" = SH 420 mm 6" + 20" = SH 455 mm	 7" + 20" = SH 455 mm 6" + 26" = SH 490 mm 7" + 26" = SH 490 mm 8" + 26" = SH 505 mm 8" + 26" = SH 530 mm 5" + 12" = SH 470 mm 6" + 12" = SH 470 mm 7" + 12" = SH 480 mm 8" + 12" = SH 500 mm 7" + 16" = SH 485 mm 8" + 16" = SH 495 mm	 Hole 1, 2, 3 for 12" - 16" - 20" - 22" - 24" - 26" 12" = H1 = seat height 470 mm 16" = H1 = seat height 485 mm 20" = H1 = seat height 405 mm 22" = H1 = seat height 435 mm 24" = H1 = seat height 460 mm 26" = H1 = seat height 490/505 mm Hole 4, 5, 6 for 12" - 16" - 20" - 22" - 24" - 26" 12" = H2 = seat height 470/480/500 mm 16" = H2 = seat height 495 mm 20" = H2 = seat height 420/450 mm 22" = H2 = seat height 465 mm 24" = H2 = seat height 490 mm 26" = H2 = seat height 530 mm	
We offer 3 different front forks. You will get the right one by crossing the seating height.			

Leg rests	Min. calf length	Max. calf length
Manual or electric angle adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



Measurements

A Hip width/Seat width	_____ mm
B Thigh length / seat depth	_____ mm
C Arm rest height	_____ mm
D Leg length / seat height	_____ mm
E Backrest height	_____ mm
F Trunk width	_____ mm