



Date _____ Customer code _____

Invoice address _____ Contact person _____

Reference _____

Other delivery address _____

☐ Invoice address = delivery address ☐ Quote

☐ The chair will be used as seat for car transport.

Basic price: 3.955,- €

excl. VAT

Seat width

D20035	☐	350 mm
D20038	☐	380 mm
D20040	☐	400 mm
D20043	☐	430 mm
D20045	☐	450 mm
D20050	☐	500 mm

Seat depth

A	☐	500 mm
B	☒	475 mm
C	☐	450 mm
D	☐	425 mm
E	☐	400 mm

For special seat depth above 500 mm, please use order form Netti III HD.

Capacity Max. 135 kg

Seat height See page 14

D22149 ☐ Side upholstery (reduces SW with 2 x 25 mm) 151,- €

☒ = Standard equipment

FRAME

Item number	Description	Price in €
Standard ☒	Push handles 300 mm, height adjustable and swingable	0,-
Standard ☒	Anti tip w/ pedal	0,-
Standard ☒	Car fasteners – if an accessory means that the wheelchair is not approved for use as seat in a car, the chair will be delivered without car fasteners.	0,-
D21808 ☐	Push handles 500 mm, height adjustable and swingable	216,-
D20824 ☐	Frame extension incl. brakes on lower frame tube	314,-
D81740 ☐	Push bow – height and angle adjustable	389,-
D21032 ☐	Tilt-restrictor (no negative tilt frontwards)	65,-
D43032 ☐	Tilt lock – stepless locking of tilt angle	368,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20

DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

D21075	☐	Configuration for car transportation for users higher than 185 cm incl.: D21006 back height 600 mm D21054 vertical tube for headrest - 500 mm D82025 headrest adapter in aluminium	692,-
D21020		Release lever for tilt - adapted to arm rest Both release handles on one side is offered as special adaptation. Cannot be combined with a dynamic back.	☐ L ☐ R 303,-
D21040		Release lever for recline - adapted to arm rest Both release handles on one side is offered as special adaptation. Cannot be combined with a dynamic back.	☐ L ☐ R 303,-
D21022	☐	Easy Care cover for seat and back, washable (not possible for Netti Sit 3D/°C and Netti Kyphotic)	0,-
D40501	☐	SW extension: 12 mm per side for standard wheels (only SW 350-450 mm)	692,-
D40502	☐	SW extension: 12 mm per side for DB-wheels (only SW 350-450 mm)	692,-

BRAKES

Standard	☒	Frame brake, brake lever 90 mm	0,-
D21010	☐	Drum brakes	271,-
D21029	☐	Brake lever extension + 60 mm, length: 150 mm	98,-
D21031	☐	Brake lever extension + 160 mm, length: 250 mm	108,-
D27282	☐	One-hand-brake, right (only in combination with drum brakes)	389,-
D27283	☐	One-hand-brake, left (only in combination with drum brakes)	389,-

BACK UNIT (for belts please see page 7)

Standard	☒	Back cushion Netti Smart - side support 120 mm, 3D cover	0,-
Standard	☒	Back height 500 mm (incl. adjustable velcro back)	0,-
D21006	☐	Back height 600 mm (incl. back extender + longer cushion)	346,-
D44992	☐	Adjustable velcro with cut for side supports	271,-
D27376	☐	Side support correction with upholstery left – for Netti Smart	228,-
D27378	☐	Side support correction with upholstery right – for Netti Smart	228,-
D21023	☐	Back cushion Netti Stabil - with 170 mm side support with 3D cover	574,-
D21123	☐	Back cushion Netti Super Stabil – with 170 mm reinforced side support, 3D cover	671,-
D20630	☐	Back cushion Netti Kyphotic - Stella/3D cover - only back height 500 mm	768,-
D26830	☐	Side support stable left – for Netti Stabil, Super Stabil & Kyphotic	260,-
D26843	☐	Side support stable right – for Netti Stabil, Super Stabil & Kyphotic	260,-
D27541	☐	Upholstery for side support stable, pair	163,-
D27700	☐	Firm back in aluminium, back height 500 mm	389,-
D27701	☐	Firm back in aluminium, back height 600 mm, incl. D21006	800,-
D21042	☐	Lumbar support	195,-
D21084	☐	Back wedge	195,-



Netti Dynamic FREE back spring

Allows up to 40° trunk movements backwards. Max. user weight 135 kg. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Incl. frame extension D28001 and Bodypoint Evoflex pelvic stabilizer 2-point belt:

Size XS ☐ M ☐ L ☐

For more information and choice of gas spring, feel free to contact us or have a look at our website. If combined with other options, please send us a request as some solutions are only possible as special adaptations.

Price on request

- | | | |
|---------------------------------------|---------------------------------------|---------------------------------------|
| ☐ D82226 200N | ☐ D82227 300N | ☐ D82228 400N |
| ☐ D82229 500N | ☐ D82230 600N | ☐ D82231 700N |
| ☐ D82232 800N | ☐ D82233 900N | ☐ D82234 1000N |
| ☐ D82235 1100N | ☐ D82236 1200N | ☐ D82237 1300N |

For Netti Dynamic System with dynamic seat unit, please see the Netti Dynamic III HD order form.

D87903	☐	Recline limiter (possible to limit in different positions from 116° - 134°) for the Netti Dynamic Free back spring (to be mounted by the dealer)	Price on request
		Libertas 15° back flexibility incl. long anti tips and frame extender (Max. user weight 135 kg, not intended for transport in car)	Price on request
		☐ D82414 80N ☐ D82415 120N ☐ D82416 160N	

SEAT UNIT (for belts please see page 7)

Standard	☒	Seat cushion Netti Uno Seat – 3D cover	0,-
Standard	☒	Sliding seat plate	0,-
D21074	☐	Seating plate comfort (not to be combined with sliding seat plate)	141,-
D21048	☐	Incontinence cover for seat cushion	249,-
D21007	☐	Netti Sit - pressure relief seat cushion with incontinence layer under the 3D cover	411,-
D21017	☐	Pressure relief seat cushion Netti Sit 3D/°C with temperature regulating features and incontinence layer under the 3D cover	574,-
D40001	☐	Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ (For seat width 500 with a seat depth smaller than 450 mm, ask for a special adaptation quote. If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer rather than shorter.)	850,-
D40002	☐	Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____	1050,-

(For seat width 500 with a seat depth smaller than 450 mm, ask for a special adaptation quote. If nothing is specified, Netti will select the appropriate size based on seat depth and seat width. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer rather than shorter.)

D40003	☐	Netti Precision permeable Incontinence cover – Change of cover for D40001/D40002. Breathable, elastic and durable. Transports liquid away from the skin and collects it in watertight space, so that the surroundings are not contaminated.	0,-
D27490	☐	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	271,-
D27491	☐	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	271,-
D27492	☐	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	271,-
D20830	☐	Removable knee and thigh support ☐ 1 piece ☐ 2 pieces	216,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

Standard	☒	Arm support height and depth adjustable (height 395 mm)	0,-
Standard	☒	Arm pads 385 x 58 mm	0,-
D89710*	☐	Completely upholstered armrest height 395 mm with app. 20 mm thick Skai upholstery. Arm pad 450 x 100 mm and skirt guard app. 570 x 215 mm	626,-
D89711*	☐	Completely upholstered armrest height 445 mm with app. 20 mm thick Skai upholstery. Arm pad 450 x 100 mm and skirt guard app. 570 x 215 mm	682,-
D89712*	☐	Completely upholstered armrest height 500 mm with app. 20 mm thick Skai upholstery. Arm pad 450 x 100 mm and skirt guard app. 570 x 215 mm	736,-
D80735	☐	Reinforced arm supports (skirt guard in aluminium und arm pads 420 x 80 mm)	790,-
D21015	☐	Arm support extended with 100 mm (height 495 mm)	444,-
D21077	☐	Arm pads 420 x 80 mm	130,-
D21078	☐	Arm pads 445 x 70 mm	130,-
D21079	☐	Arm pads 525 x 80 mm	130,-
D21927	☐	Arm pads curved at the back 525 x 80 mm	173,-
D41649	☐	Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/lockable tray together with tray spacers)	119,-
D41650	☐	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/lockable tray together with tray spacers)	141,-
D23003	☐	Hemiplegic cushion	228,-
D22185	☐	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	346,-
D22186	☐	Arm support hemiplegic right (can only be combined with a tray in special adaptation)	346,-

*These arm supports can only be combined with a reinforced tray in SW 350-450 mm, or with a swingable or lockable tray in combination with tray spacers.

LEG SUPPORTS

For the Netti III you have 5 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports			
	Standard	☒ Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	0,-
	D88211	☐ Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
	D32296	☐ Extra-long knee upholstery 550 mm – 3D cover	299,-
		Bodypoint ankle huggers with upholstery	
		☐ D44863 S (L: 170-200 mm)	249,-
		☐ D44864 M (L: 190-230 mm)	249,-
		☐ D44865 L (L: 220-290 mm)	260,-
		☐ D44904 XL (L: 280-330 mm)	281,-
	D23014	☐ Foot fixation	151,-
	D21008	☐ Gas spring for angle adjustment	1.017,-
	D21081	☐ Extra Abduction (+50 mm), not for SW 430 mm - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	444,-
	D21044	☐ Foot board, adjustable	336,-
	D21041	☐ Foot box upholstered (not approved for car transport, if this is needed please use the Netti Grandis solution which is approved)	530,-
	D21745	☐ Calf support bracket upholstery - pair - skai cover	65,-
	D41617	☐ Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	228,-
	D28453	☐ Foot plate upholstery - pair - skai cover	314,-
	D86900	☐ Bodypoint calf strap M	186,-
	D86901	☐ Bodypoint calf strap L	186,-
Universal leg supports			
	D24006	☐ Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. No calf supports, delivered with heel straps.	141,-
		Bodypoint ankle huggers with upholstery incl. mounting kit	
		☐ D44863 S (L: 170-200 mm)	249,-
		☐ D44864 M (L: 190-230 mm)	249,-
		☐ D44865 L (L: 220-290 mm)	260,-
		☐ D44904 XL (L: 280-330 mm)	281,-
	D23014	☐ Foot fixation	151,-

D21081	☐	Extra Abduction (+50 mm), not for SW 430 mm. Not approved for car transport – if needed, please contact customer service.	444,-
D21044	☐	Foot board, adjustable – without heel strap	336,-
D21041	☐	Foot box upholstered (not approved for car transport, if this is needed please use the Netti Grandis solution which is approved)	530,-
D86900	☐	Bodypoint calf strap M	186,-
D86901	☐	Bodypoint calf strap L	186,-

Netti Grandis angle adjustable leg supports

	D88600	☐	Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	1.131,-
			The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	
	D88608	☐	Extra Abduction (+50 mm), not for SW 430 mm - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	432,-
	D88602	☐	Calf support upholstery extra soft - pair (3D or EC cover depending on the fabric for the whole chair)	217,-
	D88607	☐	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	116,-
	D21745	☐	Calf support bracket upholstery - pair - skai cover	65,-
	D88014	☐	Foot fixation, pair incl. mounting kit	243,-
	D88603	☐	Foot board, lockable and upwards swingable	398,-
	D88605	☐	Footbox, upholstered with Skai cover (approved for car transport)	750,-
	D21293	☐	Calf strap	98,-
	D86900	☐	Bodypoint calf strap M	186,-
	D86901	☐	Bodypoint calf strap L	186,-
			Bodypoint ankle huggers with upholstery	
		☐	D88863 S (L: 170-200 mm)	337,-
		☐	D88864 M (L: 190-230 mm)	337,-
		☐	D88865 L (L: 220-290 mm)	347,-
		☐	D88866 XL (L: 280-330 mm)	371,-

Netti Grandis amputation support

D88618	☐	Amputation support left (amputation support on both sides only together with frame extension D20824) incl. Netti Grandis leg support right side	1.085,-
D88619	☐	Amputation support right (amputation support on both sides only together with frame extension D20824) incl. Netti Grandis leg support left side	1.085,-

Netti Grandis leg support with fixed angle

	D88612	☐ Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.	1.131,-
		The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.	
	D88608	☐ Extra Abduction (+50 mm), not for SW 430 mm. Not approved for car transport – if needed, please contact customer service.	432,-
	D88603	☐ Foot board, lockable and upwards swingable - no heel strap	398,-
	D88605	☐ Footbox, upholstered with Skai cover (approved for car transport)	750,-

Netti Dynamic angle adjustable leg supports



		Netti Dynamic angle adjustable leg supports with calf supports and footboard, 100N.	Price on request
	D82296	☐ Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
	D82298	☐ Adjustment piece 214 mm (lower leg length 350-450 mm)	
		Adjustable for different thigh lengths:	
	D82318	☐ Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
	D82319	☐ Adjustment piece 214 mm (lower leg length 350-450 mm)	
	D45245	☐ Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
	D32296	☐ Extra-long knee upholstery 550 mm – 3D cover	299,-
	D88211	☐ Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
		Bodypoint ankle huggers with upholstery	
		☐ D44863 S (L: 170-200 mm)	249,-
		☐ D44864 M (L: 190-230 mm)	249,-
		☐ D44865 L (L: 220-290 mm)	260,-
		☐ D44904 XL (L: 280-330 mm)	281,-
	D21081	☐ Extra abduction for leg rests (+50 mm) not for SW 430 mm - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	444,-
	D21745	☐ Calf support bracket upholstery - pair - skai cover	65,-
	D41617	☐ Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	228,-
	D86900	☐ Bodypoint calf strap M	186,-
	D86901	☐ Bodypoint calf strap L	186,-



MAIN WHEEL With comfort plate the seat height is 15 mm lower

Standard		24 x 1" PU – seat height:	☐ 460 mm	☐ 490 mm	0,-
		Possible front wheels:	5, 6 & 7"	7 & 8"	

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

D22006	☐	Main wheels wide: 1 3/8 PU infill	76,-
D22008	☐	Main wheels pneumatic – only 24 x 1 3/8 available	76,-
D22007	☐	22 x 1" PU – seat height: ☐ 435 mm ☐ 465 mm ☐ 475 mm Possible front wheels: 5 & 6" 6 & 7" 8"	151,-
D22002	☐	20 x 1" PU - seat height: ☐ 405 mm ☐ 420 mm ☐ 455 mm Possible front wheels 3" 5" 6 & 7"	163,-
D21035	☐	12 1/2" DB flexel** - seat height: ☐ 470 mm ☐ 480 mm ☐ 500 mm Possible front wheels 5 & 6" 7" 8"	401,-
D22035	☐	16" DB PU - seat height: ☐ 485 mm ☐ 495 mm Possible front wheels 7" 8"	401,-
D22010	☐	26 x 1 3/8" PU infill-seat height: ☐ 490 mm ☐ 505 mm ☐ 530 mm Possible front wheels 6 & 7" 8" 8"	163,-
D20831	☐	Main wheel w/one hand drive (24x1 3/8 Drum brake) – left Seat height: ☐ 460 mm ☐ 490 mm Possible front wheels: 5, 6 & 7" 7 & 8" (if mounted, the chair is not approved as seat for car transport)	1.947,-
D20832	☐	Main wheel w/one hand drive (24x1 3/8 Drum brake) – right Seat height: ☐ 460 mm ☐ 490 mm Possible front wheels: 5, 6 & 7" 7 & 8" (if mounted, the chair is not approved as seat for car transport)	1.947,-
D20834	☐	One hand drive for 24" wheels PU – left Seat height: ☐ 460 mm ☐ 490 mm Possible front wheels: 5, 6 & 7" 7 & 8" (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)	1.276,-
D20836	☐	One hand drive for 24" wheels PU – right Seat height: ☐ 460 mm ☐ 490 mm Possible front wheels: 5, 6 & 7" 7 & 8" (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)	1.276,-
D20837	☐	One hand drive for 22" wheels PU – left Seat height: ☐ 460 mm ☐ 490 mm Possible front wheels: 5, 6 & 7" 7 & 8" (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)	1.276,-
D20838	☐	One hand drive for 22" wheels PU – right Seat height: ☐ 460 mm ☐ 490 mm Possible front wheels: 5, 6 & 7" 7 & 8" (if mounted, the chair is not approved as seat for car transport and cannot be combined with drum brakes)	1.276,-
D22009	☐	Hand and spoke protector, transparent, pair (not for one hand drive standard)	163,-
D22013	☐	Push rim cover, pair	130,-

** Without frame brakes - Please contact us for an offer of a frame brake solution.

FRONT WHEELS

Standard	☒	Front wheels: 7" – 175 x 33 PU	0,-
D21021	☐	Front wheels: 7" – 175 x 45 PU (necessary for supportive engines)	98,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20

DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

D21012	☐	Front wheels: 7" – 175 x 45 pneumatic	98,-
D22001	☐	Front wheels: 3" – 75 x 33 PU including extra-short front forks for SH 405 mm	346,-
D22003	☐	Front wheels: 5" – 125 x 27 PU	98,-
D22005	☐	Front wheels: 6" – 150 x 30 PU	98,-
D21026	☐	Front wheels: 8" – 200 x 50 PU infill	98,-
D20664	☐	Front wheel distance bushers to simplify foot propelling (ideal in combination with D24005)	184,-

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS



D82025	☐	Head support adapter aluminium (can only be combined with head support stabilizer in special adaptation)	260,-
D96473	☐	Dynamic head support adapter incl. 3 different strengths of rubber dampers to accommodate individual needs. Cannot be combined with D82025/D82746.	Price on request
D20575	☐	Head support A, with side support	249,-
D82566	☐	Head support A with side support and head band (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	370,-
D82568	☐	Extra comfort pads for the head band of D82566, pair	35,-
D20574	☐	Head support B, small, oval	249,-
D20573	☐	Head support C, large, square	249,-
 D82746	☐	Netti Dynamic head support C incl. head support adapter in aluminium If combined with other options, please send us a request, as some solutions are only possible as special adaptations. For more information, feel free to contact us.	Price on request
D20576	☐	Head support D, comfort (pressure distributive)	314,-
D27575	☐	Head support E with adjustable side supports	379,-
D27576	☐	Head support F with cheek support (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	497,-
D21064	☐	Headrest adjustment tube (horizontal) + 50 mm, length 200 mm	98,-
D21027	☐	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	98,-
D21065	☐	Headrest adjustment tube (horizontal) + 150 mm, length 300 mm	98,-
D21028	☐	Headrest adjustment tube (horizontal) + 230 mm, length 380 mm	108,-
D21054	☐	Headrest adjustment tube (vertical) + 100 mm, length 500 mm	98,-
D23004	☐	Comfort cushion for head rest type C – removable with Stella cover	195,-
D23012	☐	Easy Care cover for head rest type A, B, C – removable	98,-
D23013	☐	3D cover for head rest type A, B, C – removable	98,-
D23015	☐	Grey head rest cushion with Stella cover	249,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

D23017	☐	Stabilizer for head support and back (can only be combined with aluminium head support adapter in special adaptation)	303,-
D26677	☐	MYSeat head support (3 joints) Easy to adjust – Takes little space – Crash tested Artificial leather or textile cover depending on fabric choice for the whole chair. Multifunctional head support with adjustable sides. Horizontal, vertical and angle adjustable. Width 250 mm.	562,-
D90034	☐	Extra joint for MYSeat head support extension – needed for back height 600 mm.	87,-
			
D45372	☐	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45374	☐	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45373	☐	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	☐	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request
D45368	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89559	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request

TRAYS

D21059	☐	Universal tray for SW 350 - 500 mm (for SW 500 and arm pads D21077, D21079 or D21927, please choose tray D21063)	243,-
D21063	☐	Universal tray for SW 550 + 600 mm (necessary for SW 500 with arm pads D21077, D21079 or D21927)	303,-
D21050	☐	Tray reinforced (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927)	411,-
D24001	☐	Tray swingable (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927)	281,-
D24002	☐	Tray lockable (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927)	281,-
D93316	☐	Tray spacer for swingable or lockable tray – necessary if a tray is combined with soft upholstery for armpads D41649/D41650	21,-
D21052	☐	Upholstery for tray	130,-
D23006	☐	Half tray, upholstered, left	444,-
D23005	☐	Half tray, upholstered, right	444,-

VARIOUS ACCESSORIES

D21087	☐	Clinic-Kit (tools) for angle adjustable foot supports	130,-
D21239	☐	Toolkit	108,-
D41987	☐	Intravenous rack	346,-


BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit

     			
[A]			
[B]			
[C]			
[D]			
[E]			
[F]			
D86282	☐	Belt bracket kit – seat [A]	112,-
D20845	☐	Hip belt, with upholstery and car belt lock [B]	130,-
		Bodypoint 2-point pelvic stabiliser Evoflex incl. D86282 [A+C]	288,-
D86902	☐	XS (overall pad length: 380 mm)	
D86891	☐	M (overall pad length: 460 mm)	
D86892	☐	L (overall pad length: 620 mm)	
		Bodypoint 2-point hip belt incl. mounting kit [A+F]	260,-
D45273	☐	XS (overall pad length: 360 mm)	
D45274	☐	S (overall pad length: 400 mm)	

D45275	☐	M (overall pad length: 460 mm)	
D45040	☐	Security cover for type [C], [D] and [F] in XS/M/L	76,-
D86889	☐	Bodypoint 4-point pelvic stabiliser incl. mounting kit [2xA+D]	436,-
D86893	☐	XS (overall pad length 360 mm)	
D86894	☐	M (overall pad length: 460 mm)	
D60001	☐	L (overall pad length: 620 mm)	
		Abduction belt [E]	574,-
		Bodypoint supportive universal elastic strap	
D45084	☐	S (Height 80 mm - 1420 mm long, easily cut-to-length)	
D45085	☐	L (Height 110 mm - 1420 mm long, easily cut-to-length)	
D45086	☐	XL (Height 150 mm - 1420 mm long, easily cut-to-length)	

Belts and accessories for back unit

				
[A]	[B]	[C]	[D]	[E]
D86890	☐	H-harness adaptor kit [A]		
		For optimal ergonomics, position the h-belt adapter so the belt goes horizontally from fixation point over the top of the shoulders. This helps to maintain an optimal position (not being pushed down) and prevents shoulder strain. The push handles cannot be adjusted higher than the H-belt adapter itself, therefore, the H-belt adapter cannot be combined with push handles 500mm.		
D20881	☐	H-belt, with upholstery and car belt lock [B]		
D41645	☐	Belt cross harness [C]		
		Bodypoint Stayflex chest support without zipper [D]		
D89805	☐	XS (Shoulder width 240-280 mm)		
D89898	☐	S (Shoulder width 280-330 mm)		
D86895	☐	M (Shoulder width 330-410 mm)		
D86896	☐	L (Shoulder width 410-480 mm)		
		Bodypoint Pivofit shoulder harness [E]		
D89802	☐	XS (Shoulder width 240-280 mm)		
D89803	☐	S (Shoulder width 380-330 mm)		
D86898	☐	M (Shoulder width 330-410 mm)		
D86899	☐	L (Shoulder width 410-480 mm)		

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution. See examples and more about our special solutions online.



NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

CUSTOM MADE – most wanted special adapted items (price on request)



A

B


C

- | | |
|--------------------------|--|
| ☐ | Reinforced footboard in aluminium |
| ☐ | Extra long calf supports (please state length) (B) |
| ☐ | Calf support upholstery in special length or material |
| ☐ | Back cushion with special side support (see drawing page 9) (C) |
| ☐ | Special back height, e.g. 400 or 700 mm |
| | Complete upholstered armrest [A] – now standard article – please see page 4 |
| ☐ | Pushhandles with special length or angle |
| ☐ | Footboard that swings horizontally forwards |

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.



Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length _____ mm of the chair.

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

TECHNICAL DATA

Tilt (seat)	-9° to +16°
Recline (back)	86° to 133°
Total width of the wheelchair	Seat width + 220 mm (std. wheels/DB-wheels) Seat width + 210 mm (12" + 16" DB-wheels)
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seatplate	Min: 170 mm/ max. 310 mm
Weight of wheelchair	App. 36 kg (without cushion)
Frame colour	Silver
Cover variants	Stretchable & flexible cover 3D (optional Easy Care antibacterial cover, washable)
Crash test	ISO 7176-19 (135 kg)

Seat height – WITHOUT seat cushion (measured from floor to seat plate)

(with sliding seat plate. With comfort plate the seat height is 15 mm lower)

Netti III
[View side frame left](#)

Seating heights by using different rear/front wheels and
 different frame- and front castor positions


Front wheels

5" + 24" = SH 460 mm
6" + 24" = SH 460 mm
7" + 24" = SH 460 mm
7" + 24" = SH 490 mm
8" + 24" = SH 490 mm
5" + 22" = SH 435 mm
6" + 22" = SH 435 mm
6" + 22" = SH 465 mm
7" + 22" = SH 465 mm
8" + 22" = SH 475 mm
3" + 20" = SH 405 mm
5" + 20" = SH 420 mm
6" + 20" = SH 455 mm

7" + 20" = SH 455 mm
6" + 26" = SH 490 mm
7" + 26" = SH 490 mm
8" + 26" = SH 505 mm
8" + 26" = SH 530 mm
5" + 12" = SH 470 mm
6" + 12" = SH 470 mm
7" + 12" = SH 480 mm
8" + 12" = SH 500 mm
7" + 16" = SH 485 mm
8" + 16" = SH 495 mm

We offer 3 different front forks. You will get the right one by crossing the seating height.

Frame rear side





Hole 1, 2, 3 for 12" - 16" - 20" - 22" - 24" - 26"
 12" = H1 = seat height 470 mm
 16" = H1 = seat height 485 mm
 20" = H1 = seat height 405 mm
 22" = H1 = seat height 435 mm
 24" = H1 = seat height 460 mm
 26" = H1 = seat height 490/505 mm

Hole 4, 5, 6 for 12" - 16" - 20" - 22" - 24" - 26"
 12" = H2 = seat height 470/480/500 mm
 16" = H2 = seat height 495 mm
 20" = H2 = seat height 420/450 mm
 22" = H2 = seat height 465 mm
 24" = H2 = seat height 490 mm
 26" = H2 = seat height 530 mm

Leg rests	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

All prices are list prices excl. VAT | Right for changes reserved | Valid until a new pricelist is published | Page 14 of 15
 Version 2026-09



Measurements

A Hip width/Seat width	_____ mm
B Thigh length / seat depth	_____ mm
C Arm rest height	_____ mm
D Leg length / seat height	_____ mm
E Backrest height	_____ mm
F Trunk width	_____ mm