

Netti Precision seat cushion



Date _____

Customer code C- _____

Invoice address _____

Contact person _____

Reference _____

Other delivery address _____

☐ Invoice address = delivery address

☐ Quote

Netti Precision 1		Netti Precision 2		Netti Precision Active	
					
 • When user is at risk of skin and pressure injuries. • Pressure distribution and relief. • Protects bony areas. • Support of the pelvic ensures a good seating position. • Great immersion minimises risk of sliding forward. • Hygienic and quick dry core • Max. user weight 160 kg		 • For users with sensitive skin, high risk of skin damage or even skin injuries. • Enhanced pressure relief of tail bone and pelvic floor. • Pressure distribution and relieve. • Support of the pelvic ensures a good seating position. • Great immersion minimises risk of sliding forward • Hygienic and quick dry core • Max. user weight 160 kg		 • Great microclimate control • Unique airflow • Pressure distribution and relief across seating surface • Protects bony areas including sit bones and tailbone • Pelvic support ensures good seating position and stability • Shock absorption reduces risk of pressure injuries • Hygienic and quick dry core • Max. user weight 160 kg	

Different choices of covers		
		
EASY CARE+ Durable, breathable, elastic, wipeable and hygienic. PES (Polyester) + Polyurethane.	STELLA+ Breathable, elastic and durable. Enhances the microclimate, ventilates and reduces build-up of heat. The material is polyester and elastane.	PERMEABLE INCONTINENCE Breathable, elastic and durable. Transports liquid away from the skin and collects it in watertight space, so that the surroundings are not contaminated.

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

Netti Precision seat cushion




Netti Precision 1				
Cushion with Easy Care+ cover	Cushion with Stella+ cover	Cushion with permeable Incontinence cover	Width	Depth
☐ 234301	☐ 232301	☐ 2310301	350 mm	350 mm
☐ 234302	☐ 232302	☐ 2310302	350 mm	375 mm
☐ 234303	☐ 232303	☐ 2310303	350 mm	400 mm
☐ 234304	☐ 232304	☐ 2310304	350 mm	425 mm
☐ 234305	☐ 232305	☐ 2310305	350 mm	450 mm
☐ 234306	☐ 232306	☐ 2310306	350 mm	475 mm
☐ 234307	☐ 232307	☐ 2310307	350 mm	500 mm
☐ 234308	☐ 232308	☐ 2310308	360 mm	350 mm
☐ 234309	☐ 232309	☐ 2310309	360 mm	400 mm
☐ 234310	☐ 232310	☐ 2310310	360 mm	450 mm
☐ 234311	☐ 232311	☐ 2310311	360 mm	500 mm
☐ 234316	☐ 232316	☐ 2310316	380 mm	350 mm
☐ 234317	☐ 232317	☐ 2310317	380 mm	375 mm
☐ 234318	☐ 232318	☐ 2310318	380 mm	400 mm
☐ 234319	☐ 232319	☐ 2310319	380 mm	425 mm
☐ 234320	☐ 232320	☐ 2310320	380 mm	450 mm
☐ 234321	☐ 232321	☐ 2310321	380 mm	500 mm
☐ 234326	☐ 232326	☐ 2310326	400 mm	400 mm
☐ 234328	☐ 232328	☐ 2310328	400 mm	450 mm
☐ 234329	☐ 232329	☐ 2310329	400 mm	475 mm
☐ 234330	☐ 232330	☐ 2310330	400 mm	500 mm
☐ 234332	☐ 232332	☐ 2310332	400 mm	550 mm
☐ 234338	☐ 232338	☐ 2310338	420 mm	400 mm
☐ 234339	☐ 232339	☐ 2310339	420 mm	425 mm
☐ 234340	☐ 232340	☐ 2310340	420 mm	450 mm
☐ 234341	☐ 232341	☐ 2310341	420 mm	475 mm
☐ 234342	☐ 232342	☐ 2310342	420 mm	500 mm
☐ 234343	☐ 232343	☐ 2310343	430 mm	400 mm
☐ 234345	☐ 232345	☐ 2310345	430 mm	450 mm
☐ 234347	☐ 232347	☐ 2310347	430 mm	500 mm
☐ 234349	☐ 232349	☐ 2310349	430 mm	550 mm
☐ 234350	☐ 232350	☐ 2310350	440 mm	400 mm
☐ 234351	☐ 232351	☐ 2310351	440 mm	450 mm
☐ 234352	☐ 232352	☐ 2310352	440 mm	500 mm
☐ 234353	☐ 232353	☐ 2310353	450 mm	400 mm
☐ 234355	☐ 232355	☐ 2310355	450 mm	450 mm
☐ 234357	☐ 232357	☐ 2310357	450 mm	500 mm
☐ 234359	☐ 232359	☐ 2310359	450 mm	550 mm
☐ 234360	☐ 232360	☐ 2310360	460 mm	400 mm
☐ 234361	☐ 232361	☐ 2310361	460 mm	425 mm
☐ 234362	☐ 232362	☐ 2310362	460 mm	450 mm
☐ 234363	☐ 232363	☐ 2310363	460 mm	500 mm
☐ 234372	☐ 232372	☐ 2310372	480 mm	400 mm

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

Netti Precision seat cushion

Netti Precision 1				
Cushion with Easy Care+ cover	Cushion with Stella+ cover	Cushion with permeable Incontinence cover	Width	Depth
☐ 234373	☐ 232373	☐ 2310373	480 mm	425 mm
☐ 234374	☐ 232374	☐ 2310374	480 mm	475 mm
☐ 234375	☐ 232375	☐ 2310375	480 mm	500 mm
☐ 234378	☐ 232378	☐ 2310378	490 mm	400 mm
☐ 234379	☐ 232379	☐ 2310379	490 mm	425 mm
☐ 244301	☐ 242301	☐ 2410301	500 mm	450 mm
☐ 244302	☐ 242302	☐ 2410302	500 mm	500 mm
☐ 244304	☐ 242304	☐ 2410304	500 mm	550 mm
☐ 244309	☐ 242309	☐ 2410309	520 mm	450 mm
☐ 244310	☐ 242310	☐ 2410310	520 mm	475 mm
☐ 244311	☐ 242311	☐ 2410311	520 mm	500 mm
☐ 244323	☐ 242323	☐ 2410323	550 mm	500 mm
☐ 244325	☐ 242325	☐ 2410325	550 mm	550 mm
☐ 244343	☐ 242343	☐ 2410343	600 mm	500 mm
☐ 244345	☐ 242345	☐ 2410345	600 mm	550 mm



When choosing the seat depth of the cushion for a comfort wheelchair, we recommend a maximum difference of 30 mm. We recommend a longer cushion rather than shorter, unless used on a wheelchair with dynamic seat plate. If a size is not available, please ask for a special adaptation quote.

☐ Other sizes available on request:

Netti Precision 1: Width _____ Depth _____ Cover: ☐ Stella+ ☐ Easy Care+ ☐ Incontinence

Netti Precision seat cushion




Netti Precision 2				
Cushion with Easy Care+ cover	Cushion with Stella+ cover	Cushion with permeable Incontinence cover	Width	Depth
☐ 264301	☐ 262301	☐ 2610301	350 mm	350 mm
☐ 264302	☐ 262302	☐ 2610302	350 mm	375 mm
☐ 264303	☐ 262303	☐ 2610303	350 mm	400 mm
☐ 264304	☐ 262304	☐ 2610304	350 mm	425 mm
☐ 264305	☐ 262305	☐ 2610305	350 mm	450 mm
☐ 264306	☐ 262306	☐ 2610306	350 mm	475 mm
☐ 264307	☐ 262307	☐ 2610307	350 mm	500 mm
☐ 264308	☐ 262308	☐ 2610308	360 mm	350 mm
☐ 264309	☐ 262309	☐ 2610309	360 mm	400 mm
☐ 264310	☐ 262310	☐ 2610310	360 mm	450 mm
☐ 264311	☐ 262311	☐ 2610311	360 mm	500 mm
☐ 264316	☐ 262316	☐ 2610316	380 mm	350 mm
☐ 264317	☐ 262317	☐ 2610317	380 mm	375 mm
☐ 264318	☐ 262318	☐ 2610318	380 mm	400 mm
☐ 264319	☐ 262319	☐ 2610319	380 mm	425 mm
☐ 264320	☐ 262320	☐ 2610320	380 mm	450 mm
☐ 264321	☐ 262321	☐ 2610321	380 mm	500 mm
☐ 264326	☐ 262326	☐ 2610326	400 mm	400 mm
☐ 264328	☐ 262328	☐ 2610328	400 mm	450 mm
☐ 264329	☐ 262329	☐ 2610329	400 mm	475 mm
☐ 264330	☐ 262330	☐ 2610330	400 mm	500 mm
☐ 264332	☐ 262332	☐ 2610332	400 mm	550 mm
☐ 264338	☐ 262338	☐ 2610338	420 mm	400 mm
☐ 264339	☐ 262339	☐ 2610339	420 mm	425 mm
☐ 264340	☐ 262340	☐ 2610340	420 mm	450 mm
☐ 264341	☐ 262341	☐ 2610341	420 mm	475 mm
☐ 264342	☐ 262342	☐ 2610342	420 mm	500 mm
☐ 264343	☐ 262343	☐ 2610343	430 mm	400 mm
☐ 264345	☐ 262345	☐ 2610345	430 mm	450 mm
☐ 264347	☐ 262347	☐ 2610347	430 mm	500 mm
☐ 264349	☐ 262349	☐ 2610349	430 mm	550 mm
☐ 264350	☐ 262350	☐ 2610350	440 mm	400 mm
☐ 264351	☐ 262351	☐ 2610351	440 mm	450 mm
☐ 264352	☐ 262352	☐ 2610352	440 mm	500 mm
☐ 264353	☐ 262353	☐ 2610353	450 mm	400 mm
☐ 264355	☐ 262355	☐ 2610355	450 mm	450 mm
☐ 264357	☐ 262357	☐ 2610357	450 mm	500 mm
☐ 264359	☐ 262359	☐ 2610359	450 mm	550 mm
☐ 264360	☐ 262360	☐ 2610360	460 mm	400 mm
☐ 264361	☐ 262361	☐ 2610361	460 mm	425 mm

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

Netti Precision seat cushion

Netti Precision 2				
Cushion with Easy Care+ cover	Cushion with Stella+ cover	Cushion with permeable Incontinence cover	Width	Depth
☐ 264362	☐ 262362	☐ 2610362	460 mm	450 mm
☐ 264363	☐ 262363	☐ 2610363	460 mm	500 mm
☐ 264372	☐ 262372	☐ 2610372	480 mm	400 mm
☐ 264373	☐ 262373	☐ 2610373	480 mm	425 mm
☐ 264374	☐ 262374	☐ 2610374	480 mm	450 mm
☐ 264375	☐ 262375	☐ 2610375	480 mm	500 mm
☐ 264378	☐ 262378	☐ 2610378	490 mm	400 mm
☐ 264379	☐ 262379	☐ 2610379	490 mm	425 mm
☐ 274301	☐ 272301	☐ 2710301	500 mm	450 mm
☐ 274302	☐ 272302	☐ 2710302	500 mm	500 mm
☐ 274304	☐ 272304	☐ 2710304	500 mm	550 mm
☐ 274309	☐ 272309	☐ 2710309	520 mm	450 mm
☐ 274310	☐ 272310	☐ 2710310	520 mm	475 mm
☐ 274311	☐ 272311	☐ 2710311	520 mm	500 mm
☐ 274323	☐ 272323	☐ 2710323	550 mm	500 mm
☐ 274325	☐ 272325	☐ 2710325	550 mm	550 mm
☐ 274343	☐ 272343	☐ 2710343	600 mm	500 mm
☐ 274345	☐ 272345	☐ 2710345	600 mm	550 mm



When choosing the seat depth of the cushion for a comfort wheelchair, we recommend a maximum difference of 30 mm. We recommend a longer cushion rather than shorter, unless used on a wheelchair with dynamic seat plate. If a size is not available, please ask for a special adaptation quote.

☐ Other sizes available on request:

Netti Precision 2: Width _____ Depth _____ Cover: ☐ Stella+ ☐ Easy Care+ ☐ Incontinence

Netti Precision seat cushion




Netti Precision Active			
Cushion with Easy Care+ cover	Cushion with Stella+ cover	Width	Depth
☐ 504301	☐ 502301	320 mm	340 mm
☐ 504302	☐ 502302	320 mm	360 mm
☐ 504303	☐ 502303	320 mm	380 mm
☐ 504304	☐ 502304	320 mm	400 mm
☐ 504305	☐ 502305	340 mm	340 mm
☐ 504306	☐ 502306	340 mm	360 mm
☐ 504307	☐ 502307	340 mm	380 mm
☐ 504308	☐ 502308	340 mm	400 mm
☐ 504309	☐ 502309	340 mm	420 mm
☐ 504310	☐ 502310	360 mm	340 mm
☐ 504311	☐ 502311	360 mm	360 mm
☐ 504312	☐ 502312	360 mm	380 mm
☐ 504313	☐ 502313	360 mm	400 mm
☐ 504314	☐ 502314	360 mm	420 mm
☐ 504315	☐ 502315	360 mm	440 mm
☐ 504316	☐ 502316	360 mm	460 mm
☐ 504317	☐ 502317	380 mm	340 mm
☐ 504318	☐ 502318	380 mm	380 mm
☐ 504319	☐ 502319	380 mm	400 mm
☐ 504320	☐ 502320	380 mm	420 mm
☐ 504321	☐ 502321	380 mm	440 mm
☐ 504322	☐ 502322	380 mm	460 mm
☐ 504323	☐ 502323	380 mm	480 mm
☐ 504324	☐ 502324	380 mm	500 mm
☐ 504325	☐ 502325	400 mm	380 mm
☐ 504326	☐ 502326	400 mm	400 mm
☐ 504327	☐ 502327	400 mm	420 mm
☐ 504328	☐ 502328	400 mm	440 mm
☐ 504329	☐ 502329	400 mm	460 mm
☐ 504330	☐ 502330	400 mm	480 mm
☐ 504331	☐ 502331	400 mm	500 mm
☐ 504332	☐ 502332	420 mm	380 mm
☐ 504333	☐ 502333	420 mm	400 mm
☐ 504334	☐ 502334	420 mm	420 mm
☐ 504335	☐ 502335	420 mm	440 mm
☐ 504336	☐ 502336	420 mm	460 mm
☐ 504337	☐ 502337	420 mm	480 mm
☐ 504338	☐ 502338	420 mm	500 mm
☐ 504339	☐ 502339	440 mm	380 mm
☐ 504340	☐ 502340	440 mm	400 mm
☐ 504341	☐ 502341	440 mm	420 mm
☐ 504342	☐ 502342	440 mm	440 mm
☐ 504343	☐ 502343	440 mm	460 mm

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

Netti Precision seat cushion

Netti Precision Active			
Cushion with Easy Care+ cover	Cushion with Stella+ cover	Width	Depth
☐ 504344	☐ 502344	440 mm	480 mm
☐ 504345	☐ 502345	440 mm	500 mm
☐ 504346	☐ 502346	460 mm	380 mm
☐ 504347	☐ 502347	460 mm	400 mm
☐ 504348	☐ 502348	460 mm	420 mm
☐ 504349	☐ 502349	460 mm	440 mm
☐ 504350	☐ 502350	460 mm	460 mm
☐ 504351	☐ 502351	460 mm	480 mm
☐ 504352	☐ 502352	460 mm	500 mm
☐ 504353	☐ 502353	480 mm	400 mm
☐ 504354	☐ 502354	480 mm	420 mm
☐ 504355	☐ 502355	480 mm	440 mm
☐ 504356	☐ 502356	480 mm	460 mm
☐ 504357	☐ 502357	480 mm	480 mm
☐ 504358	☐ 502358	480 mm	500 mm
☐ 504359	☐ 502359	500 mm	400 mm
☐ 504360	☐ 502360	500 mm	440 mm
☐ 504361	☐ 502361	500 mm	460 mm
☐ 504362	☐ 502362	500 mm	480 mm
☐ 504363	☐ 502363	500 mm	500 mm
☐ 504364	☐ 502364	520 mm	460 mm
☐ 504365	☐ 502365	520 mm	480 mm
☐ 504366	☐ 502366	520 mm	500 mm



When choosing the seat depth of the cushion for a comfort wheelchair, we recommend a maximum difference of 30 mm. We recommend a longer cushion rather than shorter, unless used on a wheelchair with dynamic seat plate. If a size is not available, please ask for a special adaptation quote.

☐ Other sizes available on request:

Netti Precision Active: Width _____ Depth _____ Cover: ☐ Stella+ ☐ Easy Care+