



Date _____ Customer code C- _____
 Invoice address _____ Contact person _____
 _____ Reference _____
 _____ Other delivery address _____

☐ Invoice address = delivery address ☐ Quote

☐ The chair will be used as seat for car transport

Seat width	D53535	☐	350 mm (delivered in seat depth 400 mm*)	Price on request
	D53540	☐	400 mm (delivered in seat depth 400 mm*)	
	D53545	☐	450 mm (delivered in seat depth 475 mm*)	
	D53550	☐	500 mm (delivered in seat depth 500 mm*)	

Seat width (adjustable + 12,5/25 mm per side)

Seat depth (stepless adjustable 375 – 550 mm)

*other choice for seat cushion depth, see page 4.

Seat height (stepless adjustable 70-100 mm /see page 8)

Netti V is a chair with countless adjustment options. Some combinations may cause minor issues, but these can usually be resolved by adjusting other parts of the chair. Please feel free to contact us for guidance.

Netti V All-round configuration with tilt handle under armrest (tilt limited to -3 to +20° and universal leg supports (cannot be combined with all trays – please ask for a quote)	444,- €
☐ right side D55020 ☐ left side D55021	

Seat depth adjusted by Netti (seat cushions are delivered in best fitting possible size):	D58002
☐ 375 ☐ 400 ☐ 425 ☐ 450 ☐ 475 ☐ 500 ☐ 525 ☐ 550	102,- €

D22149 ☐ Side and comfort upholstery (reduces SW with 2 x 25 mm)	151,- €
---	---------

☒ = Standard equipment

FRAME

Item nr.	Description	Price in €
Standard	☒ Push handles 300 mm, height adjustable and swingable	0,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

All prices are list prices excl. VAT | Right for changes reserved | Valid until a new pricelist is published | Page 1 of 15

Version 2026_09

Standard	☒	Pedal for overcoming obstacles, right side	0,-
Standard	☒	Anti-tippers, swingable and foot-operated	0,-
Standard	☒	Car fasteners front and back - if an accessory means that the wheelchair is not approved for use as seat in a car, the chair will be delivered without car fasteners.	0,-
D21808	☐	Push handles 500 mm, height adjustable and swingable	216,-
D81740	☐	Push bow – height and angle adjustable	389,-
D53032	☐	Gas spring limiter and lock for tilt (mounted by Netti)	368,-
D53033	☐	Gas spring limiter and lock for standard recline (mounted by Netti)	368,-
D87903	☐	Recline limiter for the Netti Dynamic back gas spring (to be mounted by the dealer)	Price on request
D21022	☐	Easy Care cover for seat and back, washable (not available for Netti Sit 3D/°C and Netti Kyphotic cushion)	0,-

SOLUTIONS FOR RESPIRATION MACHINES AND OTHER MEDICAL DEVICES

D51186	☐	Universal device holder incl. 4 mounting brackets. D: 348 mm / W: SW minus 86 mm / Max. capacity 10kg If the wheelchair user is being pushed a lot, we recommend a push handle with a longer horizontal bar as a special solution for better ergonomics for the companion. For information concerning car transport, please see the user manual of the device holder on our website. The main wheels must be positioned as far back as possible. Please contact us if an active wheel position is required	1.947,-
D51187	☐	Cover plate for universal device – add. Level / Max. capacity 4 kg D: 193 mm / W: SW minus 87 mm / H (free area): 237 mm	519,-

BRAKES

Standard	☒	User brake – allows for easy side transfer and hand propelling	0,-
D53010	☐	Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake	271,-
D97640	☐	Longer brake lever for frame brakes +140 mm – total length 380 mm	108,-
D57282	☐	One-hand brake right (only in combination with 20/22/24/26" wheels)	389,-
D57283	☐	One-hand brake left (only in combination with 20/22/24/26" wheels)	389,-

BACK UNIT (for belts please see page 12)

Standard	☒	Back cushion Netti Uno - side support 100 mm - 3D cover	0,-
Standard	☒	Back height 500 mm (incl. fixed backrest cover)	0,-
Standard	☒	2 x 25 mm width adjustment (only with adjustable 6-piece back cover D21137)	0,-
Standard	☒	Back tubes adjustable for V+A+H back shape (only with adjustable 6-piece back cover)	0,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

All prices are list prices excl. VAT | Right for changes reserved | Valid until a new pricelist is published | Page 2 of 15

Version 2026_09

D21137	☐	Adjustable 6-piece back cover (mounting through dealer)	294,-
D21338	☐	Back cushion Netti Smart - with 120 mm side support with 3D cover	357,-
D27376	☐	Side support correction with upholstery left – for Netti Smart & Netti Uno	228,-
D27378	☐	Side support correction with upholstery right – for Netti Smart & Netti Uno	228,-
D41006	☐	Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm-mounting through dealer)	240,-
D71335	☐	Back cushion Netti Stabil – with 170 mm side support – 3D cover. Including the adjustable 6-piece back cover for optimum positioning (mounting through local dealer)	851,-
D71336	☐	Back cushion Netti Super Stabil – with 170 mm reinforced side support – 3D cover. Including the adjustable 6-piece back cover for optimum positioning (mounting through local dealer)	945,-
D20631	☐	Back cushion Netti Kyphotic only back height 500 mm in Stella/3D cover and only SW 350/400/450/500 mm. Including the adjustable 6-piece back cover for optimum positioning (mounting through local dealer)	1.040,-
D26830	☐	Side support stable left – for Netti Stabil, Super Stabil & Kyphotic	260,-
D26843	☐	Side support stable right – for Netti Stabil, Super Stabil & Kyphotic	260,-
D27541	☐	Upholstery for side support stable, pair	163,-
D27700	☐	Firm back in aluminium, back height 500 mm (mounted by dealer)	389,-
D27708	☐	Firm back in aluminium, back height 600 mm, incl. D41006 (mounted by dealer)	639,-
D21335	☐	Back cushion Netti Stabil for configuration with firm back - with 170 mm side support with 3D cover	574,-
D21336	☐	Back cushion Netti Super Stabil for configuration with firm back - with 170 mm reinforced side support, 3D cover	671,-
D21042	☐	Lumbar support	195,-
D21084	☐	Back wedge	195,-



Netti Dynamic back cylinder

When mounting the dynamic gas spring the recline is reduced to 90° - 118° and the main wheels must be positioned as far back as possible. Please contact us if an active wheel position is required.

The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Incl. Bodypoint Evoflex pelvic stabilizer 2-point belt:

Size XS ☐ M ☐ L ☐

For more information and choice of gas spring, feel free to contact us or have a look at our website. If combined with other options, please send us a request as some solutions are only possible as special adaptations.

Price on request

☐ D52231 300N	☐ D52236 900N
☐ D52232 450N	☐ D52237 1000N
☐ D52233 600N	☐ D52238 1100N
☐ D52234 750N	☐ D52239 1200N
☐ D52235 800N	☐ D52240 1300N

For Netti Dynamic System with dynamic seat unit, please see our complete Netti Dynamic chairs.

SEAT UNIT (for belts please see page 11)

Standard	☒	Seat cushion Netti Uno – 3D cover	0,-
Standard	☒	Firm seat plate – adjustable in depth 400-550 mm	0,-
Standard	☒	2 x 25 mm width adjustment at arm support level	0,-
D58000	☐	Enlarged tilt range. Only available in combination with 16" drum brake main wheel configuration (D52035). The main wheels must be positioned as far back as possible. Please contact us if an active wheel position is required. Tilt = -3,6° to +45° range / Recline = 88-110°	771,-
D21048	☐	Incontinence cover for seat cushion	249,-
D21007	☐	Netti Sit - Pressure relief seat cushion with incontinence layer under the 3D cover	411,-
D21017	☐	Netti Sit 3D/°C - Pressure relief seat cushion with temperature regulating features and 3D cover	574,-
D40001	☐	Pressure distribution and relief seat cushion Netti Precision 1 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ (Please see separate order forms for available sizes. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer rather than shorter. If the size is not available, please ask for a special adaptation quote.)	850,-
D40002	☐	Pressure distribution and relief seat cushion Netti Precision 2 Cover Stella +/- Easy Care + depending on the fabric for the whole chair Article number _____ (Please see separate order forms for available sizes. For seat depth, we recommend a maximum difference of 30 mm, and we recommend longer rather than shorter. If the size is not available, please ask for a special adaptation quote.)	1050,-
D40003	☐	Netti Precision permeable Incontinence cover – Change of cover for D40001/D40002. Breathable, elastic and durable. Transports liquid away from the skin and collects it in watertight space, so that the surroundings are not contaminated.	0,-
D53490	☐	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	271,-
D53491	☐	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	271,-
D53492	☐	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	271,-
D50830	☐	Pelvic guide - removable, angle and depth adjustable for right side. Seat width adjustable up to 75 mm inwards per item. The rail itself can be mounted 25 mm outwards on the seat plate, if the seat width is extended in width.	216,-
D50831	☐	Pelvic guide - removable, angle and depth adjustable for left side. Seat width adjustable up to 75 mm inwards per item. The rail itself can be mounted 25 mm outwards on the seat plate, if the seat width is extended in width.	216,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

LEG SUPPORTS

For the Netti V you have 6 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports

	Standard	 Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	0,-
	Standard	 Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation)	0,-
	D88211	☐ Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
	D32296	☐ Extra-long knee upholstery 550 mm – 3D cover	299,-
		Bodypoint ankle huggers with upholstery	
		☐ D44863 S (L: 170-200 mm)	249,-
		☐ D44864 M (L: 190-230 mm)	249,-
		☐ D44865 L (L: 220-290 mm)	260,-
		☐ D44904 XL (L: 280-330 mm)	281,-
	D21008	☐ Gas spring	1.017,-
	D21044	☐ Foot board	336,-
	D21041	☐ Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	530,-
	D24000	☐ Calf support, swingable, pair	195,-
	D21745	☐ Calf support bracket upholstery - pair - skai cover	65,-
	D41617	☐ Calf support upholstery extra soft - pair (3D or EC cover depending on the fabric for the whole chair)	228,-
	D28453	☐ Foot plate upholstery - pair - skai cover	314,-
	D86900	☐ Bodypoint calf strap M	186,-
	D86901	☐ Bodypoint calf strap L	186,-

Universal leg supports

	D24006	☐ Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. Without calf supports, delivered with heel straps.	141,-
	Standard	 Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation)	0,-

	Bodypoint ankle huggers with upholstery incl. mounting kit		
	☐	D44863 S (L: 170-200 mm)	249,-
	☐	D44864 M (L: 190-230 mm)	249,-
	☐	D44865 L (L: 220-290 mm)	260,-
	☐	D44904 XL (L: 280-330 mm)	281,-
D21044	☐	Foot board, no heel strap	336,-
D21041	☐	Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	530,-
D86900	☐	Bodypoint calf strap M	186,-
D86901	☐	Bodypoint calf strap L	186,-

Netti Grandis angle adjustable leg support

	D88600	☐ Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis. The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot plates. In some configurations of the Netti V there can be a potential conflict with the calf supports.	1.131,-
	Standard	☒ Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation)	0,-
	D88602	☐ Calf support upholstery extra soft - pair (3D or EC cover depending on the fabric for the whole chair)	217,-
	D88607	☐ Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	116,-
	D21745	☐ Calf support bracket upholstery - pair - skai cover	65,-
	D88014	☐ Foot fixation, pair incl. mounting kit	243,-
	D88603	☐ Foot board, lockable and upwards swingable	398,-
	D88605	☐ Footbox, upholstered with Skai cover (approved for car transport)	750,-
	D21293	☐ Calf strap	98,-
	D86900	☐ Bodypoint calf strap M	186,-
	D86901	☐ Bodypoint calf strap L	186,-
	Bodypoint ankle huggers with upholstery		
	☐	D88863 S (L: 170-200 mm)	337,-
	☐	D88864 M (L: 190-230 mm)	337,-
	☐	D88865 L (L: 220-290 mm)	347,-
	☐	D88866 XL (L: 280-330 mm)	371,-

Netti Grandis amputation support

D88618	☐	Amputation support left incl. Netti Grandis leg support right side	1.085,-
--------	--------------------------	--	---------

D88619	☐	Amputation support right incl. Netti Grandis leg support left side	1.085,-
D800	☐	Amputation support left + right	1.513,-

Netti Grandis leg support with fixed angle



D88612	☐	Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.	1.131,-
--------	--------------------------	---	---------

The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.

Standard	☒	Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation)	0,-
D88603	☐	Foot board, lockable and upwards swingable	398,-
D88605	☐	Footbox, upholstered with Skai cover (approved for car transport)	750,-

Netti Dynamic angle adjustable leg rests



Netti Dynamic angle adjustable leg rests with calf supports and footboard, 100N.

Price on request

D82296	☐	Adjustment piece 300 mm (lower leg length 450-550 mm)
D82298	☐	Adjustment piece 214 mm (lower leg length 350-450 mm)



Standard	☒	Up to 2x25 mm width adjustment – if adjusted a new footboard must be mounted/purchased.	0,-
D32296	☐	Extra-long knee upholstery 550 mm – 3D cover	299,-
D45245	☐	Reinforced automatic footboard lock. With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
D88211	☐	Leg support upper parts with lever instead of star wheel for angle adjustment	92,-
	Bodypoint ankle huggers with upholstery		
	☐	D44863 S (L: 170-200 mm)	249,-
	☐	D44864 M (L: 190-230 mm)	249,-
	☐	D44865 L (L: 220-290 mm)	260,-
	☐	D44904 XL (L: 280-330 mm)	281,-
D21745	☐	Calf support bracket upholstery - pair - skai cover	65,-
D41617	☐	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	228,-
D86900	☐	Bodypoint calf strap M	186,-
D86901	☐	Bodypoint calf strap L	186,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

	Standard		Arm supports height and depth adjustable – height 335 mm	0,-
	Standard		Arm pads 385 x 58 mm	0,-
	Standard		Arm rest sideways 2 x 12,5/25 mm adjustable	0,-
	D21680		Arm supports height and depth adjustable – height 395 mm Easy adjustment with arm support release handle. Be aware of potential conflicts if adjusted in the lowest heights - depending on seat depth and seat height adjustment low SH might give a conflict).	203,-
	D21077		Arm pads 420 x 80 mm	130,-
	D21078		Arm pads 445 x 70 mm	130,-
	D21079		Arm pads 525 x 80 mm	130,-
	D41649		Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	119,-
	D41650		Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	141,-
	D89710		Completely upholstered armrest height 338 mm high – app. 20 mm thick Skai upholstery. Arm pad app. 430 x 100 mm. These arm supports cannot be combined with a tray	626,-
	D23003		Hemiplegic cushion	228,-
	D22185		Arm support hemiplegic left (can only be combined with a tray in special adaptation)	346,-
	D22186		Arm support hemiplegic right (can only be combined with a tray in special adaptation)	346,-

FRONT AND MAIN WHEEL

	Standard		Main wheel: 24 x 1" PU – steel – grey version – black hub	0,-
	Standard		Front wheel: 7" – 175 x 33 PU – grey version	0,-
	Standard		Chair delivered in seat height 461 mm (floor to seatplate)	0,-
	Standard		Seat height stepless adjustable from 386 – 456 mm (70 mm seat height adjustment through patent pending adjustment bracket)	0,-
	Standard		Seat height adjustable extra 30 mm by changing wheel position – does not apply for 16" and 22" wheels	0,-
	D22006		Main wheels wide: 1 3/8 PU infill – aluminium – grey	76,-
	D22008		Main wheels wide and pneumatic: only 24 x 1 3/8 pneumatic – aluminium – grey	76,-
	D21021		Front wheels: 7" – 175 x 45 PU wheel grey - puncture proof - with PU infill (necessary for supportive engines)	98,-
	D21012		7" 175 x 45 mm pneumatic – grey	98,-
	D52035		16" drum brake main wheels + 7" front wheels - PU grey Seat height stepless adjustable from 386 – 456 mm by dealer	401,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

		(mounting by dealer, no frame brakes included)	
D52002	☐	20" main wheels + 5" front wheels – PU grey Seat height stepless adjustable from 345 – 445 mm by dealer	261,-
D52007	☐	22" main wheels + 7" front wheels – PU grey Seat height stepless adjustable from 390 – 460 mm by dealer	151,-
D52009	☐	24" main wheels + 8" 200 x 50 mm wide front wheels – PU grey – black hub Seat height stepless adjustable from 415 – 485 mm by dealer	98,-
D52010	☐	26" main wheels + 8" 200 x 50 mm wide front wheels – PU grey Seat height stepless adjustable from 414 – 484 mm by dealer Please note: Total width extended with 50 mm.	255,-
D52011	☐	26" main wheels + 8" 200 x 33 mm front wheels – PU grey. Seat height stepless adjustable from 484 - 514 mm by dealer Please note: Total width extended with 50 mm.	255,-
D20831	☐	Main wheel w/one hand drive (24x1 3/8 Drum brake grey) – left In combination with 7" front wheel and tilt limiter D53032 (tilt changed: -3° to 10 or 15°) – if SW extended to 550 mm, only as special adaptation. (if mounted, the chair is not approved as seat for car transport)	1.947,-
D20832	☐	Main wheel w/one hand drive (24x1 3/8 Drum brake grey) – right In combination with 7" front wheel and tilt limiter D53032 (tilt changed: -3° to 10 or 15°) – if SW extended to 550, mm only as special adaptation (if mounted, the chair is not approved as seat for car transport)	1.947,-
D22009	☐	Hand and spoke protector, transparent, pair	163,-
D22013	☐	Push rim cover, pair	130,-

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS

Standard measurements for Netti head supports (except Netti Dynamic):

Horizontal bar 200 mm / Vertical bar 350 mm



		A	B	C	D	E	F
Standard	☒	Head support adapter adjustable to the side					0,-
D20575	☐	Head support A, with side support					249,-
D82566	☐	Head support A with side support and head band (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)					370,-
D82568	☐	Extra comfort pads for the head band of D82566, pair					35,-
D20574	☐	Head support B, small, oval					249,-
D20573	☐	Head support C, large, square					249,-
D53746	☐	Netti Dynamic head support C (H: 150 mm/V: 350 mm) – If combined with other options, please send us a request, as					Price on request



NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | netti@Meyragroup.com | Phone +45 87887300

All prices are list prices excl. VAT | Right for changes reserved | Valid until a new pricelist is published | Page 9 of 15

Version 2026_09

some solutions are only possible as special adaptations. For more information, feel free to contact us.		
D20576	☐	Head support D, comfort (pressure distributive) 314,-
D27575	☐	Head support E with adjustable side supports 379,-
D27576	☐	Head support F with cheek support 497,- (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)
D21027	☐	Headrest adjustment tube (horizontal) length 250 mm (not for Savant or Dynamic C head support) 98,-
D21065	☐	Headrest adjustment tube (horizontal) length 300 mm (not for Savant or Dynamic C head support) 98,-
D21028	☐	Headrest adjustment tube (horizontal) length 380 mm (not for Savant or Dynamic C head support) 108,-
D21054	☐	Headrest adjustment tube (vertical) + 150 mm, length 500 mm (not for Savant or Dynamic C head support) 98,-
D23004	☐	Comfort cushion for head rest type C – removable with Stella cover 195,-
D23012	☐	Easy Care cover for head rest type A, B, C – removable 98,-
D23013	☐	3D cover for head rest type A, B, C – removable 98,-
D23015	☐	Grey head rest cushion with Stella cover 249,-
D56677	☐	MYSeat head support (3 joints) 614,- Easy to adjust – Takes little space – Crash tested Artificial leather or textile cover depending on fabric choice for the whole chair. Multifunctional head support with adjustable sides. Horizontal, vertical and angle adjustable. Width 250 mm.
D90034	☐	Extra joint for MYSeat head support extension – needed for back height 600 mm. 87,-
D45372	☐	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest) Price on request
D45374	☐	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest) Price on request
D45373	☐	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband Price on request

D45375	☐	Headrest adjustment tube for Savant head support (horizontal) + 100 mm, length 250 mm	Price on request
D45368	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558	☐	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89559	☐	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (if mounted, the chair is not approved as seat for car transport – if this is needed please order an additional Netti headrest)	Price on request

TRAYS

D21059	☐	Universal tray for SW 350 - 500 mm (for SW 500 and arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm, please choose tray D21063)	243,-
D21063	☐	Universal tray for SW 550 mm (necessary for SW 500 with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	303,-
D21050	☐	Tray reinforced for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	411,-
D24001	☐	Tray swingable for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	281,-
D24002	☐	Tray lockable for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	281,-
D93316	☐	Tray spacer for swingable or lockable tray (necessary if a tray is combined with soft upholstery for armpads D41649/D41650)	21,-
D21052	☐	Upholstery for tray	130,-
D53006	☐	Half tray, upholstered, left	444,-
D53005	☐	Half tray, upholstered, right	444,-

VARIOUS ACCESSORIES

D21087	☐	Clinic-kit – tool kit and tools for angle adjustable foot supports	130,-
D21239	☐	Tool kit	108,-
D41987	☐	Intravenous rack	346,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit

									
Mounting material	[A]	[B]	[C]	[D]	[E]				
D25845	☐	Hip belt, with upholstery and car belt lock [A]							134,-
		Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting material[B]							288,-
D56902	☐	XS (overall pad length: 380 mm)							
D56891	☐	M (overall pad length: 460 mm)							
D56892	☐	L (overall pad length: 620 mm)							
		Bodypoint 2-point hip belt incl. mounting material[E]							260,-
D55273	☐	XS (overall pad length: 360 mm)							
D55274	☐	S (overall pad length: 400 mm)							
D55275	☐	M (overall pad length: 460 mm)							
D45040	☐	Security cover for type [B], [C] and [E] in XS/M/L							76,-
D55276	☐	Bodypoint 2-point pelvic stabiliser for SW 550-650 mm incl. mounting material (overall pad length: 820 mm) [E]							379,-
		Bodypoint 4-point pelvic stabiliser incl. mounting material [C]							436,-
D56889	☐	XS (overall pad length 360 mm)							
D56893	☐	M (overall pad length: 460 mm)							
D56894	☐	L (overall pad length: 620 mm)							
D60001	☐	Abduction belt [D]							574,-
		Bodypoint supportive universal elastic strap							195,-
D45084	☐	S (Height 80 mm - 1420 mm long, easily cut-to-length)							
D45085	☐	L (Height 110 mm - 1420 mm long, easily cut-to-length)							
D45086	☐	XL (Height 150 mm - 1420 mm long, easily cut-to-length)							

Belts and accessories for back unit

					
[A]	[B]	[C]	[D]	[E]	
D53890	☐	H-harness adaptor kit (recommended for all upper body harnesses) [A]			358,-
D20881	☐	H-belt, with upholstery and car belt lock [B]			271,-
D41645	☐	Belt cross harness [C]			206,-

		Bodypoint Stayflex chest support without zipper [D]	282,-
D89805	☐	XS (Shoulder width 240-280 mm)	
D89898	☐	S (Shoulder width 280-330 mm)	
D86895	☐	M (Shoulder width 330-410 mm)	
D86896	☐	L (Shoulder width 410-480 mm)	
		Bodypoint Pivofit shoulder harness [E]	282,-
D89802	☐	XS (Shoulder width 240-280 mm)	
D89803	☐	S (Shoulder width 280-330 mm)	
D86898	☐	M (Shoulder width 330-410 mm)	
D86899	☐	L (Shoulder width 410-480 mm)	

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution. See examples and more about our special solutions online.



CUSTOM MADE – most wanted special adapted items (price on request)



A




B

☐	Extra long calf supports (please state length) (A)
☐	Calf support upholstery in special length or material
☐	Back cushion with special side support (see drawing page 9) (B)
☐	Footboard that swings horizontally forwards
☐	Push handles with longer horizontal bar (standard is 200 mm)

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.




Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length _____ mm of the chair.

TECHNICAL DATA

Tilt (seat)	-3° to +30° -3,6° to +45° (Enlarged tilt option)
Recline (back)	85° to 130° 88° to 110° (Enlarged tilt option) 90° to 118° (Dynamic back function)
Total width of the wheelchair	Seat width + 210 mm Seat width + 195 mm (16" wheels) Seat width + 260 mm (26" wheels)
Total length	1000 - 1200 mm with leg rests vertical and seat horizontal
Distance arm support to seat plate	Min: 185 mm/ max. 325 mm
Weight of wheelchair	App. 35 kg (without cushion)
Frame colour	Turquoise
Cover variants	Stretchable & flexible cover 3D Easy Care antibacterial cover, washable
Max. capacity	135 kg
Crash test	ISO 7176-19 (135 kg)

Leg rests	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



Measurements

A Hip width/Seat width	_____ mm
B Thigh length / seat depth	_____ mm
C Arm rest height	_____ mm
D Leg length / seat height	_____ mm
E Backrest height	_____ mm
F Trunk width	_____ mm